



## LIGHTING



2012/2013





For your nearest  
HC-CARGO dealer  
and full program  
overview visit  
[www.hc-cargo.com](http://www.hc-cargo.com)



This catalogue details lighting products such as Rear Multi-Function Lamps, Rotating Beacons, Bulbs, Work Lamps, Reflectors and many more lighting related products.



"Becoming an HC-CARGO supplier is not that easy. They have to fulfil a long list of preconditions and need to be DIN EN ISO 9001 certified. Last but not least they have to convince me. Together with the quality department I visit our suppliers and test them intensively before they deliver the first products."

Martin, Purchasing Manager



## LIGHTING



Edition 2012/2013



## PAGE

### LIGHTING

Beacon Sockets .....	20
Spare Parts .....	21
Bulb Holders .....	94
Set .....	96
Bulbs .....	114
Conventional .....	114
Bulbs .....	101
Electric Vehicles and Forklifts .....	114
Festoon .....	109
Flash and Penlight .....	115
H1 Halogen .....	102
H2 Halogen .....	102
H3 Halogen .....	102
H4 Halogen .....	103
H6W Halogen .....	104
H7 Halogen .....	104
H8 American Types .....	106
H9 American Types .....	106
H10 American Types .....	106
H11 American Types .....	107
H13 Halogen .....	107
H15 Halogen .....	104
H21W Halogen .....	105
H27W/1 American Types .....	107
H27W/2 American Types .....	107
Halogen .....	115
HB1 American Types .....	105
HB3 A American Types .....	105
HB3 American Types .....	105
HB4 A American Types .....	106
HB4 American Types .....	106
HB5 American Types .....	106
High Intensity Discharge .....	107
Instrument Panel .....	111
MH6 Halogen .....	104
Parking and Flasher - Position .....	110
Spare Lamp Kits .....	118
Stop and Flasher - Position .....	116
Stop and Tail Lamps .....	108
Wedge Base .....	111
Wedge Base - Covers .....	115
Flasher-Position Lamps .....	79
Spare Parts .....	80
w/LED .....	80
Forward Lighting .....	31
Auxiliary Lamps .....	34
Headlight Inserts .....	33
LED Daytime Running Lights .....	37
Sealed Beams .....	35
Tractor Head Lamps .....	31

## PAGE

Hazard Warning Lights .....	3
w/LED .....	3
Interior Lamps .....	83
Flourescent Lamps .....	86
w/LED .....	83
Pen-/Torch Lights .....	3
Penlights .....	3
Torch Light .....	3
Position Lamps .....	74
Spare Parts .....	78
w/LED .....	74
Reflectors .....	89
Accessories .....	92
Rear Marking Trailers .....	92
Rear Marking Trucks .....	93
Triangles .....	94
Warning Triangles .....	92
Side Indicators .....	69
Spare Parts .....	70
w/LED .....	70
Side Marker Lamps .....	70
Accessories .....	74
Spare Parts .....	74
w/LED .....	71
Spot Lights .....	30
Accessories .....	31
Tail Lights .....	37
Multi Function Lamps .....	40
Numberplate Lamps .....	80
Rear Fog Lamps .....	38
Reversing Lamps .....	37
Tail Lamps .....	61
Tail Position Lamps .....	65
Tail-Lift Lamps .....	87
Trailer Lighting Sets .....	87
Warning Lights .....	4
Flash Lights .....	10
Light Bars .....	17
Rotating Beacons .....	4
Work Lamps .....	21
w/HID .....	29
w/LED .....	26
Multifunction Lamps .....	97
Assortments .....	119
Cross Referece List .....	125
Index .....	131

### ABBREVIATIONS:

AC=Air Condition, Alu=Aluminium, A=Ampere, AT=Automatic Transmission, Cat.=Catalyzer, Ch.=Chassis, Cyl.=Cylinder, CW=Clockwise rotation, Eur.=European application, FWD.=Front Wheel Drive, H=Height, HD=Heavy Duty construction, HP=Horse Power, ID=Inner Diameter, kW=Kilowatt, L=Length, LHD=Left Hand Drive, LL.=Lead Length, M=Minimum supply, MT=Manual Transmission, m=Metre, OD=Outer Diameter, O.E.=Original Equipment, PS=Power Steering, RHD=Right Hand Drive, Th.=Thickness, V=Volt, W/=With, W/o=Without, W=Width, 4WD.=Four Wheel Drive, [ ]=Eng. no.

Care is taken to ensure the accuracy of descriptions and applications of each item, but **CAR GO** assumes no responsibility for possible errors. O.E.M. names and numbers are used for reference purposes only.  
Printed in Denmark. Copyright © 2012 Holger Christiansen A/S, A Bosch Group Company



## Hazard Warning Lights



**170683** Hazard Warning Lamp  
Servicing: Approved for vehicles carrying dangerous goods  
Dim. 240.2x106.5 mm, Battery type D, No./batteries 5, **Hazard flasher** w/, Approvals GGVS  
Battery: Cargo 200741, 200768.

## w/LED



**171797** LED Hazard Warning Lamp  
Dim. 215x75x63 mm, Battery type AA, Bulb type LED, Material ABS plastic, No./batteries 4, Drop proof Yes, **Hazard flasher** w/, Approvals GGVS/ADR  
Battery: Cargo 200739.

## Pen-/Torch Lights

### Torch Light



**170353** High Powered Torch  
Battery type D, Bulb type Krypton, No./batteries 4  
Bulb: Cargo 171280. Batteries: Cargo 200741, 200768.

## w/LED



**171634** LED Hands-Free Light  
Light power 3/9 lumen, Dim. 38x68x44 mm, Battery type AAA, Bulb type LED, No./batteries 3, Drop proof Yes, Approvals ATEX  
Battery: Cargo 200738.



**171749** LED Torch Light  
Light power 65 lumen, Dim. 37x120 mm, Battery type AAA, Bulb type LED, Material Aluminium, No./batteries 3, Waterproof Yes, Clips w/  
Battery: Cargo 200738.



**171787** LED Torch Light  
Dim. 217x52x52 mm, Battery type LR14, Bulb type LED, Material Shockproof plastic, No./batteries 3, Waterproof Yes, Drop proof Yes, Shoulder strap w/  
Battery: Cargo 200740.

## w/LED & UV



**171805** UV LED Torch light  
Dim. 126 mm, Battery type AAA, Bulb type UV LED, Material Aluminium, No./batteries 3, Waterproof Yes, Approvals CE  
Battery: Cargo 200738.



**253489** UV Inspection Lamp  
Type LED, Model UV, Bulb incl. Yes  
3 pcs. batteries and mirror included.  
Batteries: Cargo 200858.



**253504** UV Lamp  
Type LED, Model UV, Colour Red, Material/dome Shockproof plastic, Bulb incl. Yes  
Battery: Cargo 200742.

## Penlights



**171269** Penlight  
Battery type AAA, Material Aluminium, No./batteries 2, Clips w/  
Rubber coated aluminium. +70% light intensity. Bulb: Cargo 171275. Battery: Cargo 200738, 200765.

## Xenon



**171631** Xenon Penlight  
Light power 6000 cd, Dim. 104x21x21 mm, Battery type AAA, Bulb type Xenon, No./batteries 2, Clips w/, Approvals ATEX, E-approval Yes  
Zone 1. Bulb: Cargo 171724.



**171632** Xenon Torch Light  
Battery type AA, Bulb type Xenon,  
No./batteries 4, Clips w/,  
Approvals ATEX/CE  
Zone 1.



**171633** Xenon Torch Light  
Light power 34 lumen,  
Dim. 198x48x48 mm, Battery type LR14,  
Bulb type Xenon, No./batteries 3,  
Shoulder strap w/, Clips w/,  
Approvals ATEX  
Zone 1.

w/LED



**171704** LED Penlight  
Dim. 14.5x109 mm, Battery type AAA,  
Bulb type LED, Material Aluminium,  
No./batteries 1, Waterproof Yes,  
Drop proof Yes, Approvals CE  
Button w/ easy touch for either signal or  
constant light. Optical lense intensive the  
light. At least 8 hours of burn time.



**171792** LED Penlight  
Light power 24 lumen, Dim. 140 mm,  
Battery type AAA, Bulb type LED,  
Material Shockproof plastic,  
No./batteries 2, Waterproof Yes,  
Clips w/, Approvals ATEX  
Zener volt = 34-40.

## Warning Lights


### Rotating Beacons




**170295** Rotating Beacon  
12 V, OD 140 mm, Mount. Standard ISO A  
- Rod, Height 250 mm, Width 135.5 mm,  
Lens type PMMA/ACRYL, Bulb type H1,  
Model AEB TYPE 590, Colour Orange,  
Bulb incl. Yes, E-approval Yes  
Lens: Cargo 170308. Motor: Cargo 170505.  
Plastic base plate: Cargo 170309.




**170296** Rotating Beacon  
24 V, OD 140 mm, Mount. Standard ISO A  
- Rod, Height 250 mm, Width 135.5 mm,  
Lens type PMMA/ACRYL, Bulb type H1,  
Model AEB TYPE 590, Colour Orange,  
Bulb incl. Yes, E-approval Yes  
Lens: Cargo 170308. Motor: Cargo 170506.  
Plastic base plate: Cargo 170309.



**170435** Rotating Beacon  
12 V, OD 160 mm, Mount. Standard  
ISO B2 (and B1) - Base, Height 220 mm, -  
Lens type PMMA/ACRYL, Bulb type H1,  
Model AEB TYPE 595, Colour Orange,  
Bulb incl. Yes, E-approval Yes  
Lens: Cargo 170308. Motor: Cargo 170505.




**170436** Rotating Beacon  
24 V, OD 160 mm, Mount. Standard  
ISO B2 (and B1) - Base, Height 220 mm, -  
Lens type Amber dome, Bulb type H1,  
Model AEB TYPE 595, Colour Orange,  
Bulb incl. Yes, E-approval Yes  
Lens: Cargo 170308. Motor: Cargo 170506.



### 170437 Rotating Beacon

12 V, OD 177 mm, Mount. 3 magnets, Height 236 mm, Lens type PMMA/ACRYL, Bulb type H1, Model AEB TYPE 595 M, Colour Orange, Base Magnetic, Coiled cable w/, Bulb incl. Yes, E-approval Yes


Lens: Cargo 170308. Motor: Cargo 170505. Coil cable: lenght 2 m.



### 170438 Rotating Beacon

24 V, OD 177 mm, Mount. 3 magnets, Height 236 mm, Lens type PMMA/ACRYL, Bulb type H1, Model AEB TYPE 595 M, Colour Orange, Base Magnetic, Coiled cable w/, Bulb incl. Yes, E-approval Yes

Lens: Cargo 170308. Motor: Cargo 170505. Coil cable: lenght 2 m.



### 170490 Rotating Beacon

12/24 V, OD 145 mm, Mount. Standard ISO B2 (and B1) - Base, Height 193 mm, Width 145 mm, Lens type PMMA/ACRYL, Bulb type H1, Model TYPE FT 6, Colour Orange, Bulb incl. No, Tightness norm IP 55, E-approval Yes



### 170491 Rotating Beacon

12/24 V, OD 150 mm, Mount. Standard ISO-DIN A or B fixing, Height 250 mm, - Lens type PMMA/ACRYL, Bulb type H1, Model TYPE FT 6, Colour Orange, Base Rigid, Bulb incl. No, Tightness norm IP 55, E-approval Yes



### 170540 Rotating Beacon

12 V, OD 152 mm, Mount. Standard ISO A - Rod, Height 240 mm, Width 150 mm, Lens type Polycarbonat, Bulb type H1, Model Boule, Colour Orange, Base Flexible, Waterproof Yes, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 66, E-approval Yes Engine: Cargo 170646. Lens: Cargo 170543.



### 170541 Rotating Beacon

24 V, OD 152 mm, Mount. Rod (ISO-DIN A), Height 240 mm, Width 152 mm, Lens type Polycarbonat, Bulb type H1, Model Boule, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 66, E-approval Yes


Lens: Cargo 170543.



### 170551 Rotating Beacon


12 V, OD 135 mm, Mount. Standard ISO A - Rod, Height 265 mm, Width 135 mm, Lens type Polycarbonat, Bulb type H1, Model TYPE GF 8.8 FLX, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 54, E-approval Yes

Lens: Cargo 170697.




### 170598 Rotating Beacon

12/24 V, OD 110 mm, Mount. Single bolt, Height 200 mm, Lens type PMMA/ACRYL, Bulb type H1, Model AEB TYPE 525, Colour Orange, Bulb incl. No, E-approval Yes



### 170599 Rotating Beacon

12/24 V, OD 110 mm, Mount. 3 magnets, Length 2000 mm, Height 195 mm, Lens type PMMA/ACRYL, Bulb type H1, Model AEB TYPE 525 M, Colour Orange, Base Magnetic, Coiled cable w/, Bulb incl. No, E-approval Yes




### 170601 Rotating Beacon

12/24 V, OD 127 mm, Mount. Standard ISO A - Rod, Height 315 mm, - Lens type Polycarbonat, Bulb type H1, Model AEB TYPE 530 B, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. No, E-approval Yes



### 170798 Rotating Beacon

12/24 V, OD 160 mm, Mount. Standard ISO B2 (and B1) - Base, Height 220 mm, Lens type PMMA/ACRYL, Bulb type H1, Model AEB TYPE 595, Colour Blue, Bulb incl. No, E-approval Yes  
Lens: Cargo 170366. Motor: Cargo 170505, 170506.



### 170830 Rotating Beacon

12/24 V, OD 130 mm, Mount. Standard ISO B2 (and B1) - Base, Height 183 mm, Width 142 mm, Bulb type H1, Colour Orange, Bulb incl. No, E-approval Yes  
Lens: Cargo 170945.



### 171017 Rotating Beacon

12/24 V, OD 145 mm, Mount. Standard ISO B2 (and B1) - Base, Height 193 mm, - Lens type PMMA/ACRYL, Bulb type H1, Model TYPE FT 6, Colour Blue, Bulb incl. No, Tightness norm IP 55, E-approval Yes



### 171019 Rotating Beacon

12/24 V, OD 142 mm, Mount. Standard ISO B2 (and B1) - Base, Height 183 mm, - Bulb type H1, Model Astral, Colour Blue, Bulb incl. No, E-approval Yes



### 171060 Rotating Beacon

12 V, OD 132 mm, Mount. Standard ISO A - Rod, Height 210 mm, - Lens type Polycarbonat, Bulb type H1, Model Megalux, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, E-approval Yes  
Lens: Cargo 171589.



### 171061 Rotating Beacon

24 V, OD 132 mm, Mount. Standard ISO A - Rod, Height 210 mm, - Lens type Polycarbonat, Bulb type H1, Model Megalux, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, E-approval Yes



### 171351 Rotating Beacon

24 V, OD 114 mm, Mount. Standard ISO A/B2 (and B1) - Rod/base, Height 167 mm, Lens type Polycarbonat, Bulb type H1, Model Rotokit, Colour Orange, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 44, E-approval Yes  
Fixing bases: Cargo 171349, 171354, 171355.



### 171399 Rotating Beacon

12/24 V, OD 136 mm, Mount. Standard ISO A - Rod, Height 250 mm, - Lens type PMMA/ACRYL, Bulb type H1, Model 590 DVO, Colour Orange, Bulb incl. No, E-approval Yes  
Lens: Cargo 170308. Motor: Cargo 170505, 170506.



### 171423 Rotating Beacon


12 V, OD 110 mm, Mount. Standard ISO A - Rod, Height 220 mm, Width 110 mm, Lens type Polycarbonat, Bulb type H1, Model Microboule, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 55, Approvals CE, E-approval Yes



### 171424 Rotating Beacon


24 V, OD 110 mm, Mount. Rod (ISO-DIN A), Height 220 mm, Width 110 mm, Lens type Polycarbonat, Bulb type H1, Model Microboule, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 55, Approvals CE, E-approval Yes






### 171494 Rotating Beacon

12 V, OD 120x186 mm, Mount. 1 magnet, Length 194 mm, Height 124 mm, Width 125 mm, Lens type Polycarbonat, Bulb type H1, Model GDO, Colour Orange, Base Magnetic, Hi impact Yes, Coiled cable w/, Bulb incl. Yes, Tightness norm IP 55, E-approval Yes Tested for 200 kmh. Lens: Cargo 171512. 2 mtr. coiled cable. Rubber base




### 171577 Rotating Beacon

12 V, OD 142 mm, Mount. Standard ISO A - Rod, Height 235.5 mm, Width 142 mm, Bulb type H1, Model Astral, Colour Orange, Base Rigid, Bulb incl. Yes, E-approval Yes Lens: Cargo 170945.




### 171587 Rotating Beacon

12/24 V, OD 142 mm, Mount. 1 magnet, Height 198 mm, Width 142 mm, Bulb type H1, Model Astral, Colour Orange, Coiled cable w/, Bulb incl. No, E-approval Yes Lens: Cargo 170945.




### 171588 Rotating Beacon

12/24 V, OD 142 mm, Mount. Single bolt, Height 183 mm, Width 142 mm, Bulb type H1, Model Astral, Colour Orange, Bulb incl. No, E-approval Yes Lens: Cargo 170945.



### 171705 Rotating Beacon

12/24 V, OD 160 mm, Mount. Plan (ISO-DIN B), Height 220 mm, - Lens type PMMA/ACRYL, Bulb type H1, Model AEB type 595, Colour Orange, Bulb incl. No, E-approval Yes Lens: Cargo 170308. Motor: Cargo 170505, 170506.



### 171793 Rotating Beacon

12-24 V, OD 142 mm, Mount. Standard ISO A - Rod, Height 235.5 mm, - Lens type Polycarbonat, Bulb type H1, Model Astral flex, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. No, E-approval Yes

## Spare Parts



### 170308 Dome

Servicing: Cargo 170295, 170296, 170435, 170436, 170437, 170438, 170798, 171399

Height 160 mm, Width 136 mm,  
Lens type PMMA/ACRYL, Model TYPE 590/595/595M, Colour Orange



### 170309 Base Plate

Servicing: Cargo 170295, 170296, 170435, 170436, 170437, 170438, 170798, 171399

Height 90 mm, Width 135 mm,  
Model TYPE 590/595/595M



### 170366 Dome

Servicing: Cargo 170295, 170296, 170435, 170436, 170437, 170438, 170798, 171399

Height 160 mm, Width 136 mm,  
Lens type PMMA/ACRYL, Model TYPE 590/595/595M, Colour Blue



### 170492# Dome

Servicing: Cargo 170490, 170491.


Lens type PMMA/ACRYL, Model TYPE FT 6,  
Colour Orange, Hi impact No



### 170505 Beacon Motor

Servicing: Cargo 170295, 170296, 170435, 170436, 170437, 170438, 170798, 171399

12 V, Height 65 mm, Width 30 mm,  
Model TYPE 590/595/595M



### 170506 Beacon Motor

Servicing: Cargo 170295, 170296, 170435, 170436, 170437, 170438, 170798, 171399

24 V, Height 65 mm, Width 30 mm,  
Model TYPE 590/595/595M



### 170528 Base Plate

Servicing: Cargo 170491, 170490, 170650, 170651, 171498, 170680

Mount. Standard ISO A - Rod, Height 58 mm,  
Width 150 mm, Model TYPE FT 6



### 170543 Dome

Servicing: Cargo 170540, 170541

Lens type Polycarbonat, Model Boule,  
Colour Orange, Hi impact Yes



### 170945 Dome

Servicing: Cargo 170830, 171019, 171577, 171587, 171588

Height 144 mm, Width 128 mm,  
Lens type PMMA/ACRYL, Model Astral,  
Colour Orange, E-approval Yes



### 171512 Dome

Servicing: Cargo 171494, 171495, 171496

Lens type Polycarbonat, Model GDO,  
Colour Orange

## Accessories



### 170525 Beacon Socket

Servicing: Cargo 170490, 171017.

Mount. 3 magnets, Length 2000 mm,  
Model TYPE FT 6, Base Magnetic,  
Coiled cable w/, Tightness norm IP 55



### 171349 Beacon Base

Servicing: Cargo 171351

Mount. Standard ISO B2 (and B1) - Base,  
Model Rotokit



### 171354 Beacon Base

Servicing: Cargo 171351

Mount. 3 magnets, Model Rotokit,  
Base Magnetic, Coiled cable w/  
w/ multi plug that fits the rotorkit beacon.




### 171355 Beacon Base

Servicing: Cargo 171351

Mount. 1 magnet, Model Rotokit,  
Coiled cable w/  
w/ multi plug that fits the rotorkit beacon.


## Flash Lights

## Xenon Beacon




### 170650 Xenon Beacon

12 V, OD 169 mm, Mount. Standard ISO  
B2 (and B1) - Base, Height 202 mm,  
Lens type Polycarbonat, Bulb type LX10J,  
Model XENON FT6 AG ELECTRONIC,  
Colour Orange, Hi impact Yes,  
Bulb incl. Yes, Tightness norm IP 55,  
E-approval Yes  
Lens: Cargo 170655.




### 170651 Xenon Beacon

24 V, OD 169 mm, Mount. Standard ISO  
B2 (and B1) - Base, Height 202 mm,  
Lens type PMMA/ACRYL, Bulb type LX10J,  
Model XENON FT6 AG ELECTRONIC,  
Colour Orange, Bulb incl. Yes,  
Tightness norm IP 55, E-approval Yes




### 170680 Xenon Beacon

10-100 V, OD 150 mm, Mount. Standard  
ISO B2 (and B1) - Base, Height 121 mm,  
Width 150 mm, Lens type Polycarbonat,  
Bulb type LX1J, Model FLASH ELEV,  
Colour Orange, Material Polycarbonat,  
Base Rigid, Hi impact Yes,  
Bulb incl. Yes, Tightness norm IP 54




### 171005 Xenon Beacon

10-100 V, OD 120 mm, Mount. Standard  
ISO B2 (and B1) - Base, Height 105 mm,  
Lens type PMMA/ACRYL, Bulb type LX1J,  
Model TYPE TRASPOT XENON,  
Colour Orange, Bulb incl. Yes,  
Approvals CE  
w/ Xenon tube. Lens: Cargo 171590.




### 171495 Xenon Beacon

12 V, OD 120x186 mm, Mount. 1 magnet,  
Length 194 mm, Height 124 mm,  
Width 125 mm, Lens type Polycarbonat,  
Bulb type LX8J, Model GDO FLASH,  
Colour Orange, Material Rubber,  
Base Magnetic, Hi impact Yes,  
Coiled cable w/, Bulb incl. Yes,  
Tightness norm IP 55, Approvals CE,  
E-approval Yes  
Tested for 200 kmh. Lens: Cargo 171512.




### 171496 Xenon Beacon

24 V, OD 120x186 mm, Mount. 1 magnet, Length 194 mm, Height 124 mm, Width 125 mm, Lens type Polycarbonat, Bulb type LX8J, Model GDO FLASH, Colour Orange, Material Rubber, Base Magnetic, Hi impact Yes, Coiled cable w/, Bulb incl. Yes, Tightness norm IP 55, Approvals CE, E-approval Yes  
Tested for 200 kmh. Lens: Cargo 171512.




### 171497 Xenon Beacon

12 V, OD 120x186 mm, Mount. 1 magnet, Length 194 mm, Height 124 mm, Width 125 mm, Lens type Polycarbonat, Bulb type LX8J, Model GDO FLASH, Colour Blue, Material Rubber, Base Magnetic, Hi impact Yes, Coiled cable w/, Bulb incl. Yes, Tightness norm IP 55, Approvals CE, E-approval Yes  
Tested for 200 kmh.




### 171498 Xenon Beacon

10-100 V, OD 150 mm, Mount. Standard ISO B2 (and B1) - Base, Height 135 mm, Width 150 mm, Lens type Polycarbonat, Bulb type LX1J, Model FLASH ELEV SL, Colour Orange, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 20 w/ built-in audible signal. Lens: Cargo 170978.




### 171505 Xenon Beacon

12 V, OD 150 mm, Mount. Plan (ISO-DIN B), Height 230 mm, Width 130 mm, Lens type Polycarbonat, Bulb type LX10J, Model XENON GF 8.8 FLASH, Colour Orange, Base Rigid, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 44, Approvals CE, E-approval Yes



### 171540 Xenon Beacon


12 V, OD 152 mm, Mount. Standard ISO A - Rod, Height 240 mm, Width 152 mm, Lens type Polycarbonat, Bulb type LX8J, Model BOULE FLASH, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 66, E-approval Yes



### 171541 Xenon Beacon


24 V, OD 152 mm, Mount. Standard ISO A - Rod, Height 240 mm, - Lens type Polycarbonat, Bulb type LX8J, Model BOULE FLASH, Colour Orange, Base Flexible, Hi impact Yes, Bulb incl. Yes, Tightness norm IP 66, E-approval Yes






### 171561 Xenon Beacon

10-100 V, OD 120 mm, Mount. Standard ISO B2 (and B1) - Base, Height 112 mm, Width 120 mm, Lens type PMMA/ACRYL, Model Type TRASPOT, Colour Orange, Base Magnetic, Coiled cable w/, Approvals CE  
w/ Xenon tube. Lens: Cargo 171590.




### 171614 Xenon Beacon

10-30 V, OD 132 mm, Mount. Standard ISO A - Rod, Height 210 mm, Lens type Polycarbonat, Bulb type LX10J, Model Xenon, Colour Orange, Hi impact Yes, Bulb incl. Yes, E-approval Yes



### 171708 Xenon Beacon

11-120 V, Mount. Plan, Length 139 mm, Height 58 mm, Width 67 mm, Lens type Polycarbonat, Bulb type Xenon, Colour Orange, Waterproof Yes, Hi impact Yes, Bulb incl. Yes, Approvals CE  
Flash rate: 72/ min. 2 fixing screws 130 mm.



### 171798 Xenon Beacon

10-100 V, 5 W, Mount. Plan, Height 45 mm, Width 77 mm, Lens type Polycarbonat, Bulb type Xenon, Colour Orange, Material Polycarbonat, Hi impact Yes, Tightness norm IP 67, Approvals CE  
Flash rate: 72/min. Fixing screws 45 mm.

### Spare Parts



### 170654 Xenon Bulb

Servicing: Cargo 170650, 170651, 171505  
12/24 V, Bulb type LX10J, Model XENON FT6 /FLX ELECTRONIC



### 171376 Xenon Bulb

Servicing: Cargo 171498, 170680  
Bulb type LX1J, Model FLASH ELEV



### 171512 Dome

Servicing: Cargo 171494, 171495, 171496  
Lens type Polycarbonat, Model GDO, Colour Orange



### 171590 Dome

Servicing: Cargo 171005, 171561  
Lens type PMMA/ACRYL, Model TRASPORT XENON, Colour Orange

### Accessories



### 170525 Beacon Socket

Servicing: Cargo 170490, 171017.  
Mount. 3 magnets, Length 2000 mm, Model TYPE FT 6, Base Magnetic, Coiled cable w/, Tightness norm IP 55





### 170528 Base Plate

Servicing: Cargo 170491, 170490, 170650, 170651, 171498, 170680

Mount. Standard ISO A - Rod,  
Height 58 mm, Width 150 mm,  
Model TYPE FT 6




### 170653 Beacon Socket

Servicing: Cargo 170650, 170651, 171466


Mount. 3 magnets, Height 30 mm,  
Width 2000 mm, Base Magnetic,  
Coiled cable w/, Tightness norm IP 55,  
E-approval Yes

### LED Beacon



### 171673 LED Beacon

11-110 V, OD 72 mm, Mount. Plan,  
Length 98 mm, Height 130 mm,  
Width 72 mm, Lens type Polycarbonat,  
Bulb type LED, Model LED,  
Colour Orange, Waterproof Yes,  
Hi impact Yes, Coiled cable w/o,  
Tightness norm IP 66, Approvals SAE/CE  
45 flash/min.



### 171674 LED Beacon

11-110 V, OD 130 mm, Mount. Plan,  
Length 130 mm, Height 98 mm,  
Width 86 mm, Lens type Polycarbonat,  
Bulb type LED, Model LED,  
Colour Orange, Waterproof Yes,  
Hi impact Yes, Coiled cable w/o,  
Tightness norm IP 66, Approvals SAE/CE  
45 flash/min.



### 171763 LED Beacon


12-24 V, OD 120 mm, Mount. Standard ISO  
A - Rod, Height 121 mm, Width 120 mm,  
Lens type Polycarbonat, Bulb type LED,  
Colour Orange, Material Aluminium,  
Waterproof Yes, Hi impact Yes,  
Tightness norm IP 66, E-approval Yes



### 171764 LED Beacon


12/24 V, OD 148 mm, Mount. Standard  
ISO B2 (and B1) - Base, Height 74 mm,  
Width 148 mm, Lens type Polycarbonat,  
Bulb type LED, Colour Orange,  
Material Aluminium, Base Rigid,  
Waterproof Yes, Hi impact Yes,  
Tightness norm IP 66, E-approval Yes

### w/LED




### 171641 LED Flash, amber


12/24 V, Length 99 mm, Height 29 mm,  
Width 41 mm, Bulb type LED, Model 3 LED,  
Colour Orange, Waterproof Yes,  
Approvals CE, E-approval Yes  
12 flash patterns. Multi-module  
synchronization. Bracket: Cargo 171657.  
Rubber adapter for flush mount 171728.




**171642** LED Flash, white  
12/24 V, Length 99 mm, Height 29 mm, Width 41 mm, Bulb type LED, Model 3 LED, Colour White, Waterproof Yes, Approvals CE, E-approval Yes 12 flash patterns. Multi-module synchronization. Bracket: Cargo 171657. Rubber adapter for flush mount 171728.




**171644** LED Flash, blue  
12/24 V, Length 99 mm, Height 29 mm, Width 41 mm, Bulb type LED, Model 3 LED, Colour Blue, Waterproof Yes, Approvals CE, E-approval Yes 12 flash patterns. Multi-module synchronization. Bracket: Cargo 171657. Rubber adapter for flush mount 171728.




**171645** LED Flash, Amber  
12/24 V, Length 122 mm, Height 35 mm, Width 41 mm, Bulb type LED, Model 4 LED, Colour Orange, Waterproof Yes, Approvals CE, E-approval Yes 19 flash patterns. Multi-module synchronization. Bracket: Cargo 171658. Rubber adapter for flush mount: Cargo 171675.




**171646** LED Flash, white  
12/24 V, Length 122 mm, Height 35 mm, Width 41 mm, Bulb type LED, Model 4 LED, Colour White, Waterproof Yes, Approvals CE, E-approval Yes 19 flash patterns. Multi-module synchronization. Bracket: Cargo 171658. Rubber adapter for flush mount: Cargo 171675.




**171648** LED Flash, blue  
12/24 V, Length 122 mm, Height 35 mm, Width 41 mm, Bulb type LED, Model 4 LED, Colour Blue, Waterproof Yes, Approvals CE, E-approval Yes 19 flash patterns. Multi-module synchronization. Bracket: Cargo 171658. Rubber adapter for flush mount: Cargo 171675.




**171650** LED Flash, white  
12/24 V, Length 99 mm, Height 35 mm, Width 72 mm, Bulb type LED, Model 2x3 LED, Colour White, Waterproof Yes, Approvals CE, E-approval Yes 12 flash patterns. Multi-module synchronization. Bracket: Cargo 171659.




**171651** LED Flash, red  
12/24 V, Length 99 mm, Height 35 mm, Width 72 mm, Bulb type LED, Model 2x3 LED, Colour Red, Waterproof Yes, Approvals CE, E-approval Yes  
12 flash patterns. Multi-module synchronization. Bracket: Cargo 171659.




**171654** LED Flash, white  
12/24 V, Length 120 mm, Height 35 mm, Width 72 mm, Bulb type LED, Model 2x4 LED, Colour White, Waterproof Yes, Approvals CE, E-approval Yes  
19 flash patterns. Multi-module synchronization. Bracket: Cargo 171660.




**171662** LED Flash, amber  
12/24 V, Length 148 mm, Height 23 mm, Width 47 mm, Lens type Clear, Bulb type LED, Model 6 LED, Colour Orange, Waterproof Yes, Approvals SAE/CE, E-approval Yes  
19 flash patterns. Multi-module synchronization. Bracket: Cargo 171664.




**171652** LED Flash, blue  
12/24 V, Length 99 mm, Height 35 mm, Width 72 mm, Bulb type LED, Model 2x3 LED, Colour Blue, Waterproof Yes, Approvals CE, E-approval Yes  
12 flash patterns. Multi-module synchronization. Bracket: Cargo 171659.




**171661** LED Flash, amber  
12/24 V, Length 116 mm, Height 23.8 mm, Width 47 mm, Lens type Frosted, Bulb type LED, Model 4 LED, Colour Orange, Waterproof Yes, Approvals SAE/CE, E-approval Yes  
12 flash patterns. Multi-module synchronization. Bracket: Cargo 171663.




**171746** LED Flash, amber  
12-24 V, Length 109 mm, Height 28 mm, Width 72 mm, Lens type Clear, Bulb type LED, Colour Orange, Material Moulded aluminium, Waterproof Yes, Hi impact Yes, Coiled cable w/o, Approvals CE




**171765** LED Flash, amber  
12/24 V, OD 109 mm, Mount. Plan,  
Height 31 mm, Width 109 mm,  
Lens type Polycarbonat, Bulb type 10  
LED., Colour Orange, Waterproof Yes,  
Hi impact Yes



**171813** LED Flash, blue  
12-24 V, Length 127.5 mm,  
Height 17.2 mm, Width 27.8 mm,  
Bulb type LED, Model 6 LED,  
Colour Blue, Waterproof Yes,  
Approvals SAE/CE, E-approval Yes  
*Fits w/ rubber adapter for flush mount.*



**171814** LED Flash yellow  
12-24 V, Length 127.5 mm,  
Height 17.2 mm, Width 27.8 mm,  
Bulb type LED, Model 6 LED,  
Colour Yellow, Waterproof Yes,  
Approvals SAE/CE, E-approval Yes  
*Fits w/ rubber adapter for flush mount.*



**171815** LED Flash yellow  
12-24 V, Length 85.6 mm,  
Height 15.7 mm, Width 27.7 mm,  
Bulb type LED, Model 3 LED,  
Colour Yellow, Waterproof Yes,  
Approvals SAE/CE, E-approval Yes  
*Fits w/ rubber adapter for flush mount:  
Cargo 171816.*

#### Accessories



**171657** Mounting Bracket  
Servicing: Cargo 171641, 171642, 171644  
Length 100 mm  
*Angled. For single head.*



**171658** Mounting Bracket  
Servicing: Cargo 171645, 171646, 171648  
Length 123 mm  
*Angled. For single head.*



**171659** Mounting Bracket  
Servicing: Cargo 171650, 171651, 171652  
Length 102 mm  
*Angled. For double head.*



**171660** Mounting Bracket  
Servicing: Cargo 171654  
Length 123 mm  
*Angled. For double head.*



**171663** Mounting Bracket  
Servicing: Cargo 171661  
Length 153 mm  
*Angled 100°.*





**171664** Mounting Bracket  
Servicing: Cargo 171662  
Length 156 mm  
Adjustable.




**171675** Rubber Adapter for Flush Mount  
Servicing: Cargo 171645, 171646, 171648  
Length 114.4 mm, Height 24.9 mm,  
Width 40 mm, Colour Black,  
Material Rubber



**171728** Rubber Adapter for Flush Mount  
Servicing: Cargo 171641, 171642, 171644  
Length 92 mm, Height 25.2 mm,  
Width 40 mm, Colour Black



**171766** Rubber Boot  
Servicing: Cargo 171765  
For flush mount of Cargo 171765.




**171816** Rubber Adapter for Flush Mount  
Servicing: Cargo 171815  
Length 100.6 mm, Height 15.7 mm,  
Width 38 mm, Colour Black

**NEW PRODUCT**  
[www.hc-cargo.com](http://www.hc-cargo.com)

**171817** Rubber adapter for flush mount  
Servicing: Cargo 171813, 171814  
Length 142 mm, Height 17.5 mm,  
Width 41 mm, Colour Black

## Light Bars



**171681** Mini Light Bar  
12/24 V, Mount. Plan, Length 400 mm,  
Height 134 mm, Width 180 mm,  
Lens type Polycarbonat, Bulb type H1  
24V, Colour Orange, Material ABS  
plastic, Base Rigid, Waterproof Yes,  
Hi impact Yes, Coiled cable w/o,  
Bulb incl. Yes, Tightness norm IP 56,  
Approvals CE, E-approval Yes

## Spare Parts

Pkg. 5



**171820** Belt for Mini Light Bar  
Servicing: Cargo 171681.  
Colour Black



**171856** LED Flash, amber  
Servicing: Cargo: 171849, 171850, 171852.  
12 V, Length 120 mm, Height 36.75 mm,  
Width 18.78 mm, Bulb type 6 LED,  
Colour Orange



**171857** LED Flash, amber  
Servicing: Cargo: 171851, 171853.  
24 V, Length 120 mm, Height 36.75 mm,  
Width 18.78 mm, Bulb type 6 LED,  
Colour Orange




**171858** LED Corner Flash, orange  
12 V, Length 164 mm, Height 33 mm,  
Width 28.28 mm, Bulb type 12 LED,  
Colour Orange






**171859** LED Corner Flash, orange  
 Servicing: Cargo: 171851, 171853.  
 24 V, Length 164 mm, Height 33 mm,  
 Width 28.28 mm, Bulb type 12 LED,  
 Colour Orange


w/LED




**171680** LED Mini Light Bar  
 12/24 V, OD 422x278 mm, Mount. Plan,  
 Height 65 mm, Lens type Polycarbonat,  
 Bulb type 40x1W LED, Colour Orange,  
 Base Magnetic/vacuum, Waterproof Yes,  
 Hi impact Yes, Coiled cable w/,  
 Tightness norm IP 66, Approvals SAE/CE,  
 E-approval Yes  
 Bracket for permanent mounting: Cargo  
 171682. Change flash pattern on cigarplug.  
 Can also be connected permanently. 26  
 flash patterns.



**171760** LED Light bar  
 12 V, Mount. Plan, Length 1100 mm,  
 Height 67 mm, Width 317 mm,  
 Lens type Polycarbonat, Model 110 cm / 44«,  
 Colour Orange, Material Aluminium,  
 Base Flexible, Waterproof Yes,  
 Hi impact Yes, Approvals SAE/CE  
 Switch panel: Cargo 171762. Fitted w/  
 12 modules as standard. Cargo: 171777,  
 171778, 171779, 171780, 171781.



**171761** LED Lightbar  
 12 V, Mount. Plan, Length 1470 mm,  
 Height 67 mm, Width 317 mm,  
 Lens type Polycarbonat, Model 147 cm / 59«,  
 Colour Orange, Material Aluminium,  
 Base Flexible, Waterproof Yes,  
 Hi impact Yes, Approvals SAE/CE  
 Switch panel: Cargo 171762. Fitted w/  
 12 modules as standard. Cargo: 171777,  
 171778, 171779, 171780, 171781.



**171849** LED Light bar  
 12 V, Mount. Plan, Length 634 mm,  
 Lens type Polycarbonat, Model 63.4 cm / 24«,  
 Colour Orange, Material Aluminium,  
 Base Flexible, Waterproof Yes,  
 Hi impact Yes, E-approval Yes  
 Spare Parts: Cargo 171856, 171858.



**171850** LED Light bar  
 12 V, Mount. Plan, Length 1087 mm,  
 Height 59 mm, Width 331 mm,  
 Lens type Polycarbonat,  
 Model 108,7 cm / 43«,  
 Colour Orange, Material Aluminium,  
 Base Flexible, Waterproof Yes,  
 Hi impact Yes, E-approval Yes  
 Spare Parts: Cargo 171781, 171856, 171858.




### 171851 LED Light bar

24 V, Mount. Plan, Length 1087 mm, Lens type Polycarbonat, Model 108,7 cm / 43«, Colour Orange, Material Aluminium, Base Flexible, Waterproof Yes, Hi impact Yes, E-approval Yes  
Spare Parts: Cargo 171857, 171859, 171865.




### 171852 LED Light bar

12 V, Mount. Plan, Length 1387 mm, Height 59 mm, Width 331 mm, Lens type Polycarbonat, Model 138.7 cm / 54«, Colour Orange, Material Aluminium, Base Flexible, Waterproof Yes, Hi impact Yes, E-approval Yes  
Spare Parts: Cargo 171781, 171856, 171858.



### 171853 LED Light bar

24 V, Mount. Plan, Length 1387 mm, Lens type Polycarbonat, Model 138.7 cm / 54«, Colour Orange, Material Aluminium, Base Flexible, Waterproof Yes, Hi impact Yes, E-approval Yes  
Spare Parts: Cargo 171857, 171859, 171865.



### 171854 LED Micro Light Bar

12-24 V, OD 248x172 mm, Mount. Plan, Length 248 mm, Height 37 mm, Width 172 mm, Lens type Polycarbonat, Bulb type 30 x 1W LED, Colour Orange, Base Magnetic, Waterproof Yes, Approvals SAE/CE, E-approval Yes  
Bracket for permanent mounting: Cargo 171855. Change flash pattern on cigarplug. Can also be connected permanently. 23 flash patterns.

## Accessories



**171682** Mounting Bracket for LED Mini Light Bar  
Servicing: Cargo 171680



### 171762 Switch panel

Servicing: Cargo 171760, 171761  
Mount. hole size 4 mm, Type/terminal Flat, Colour Black, Button colour Black, Solenoid S1-S4 On / Off, S5 Shift, Switch combination Off-start, Material Metal  
Dim: 134x39x23 mm.



### 171777 LED Flash, amber

Servicing: Cargo 171760, 171761  
12 V, Length 119.9 mm, Height 39.9 mm, Width 18.8 mm, Bulb type 6 LED, Colour Orange



### 171778 LED Corner Flash, orange

Servicing: Cargo 171760, 171761  
12 V, Length 166 mm, Height 37 mm, Width 18.8 mm, Bulb type 12 LED, Colour Orange



### 171779 LED Work Lamp

Servicing: Cargo 171760, 170761  
12 V, Length 119.9 mm, Height 37 mm, Width 17.8 mm, Bulb type 6 LED



**171780** LED Work Lamp  
 Servicing: Cargo 171760, 171761  
 12 V, Length 119.9 mm, Height 37 mm,  
 Width 17.8 mm, Bulb type 9 LED



**171781** LED Alley light  
 Servicing: Cargo 171760, 171761, 171850,  
 171851, 171852, 171853  
 12 V, Length 38 mm, Height 39.2 mm,  
 Width 18.1 mm, Bulb type 3 LED



**171855** Mounting Bracket for LED Micro  
 Light Bar  
 Servicing: Cargo 171854  
 Total length 203.9, Height 14 mm

**NEW PRODUCT**  
[www.hc-cargo.com](http://www.hc-cargo.com)

**171865** LED Alley light  
 Servicing: Cargo 171851, 171853.  
 24 V, Height 38.41 mm, Bulb type 3 LED

## Beacon Sockets



**170292** Beacon Socket  
 Mount. Weld, Length 100 mm,  
 Socket DIN 72591 1 terminal,  
 Material Steel



**170387** Beacon Socket  
 Mount. w/ nuts, Socket DIN 72591 1  
 terminal, Material Electro galvanized



**170405** Beacon Socket  
 Mount. Flat, Length 108 mm,  
 Mount. hole size 10 mm, Socket DIN  
 72591 2 terminal, Material Galvanised  
 steel, Bracket Angled 90°



**170406** Beacon Socket  
 Mount. 2 screws, Socket DIN 72591 2  
 terminal, Material Galvanised steel,  
 Bracket Adjustable



**170419** Beacon Socket  
 Mount. Vertical, Socket DIN 72591 2  
 terminal, Material Galvanised steel,  
 Bracket Angled 90°



**170460** Beacon Socket  
 Servicing: John Deere tractor etc  
 Mount. 1 bolt, Socket DIN 72591 2  
 terminal, Material Galvanised steel,  
 Bracket Angled



**170531** Extension  
 Length 500 mm, Socket DIN 72591 2  
 terminal, Material Galvanised steel



**170537** Beacon Socket  
 Mount. Vertical, Socket DIN 72591 2  
 terminal, Material Electro galvanized,  
 Bracket Straight



**170562** Beacon Socket  
 Mount. 2 screws, Socket DIN 72591 2  
 terminal, Material Galvanised steel,  
 Bracket Angled 90°



**170788** Beacon Socket  
Mount. Flat, Length 102 mm,  
Mount. hole size 10 mm, Socket DIN  
72591 1 terminal, Material Electro  
galvanized, Bracket Angled



**170789** Beacon Socket  
Socket DIN 72591 1 terminal,  
Material Electro galvanized, Bracket Flexible



**171576** Beacon Socket  
Servicing: IH / CASE  
Mount. Vertical, Socket DIN 72591 2 terminal,  
Material Steel, Bracket Straight

## Spare Parts

Pkg. 10



**171513** Rubber Boot for Beacon Socket  
Servicing: Cargo 170292, 170387, 170405,  
170788, 170406, 170562, 170789, 170537,  
171576, 170419, 170460.  
Material Rubber



**171518** Coiled Cable  
Servicing: Cargo 170292, 170387, 170405,  
170788, 170406, 170562, 170789, 170537,  
171576, 170419, 170460.  
Working length 2 m,  
Plug type Cigar plug, Plug 2,  
ISO norm 4165



**171562** Coiled Cable  
Servicing: Cargo 171763, 171764, 171494,  
171495, 171496  
Working length 3 m, Plug type Cigar plug  
w/ plug.

Pkg. 10




**180376** DIN Socket  
Servicing: Cargo 170292, 170387, 170405,  
170788, 170406, 170562, 170789, 170537,  
171576, 170419, 170460.  
Socket DIN 72591 1 terminal  
2-pole flat plug.

Pkg. 10




**180377** DIN Socket  
Servicing: Cargo 170292, 170387, 170405,  
170788, 170406, 170562, 170789, 170537,  
171576, 170419 170460.  
Mount. hole size 18 mm, Socket DIN  
72591 2 terminal  
2-pole flat plug.

## Work Lamps





**170093** Work Lamp  
Light aperture 136 mm,  
Dim. 164x192x85 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket Single bolt fixing,  
Material/dome Glass, Material/  
house Plastic, Reflector system Single,  
Shape Round, Handle w/, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/





**170130** Work Lamp  
Light aperture 154x154 mm,  
Dim. 154x105 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 2 holes,  
Material/dome Glass, Material/  
house Shockproof plastic,  
Reflector system Single, Shape Square,  
Handle w/, Bulb incl. No, Switch w/







### 170237 Work Lamp

Light aperture 131 mm,  
Dim. 228x77 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 2 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Round,  
Handle w/, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/





### 170313 Work Lamp

Light aperture 131 mm,  
Dim. 152x110 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket Single bolt fixing,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Round,  
Handle w/o, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/o




### 170488 Work Lamp

Light aperture 155x104 mm,  
Dim. 166x158x73 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 4 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Rectangular,  
Handle w/o, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/o





### 170489 Work Lamp

Light aperture 155x104 mm,  
Dim. 158x153x73 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket Single bolt fixing,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Rectangular,  
Handle w/o, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/o  
w/o U-bracket.



### 170534 Work Lamp


Light aperture 130 mm,  
Dim. 178x236x90 mm,  
Coiled cable 2000 mm, Colour Black,  
Material/dome Glass,  
Material/house Metal, Shape Round,  
Magnet base w/, Lighter plug incl. Yes,  
Handle w/, Coiled cable incl. Yes,  
Bulb incl. No, Lamp grill incl. Yes,  
Switch w/



### 170851 Work Lamp


12/24/36/48 V,  
Light aperture 136x88 mm,  
Dim. 155x95x83 mm, Type H3,  
Colour Black, Mount. bracket U-bracket  
w/ 6 holes, Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Dual,  
Shape Rectangular, Handle w/o,  
Bulb incl. No, Switch w/o,  
Tightness norm IP 54






### 170857 Work Lamp

Light aperture 73x73 mm,  
Dim. 100x151x91 mm,  
Mount. Upright/pendant, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 4 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Free form, Shape Square,  
2 poles w/, Handle w/o, Bulb incl. No,  
Lamp grill incl. No, Switch w/o, -  
Tightness norm IP 66  
External plug for multiplug connection.




### 170970 Work Lamp

Light aperture 130 mm,  
Dim. 160x145x50 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 2 holes,  
Material/dome Glass,  
Material/house Metal, Shape Round,  
Handle w/, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/




### 170980 Work Lamp

Servicing: Universal  
Light aperture 123x78 mm,  
Dim. 160x167x96 mm, Mount. Flat,  
Type H3, Colour Black,  
Mount. bracket U-bracket w/ 4 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Dual, Shape Rectangular,  
2 poles w/o, Handle w/o,  
Bulb incl. No, Lamp grill incl. No,  
Switch w/o, Tightness norm IP 65  
External plug for flat plug connection.




### 170859 Work Lamp

Light aperture 123x123 mm,  
Dim. 139x150x106 mm, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 6 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Free form, Shape Square,  
Handle w/o, Bulb incl. No, Switch w/o  
w/ free form reflector (=25% more light).




### 170979 Work Lamp

Light aperture 123x72 mm,  
Dim. 160x145x50 mm, Mount. Flat,  
Type H3, Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 4 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Shape Rectangular, Handle w/o,  
Bulb incl. No, Lamp grill incl. No,  
Switch w/o  
External plug for flat plug connection.




### 170981 Work Lamp

Light aperture 123x78 mm,  
Dim. 160x215x96 mm, Mount. Flat,  
Type H3, Colour Black,  
Mount. bracket U-bracket w/ 4 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Dual, Shape Rectangular,  
2 poles w/o, Handle w/, Bulb incl. No,  
Switch w/, Tightness norm IP 65  
External plug for flat plug connection.




### 170982 Work Lamp

Light aperture 73x73 mm,  
Dim. 112x150x105 mm, Mount. Flat,  
Type H3, Socket type PK22s, Colour Black,  
Mount. bracket U-bracket w/ 4 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Square,  
Handle w/o, Bulb incl. No, Switch w/o,  
Lamp grill incl. No, Tightness norm IP 67  
External plug for 6.3 mm flat plug  
connection.




### 170983 Work Lamp

Light aperture 73x73 mm,  
Dim. 112x200x105 mm, Mount. Flat,  
Type H3, Socket type PK22s,  
Colour Black, Mount. bracket U-bracket  
w/ 4 holes, Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Square,  
Handle w/, Bulb incl. No, Switch w/,  
Tightness norm IP 65  
External plug for 6.3 mm flat plug  
connection.




### 170984 Work Lamp

Light aperture 73x73 mm,  
Dim. 110x175x110 mm,  
Coiled cable 2000 mm, Type H3,  
Socket type PK22s, Colour Black,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Square,  
Magnet base w/, 2 poles w/, Switch w/  
Lighter plug incl. Yes, Handle w/,  
Coiled cable incl. Yes, Bulb incl. No  
External plug for 6.3 mm flat plug  
connection.




### 171167 Work Lamp

12/24/36/48 V,  
Light aperture 136x88 mm,  
Dim. 155x95x86 mm, Type H3, Colour Black,  
Mount. bracket U-bracket w/ 6 holes,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Dual, Shape Rectangular,  
Handle w/o, Bulb incl. No, Switch w/o,  
Tightness norm IP 54




### 171168 Work Lamp

Light aperture 123x72 mm,  
Dim. 155x126x85 mm, Type H3,  
Colour Black, Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Dual, Shape Rectangular,  
Handle w/o, Bulb incl. No,  
Lamp grill incl. No, Switch w/o




### 171347 Work Lamp

Light aperture 124x72 mm,  
Dim. 153x96x98 mm,  
Mount. Upright/pendant, Type H3,  
Socket type PK22s, Colour Black,  
Mount. bracket Single bolt fixing,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Reflector system Single, Shape Rectangular,  
Handle w/o, Bulb incl. No,  
Lamp grill incl. No, Switch w/o




### 171449 Work Lamp

55 W, Light aperture 73x73 mm, Dim. 100x127x91 mm, Mount. Upright/pendant, Type H3, Socket type PK22s, Colour Black, Mount. bracket Single bolt fixing, Material/dome Shockproof plastic, Material/house Glass, Reflector system Single, Shape Square, 2 poles w/, Handle w/o, Bulb incl. No, Lamp grill incl. No, Switch w/o, Tightness norm IP 66 External plug for multiplug connection.




### 171566 Work Lamp

Light aperture 123x70 mm, Dim. 156x123x113 mm, Type H3, Socket type PK22s, Colour Black, Mount. bracket Sidemounted, Material/dome Glass, Material/house Shockproof plastic, Shape Rectangular, Handle w/o, Bulb incl. No, Lamp grill incl. No, Switch w/o, Tightness norm IP 55




### 171620 Work Lamp

12/24 V, 55/70 W, Light aperture 77x130 mm, Dim. 160x165x90 mm, Type H3, Model Twin beam 5000, Colour Black, Mount. bracket Bracket, Material/dome Shockproof plastic, Reflector system Dual, Shape Oval, 2 poles w/, Bulb incl. No




### 171564 Work Lamp

Light aperture 120x68 mm, Dim. 156x117x85 mm, Type H3, Socket type PK22s, Material/dome Shockproof plastic, Material/house Glass, Shape Rectangular, Handle w/, Bulb incl. No, Lamp grill incl. No, Switch w/, - Tightness norm IP 55




### 171619 Work Lamp

70 W, Light aperture 77x130 mm, Dim. 160x165x90 mm, Type H3, Socket type PK22s, Model Compact 5000, Colour Black, Mount. bracket Bracket, Material/dome Glass, Material/house Shockproof plastic, Reflector system Single, Shape Oval, 2 poles w/, Bulb incl. No




### 171745 Work Lamp

55 W, Light aperture 69 mm, Dim. 117x84x95 mm, Mount. 1 bolt, Type H3, Colour Black, Mount. bracket U-bracket w/ 1 bolt, Material/dome Glass, Material/house ABS plastic, Reflector system Single, Shape Round, 2 poles w/, Handle w/o, Bulb incl. No, Switch w/o, Tightness norm IP 66




### 171782 Work Lamp

55 W, Light aperture 73x73 mm, Dim. 100x151x91 mm, Mount. Upright/pendant, Type H3, Socket type PK22s, Colour Black, Mount. bracket Single bolt fixing, Material/dome Glass, Material/house Shockproof plastic, Reflector system Single, Shape Square, 2 poles w/, Handle w/o, Bulb incl. No, Switch w/, Tightness norm IP 66 w/ Deutsch multiconnection.



### 171845 Work Lamp


Servicing: Marine  
12-24 V, 55/70 W, Dim. 105x150x112 mm, Mount. Single bolt fixing, Type H3, Colour White, Mount. bracket Hook fastening, Material/dome Glass, Shape Square, Bulb incl. Yes, Tightness norm IP 65



### 171848 Work Lamp


12-24 V, 55/70 W, Dim. 123x172x71 mm, Type H3, Colour Black, Mount. bracket Single bolt fixing, Material/dome Glass, Material/house PVC, Shape Round, Bulb incl. No

w/LED




### 171640 LED Work Lamp

9-30 V, 24 W, 1440 lm, Light aperture 130 mm, Dim. 120x145x49 mm, Mount. 1 nut, Type LED, Model 8 LED, Colour Grey, Mount. bracket w/ 1 nut, Material/house Aluminium, Shape Round, Magnet base w/o, 2 poles w/, Handle w/o, Switch w/o, Tightness norm IP 69K, Approvals GGVS/ADR, E-approval Yes



### 171671 LED Work Lamp


9-56 V, 8.5 W, 450 lm, 5000-6500K Kelvin, 800 cd, Light aperture 100 mm, Dim. 120x151.5x83.5 mm, Type LED, Colour Black, Mount. bracket w/ 1 nut, Material/dome Shockproof plastic, Material/house Shock thermo plastic, Shape Round, Magnet base w/o, 2 poles w/o, Handle w/o, Switch w/o, - Tightness norm IP 66  
4 diodes, black cable negative.




### 171672 LED Work Lamp

9-56 V, 8.5 W, 450 lm, 5000-6500K Kelvin, 800 cd, Light aperture 100 mm, Dim. 110x153.5x86 mm, Mount. Bracket, Type LED, Colour Black, Mount. bracket 1 nut, Material/dome Shockproof plastic, Material/house Shockproof plastic, Shape Square, Tightness norm IP 66  
4 diodes.







**171723 LED Work Lamp**  
 9-30 V, 24 W, 1440 lm,  
 Light aperture 130 mm,  
 Dim. 154x130x53 mm, Mount. 1 nut,  
 Type LED, Model 8 LED - Marine,  
 Colour White, Mount. bracket w/ 1 nut,  
 Material/house Aluminium, Shape Round,  
 2 poles w/, Tightness norm IP 69K,  
 Approvals GGVS/ADR, E-approval Yes




**171727 LED Work Lamp**  
 9-33 V, 9 W, 800-1000 lm, 5000-5500K Kelvin, Light aperture 85x85 mm,  
 Dim. 106x106x59 mm, Type LED,  
 Colour Black, Mount. bracket Bracket,  
 Material/dome Shockproof plastic,  
 Material/house Moulded aluminium, Shape Square, Handle w/o, Switch w/o,  
 Tightness norm IP 67, E-approval Yes  
 Grey lead +, white lead -




**171751 LED Work Lamp**  
 9-36 V, 19 W, 1200 lm, 2210 cd,  
 Light aperture 100x100 mm,  
 Dim. 104.9x162.3x54.2 mm, Type LED,  
 Model 6 LED, Colour Black,  
 Mount. bracket U-bracket w/ 1 bolt,  
 Material/dome Polycarbonat,  
 Material/house Moulded aluminium,  
 Handle w/o, Switch w/o, Tightness norm IP 67  
 White cable to ground, black cable to +12V/36V.



**171752 LED Work lamp**  
 12-36 V, 20 W, 1800 lm, 3600 cd,  
 Light aperture 93x83 mm,  
 Dim. 125x176x60.1 mm, Type LED,  
 Model 9 LED, Colour Black,  
 Material/dome Polycarbonat,  
 Material/house Moulded aluminium,  
 Switch w/o, Tightness norm IP 67  
 White cable to ground, black cable to +12V/36V.





**171753 LED Work Lamp**  
 11-70 V, 22 W, 1000 lm,  
 Light aperture 88x88 mm,  
 Dim. 110.4x184x67 mm, Type LED,  
 Model 6 LED, Colour Black,  
 Mount. bracket Single bolt fixing,  
 Material/house Moulded aluminium,  
 Shape Square, Tightness norm IP 67





**171754 LED Work Lamp**  
 11-70 V, 22 W, 1400 lm,  
 Light aperture 88x88 mm,  
 Dim. 110.4x184x67 mm, Type LED,  
 Model 6 LED, Colour Black,  
 Mount. bracket Single bolt fixing,  
 Material/house Moulded aluminium,  
 Shape Square, Magnet base w/o,  
 2 poles w/o, Handle w/o, Switch w/o,  
 Tightness norm IP 67, E-approval No









**171755 LED Work Lamp**  
11-70 V, 22 W, 1900 lm,  
Light aperture 88x88 mm,  
Dim. 110.4x184x67 mm, Type LED,  
Model 6 LED, Colour Black,  
Mount. bracket Single bolt fixing,  
Material/house Moulded aluminium,  
Tightness norm IP 67, E-approval No





**171775 LED Work Lamp**  
11-30 V, 36 W, 1800 lm,  
Dim. 112x112x49 mm, Mount. U-bracket  
w/ 1 bolt, Type LED, Model 12 LED,  
Colour Silver, Material/house Moulded  
aluminium, Tightness norm IP 69K,  
E-approval EMC /ADR/GGVS  
Lifetime for LED is 50.000 hours.





**171838 LED Work Lamp**  
12/24 V, 28-30 W, 3000 lm,  
Mount. Single bolt fixing, Model 20 LED,  
Colour Black, Material/dome Polycarbonat,  
Material/house Aluminium,  
Shape Square, 2 poles w/,  
Tightness norm IP 67, Approvals CE





**171774 LED Work Lamp**  
11-30 V, 40 W,  
2600 lm, Dim. 112x112x49 mm, Mo  
unt. U-bracket w/ 1 bolt, Type LED,  
Model 12 LED, Colour Silver,  
Material/house Moulded aluminium,  
Shape Square, Tightness norm IP 69K,  
Approvals GGVS/ADR, E-approval Yes



**171811 LED Work Lamp**  
10-80 V, 5 W, 600 lm, 5000-6500K Kelvin,  
2000 cd, Light aperture 35 mm,  
Dim. 72.3x52x51.87 mm, Type LED,  
Colour Black, Mount. bracket Bracket,  
Material/house Aluminium, Shape Round,  
Tightness norm IP 66, Approvals CE  
Pre-wired w/ 30 cm cable.





**171846 LED Work Lamp**  
12-24 V, 5400 lm, Dim. 170x206x87 mm,  
Type LED, Colour Black,  
Mount. bracket Bracket,  
Material/dome Polycarbonat,  
Material/house Aluminium, Shape Round,  
Tightness norm IP 67, Approvals CE



### 171847 LED Work Lamp



10-80 V, 5 W, 1200 lm, 5000-6500K Kelvin, 2000 cd, Dim. 52x51.9x72.3 mm, Type LED, Model LED, Colour Black, Shape Square, Tightness norm IP 67, Approvals CE  
Pre-wired w/ 30 cm cable.

w/HID





### 171594 HID Work Lamp

12 V, Light aperture 73x73 mm, Dim. 112x150x123 mm, Type H3, Colour Black, Mount. bracket Mounting bracket, Material/dome Glass, Material/house Shockproof plastic, Shape Square, Ballast External, Magnet base w/o, 2 poles w/, Handle w/o, Bulb incl. Yes, Switch w/o, - Tightness norm IP 65  
Bulb: Cargo 171595.





### 171611 HID Work Lamp

24 V, Light aperture 73x73 mm, Dim. 112x150x123 mm, Type H3, Model HID, Colour Black, Mount. bracket Mounting bracket, Material/dome Glass, Material/house Shockproof plastic, Shape Square, Ballast External, Magnet base w/o, 2 poles w/, Handle w/o, Bulb incl. Yes, Switch w/o, Tightness norm IP 65  
Bulb: Cargo 171595.





### 171615 HID Work Lamp

12 V, 35 W, Light aperture 73x73 mm, Type D1S, Socket type PK32d-2, Colour Black, Mount. bracket Hook fastening, Material/dome Glass, Material/house Shockproof plastic, Reflector system Single, Shape Square, Magnet base w/o, Handle w/o, Bulb incl. Yes, Switch w/o, Tightness norm IP 65



### 171625 HID Work Lamp

12 V, 35 W, Light aperture 75 mm, Dim. 156x100 mm, Mount. Single bolt fixing, Type D2S, Socket type PK32d-2, Colour Black, Mount. bracket Hook fastening, Material/dome Glass, Material/house Aluminium, Reflector system Single, Shape Square, Magnet base w/o, 2 poles w/o, Handle w/o, Bulb incl. Yes, Switch w/o




### 171626 HID Work Lamp

24 V, 35 W, Light aperture 75 mm, Dim. 156x100 mm, Mount. Single bolt fixing, Type D2S, Socket type PK32d-3, Colour Black, Mount. bracket Mounting bracket, Material/dome Glass, Material/house Aluminium, Reflector system Single, Shape Square, Magnet base w/o, 2 poles w/o, Handle w/o, Bulb incl. Yes, Switch w/o


## Spare Parts



**171595** Xenon Bulb  
Servicing: Cargo 171594  
Type 2 Xenon, Type 3 H3




**171596** Ballast  
Servicing: Cargo 171594  
Model HID




**171612** Ballast  
Servicing: Cargo 171611  
24 V, Model HID


## Spot Lights




**170293** Spot Light  
12 V, 55 W, Light aperture 120 mm,  
Dim. 235x73 mm, Cable length 6000 mm,  
Type 1 Halogen, Type 2 H3,  
Socket type PK22s, Connection cable w/  
Colour Black, Material/house Shockproof  
plastic, Shape Round,  
Lighter plug incl. Yes, Bulb incl. Yes,  
Protective cover w/, Switch w/  
Hand-held.



**170564** Spot Light  
Light aperture 131 mm,  
Dim. 226x77 mm, Type H3,  
Socket type PK22s, Colour Black,  
Material/dome Glass,  
Material/house Shockproof plastic,  
Handle w/, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/



**171375** Spot Light  
Light aperture 130 mm,  
Dim. 178x236x90 mm, Mount. Mounting  
bracket, Coiled cable 2000 mm, -  
Type H3, Socket type PK22s,  
Colour Black, Material/dome Glass,  
Material/house Metal,  
Shape Round, Magnet base w/  
Lighter plug incl. Yes, Handle w/  
Coiled cable incl. Yes, Bulb incl. No,  
Lamp grill incl. Yes, Switch w/



**171464** Spot Light  
12 V, 55 W, OD 135 mm,  
Mount. Standard ISO A - Rod,  
Height 250 mm, Width 135 mm,  
Lens type Polycarbonat, Bulb type H1,  
Base Rigid, Hi impact Yes,  
Bulb incl. Yes, Tightness norm IP 55  
Remote controlled by EU approved radio  
controller. Frequency 433.92MHZ. Reach up  
to 100 m. Incl. 9V. battery. Battery: Cargo  
200742 and/or 200769. Lens: Cargo 171542.



### 171466 Spot Light

12 V, 55 W, OD 160 mm,  
Mount. Standard ISO B2 (and B1) - Base,  
Height 194 mm, Width 165 mm,  
Lens type Polycarbonat, Bulb type H1,  
Hi impact Yes, Bulb incl. Yes,  
Tightness norm IP 55  
Remote controlled by EU approved radio  
controller. Frequency 433.92MHZ. Reach up  
to 100 m. Incl. 9V. battery. Battery: Cargo  
200742 and/or 200769. Lens: Cargo 171542.

### Accessories




### 170653 Beacon Socket

Servicing: Cargo 170650, 170651, 171466  
Mount. 3 magnets, Height 30 mm,  
Width 200 mm, Base Magnetic,  
Coiled cable w/, Tightness norm IP 55,  
E-approval Yes


## Forward Lighting

### Tractor Head Lamps




### 170132 Head Lamp

45/40 W 1, 55/50 W 2, 4 W 3,  
Light aperture 130 mm,  
Dim. 148x105 mm, Socket type 1 P45t,  
Socket type 2 P45t, Socket type 3 BA9s,  
Colour Black, Material Metal,  
Sidemarker w/, Asymmetric light w/,  
RH/ LH LH, E-approval Yes  
Light unit: Cargo 170239.



### 170310 Head Lamp



12/24 V, 45/40 W 1, 55/50 W 2,  
4 W 3, Light aperture 131 mm,  
Dim. 152x110 mm, Mount. 1 bolt,  
Socket type 1 P45t, Socket type 2 P45t,  
Socket type 3 BA9s, Colour Black,  
Material Plastic, Material/dome Glass,  
Shape Round, Sidemarker w/,  
Asymmetric light w/, Bulb incl. No,  
Grill w/, RH/ LH LH, E-approval Yes  
For upright fixing.



### 170311 Head Lamp



12-24 V, 45/40 W 1, 55/50 W 2,  
4 W 3, Light aperture 131 mm,  
Dim. 152x110 mm, Mount. 1 bolt,  
Socket type 1 P45t, Socket type 2 P45t,  
Socket type 3 BA9s, Colour Black,  
Material Plastic, Material/dome Glass,  
Shape Round, Sidemarker w/,  
Asymmetric light w/, Bulb incl. No,  
Grill w/, RH/ LH LH, E-approval Yes  
Horizontal fixing.







### 170843 Head Lamp

45/40 W 1, 55/50 W 2, 4 W 3,  
Light aperture 110 mm, Dim. 137x95 mm,  
Mount. 1 bolt, Socket type 1 BA20d,  
Socket type 2 BA20d,  
Socket type 3 BA9s, Colour Black,  
Material Metal, Material/dome Glass,  
Fixing screw 12, Shape Round,  
Sidemarker w/, Asymmetric light w/,  
Bulb incl. No, E-approval Yes  
Light unit: Cargo 170844.



### 170865 Head Lamp

Servicing: Zetor: Model 2002, Proxima,  
Forterra, Super, Super Eko, Classic Eko  
60/55 W 1, 75/70 W 2,  
Dim. 184x118x110 mm, Mount. Horizontal,  
Bulb type 1 H4, Bulb type 2 H4,  
Socket type 1 P43t, Socket type 2 P43t,  
Colour Black, Material Shockproof plastic,  
Material/dome Glass, Shape Rectangular,  
Sidemarker w/o, Asymmetric light w/,  
Bulb incl. No, Grill w/o, RH/ LH LH,  
E-approval E120220004/E12 7109





### 170974 Head Lamp

60/65 W 1, 75/70 W 2,  
Dim. 144x153x100 mm,  
Mount. Horizontal/vertical, Bulb type 1 H4,  
Bulb type 2 H4, Socket type 1 P43t,  
Socket type 2 P43t,  
Colour Black, Material Shockproof plastic,  
Material/dome Glass, Fixing screw 1 bolt,  
Sidemarker w/o, Sidemarker lamp w/o,  
Asymmetric light w/, Bulb incl. No,  
Grill w/o, RH/ LH LH, E-approval Yes





### 171006 Head Lamp

12 V, 60/55 W 1,  
75/70 W 2, Dim. 155x208x128 mm,  
Mount. Horizontal/vertical, Bulb type 1 H4,  
Bulb type 2 H4, Socket type 1 P43t,  
Socket type 2 P43t, Colour Black,  
Material Shockproof plastic,  
Material/dome Glass, Shape Square,  
Sidemarker w/, Flasher light w/,  
Asymmetric light w/, Bulb incl. Yes,  
Grill w/o, RH/ LH RH/LH, E-approval Yes  
Light unit: Cargo 171007.



### 171038 Head Lamp

60/65 W 1, 75/70 W 2,  
4 W 3, Dim. 144x153x100 mm,  
Mount. Horizontal/vertical,  
Socket type 1 P43t, Socket type 2 P43t,  
Socket type 3 BA9s, Colour Black,  
Material Shockproof plastic,  
Material/dome Glass, Fixing screw 1 bolt,  
Sidemarker w/, Asymmetric light w/,  
Bulb incl. No, Grill w/o, RH/ LH LH,  
E-approval Yes



### 171565 Head Lamp

60/55 W 1, 75/70 W 2,  
4 W 3, Dim. 184x102x88 mm,  
Mount. Horizontal/vertical,  
Socket type 1 P43t, Socket type 2 P43t,  
Socket type 3 BA9s, Colour Black,  
Material Shockproof plastic,  
Sidemarker w/, E-approval Yes

## Spare Parts



**170239** Light Unit  
Socket type 1 P45t, Material Glass,  
Shape Round, Sidemarker w/,  
Asymmetric light w/, Bulb incl. No,  
RH/ LH LH  
For Cargo 170132.



**170844** Light Unit  
Servicing: Cargo 170843  
Light aperture 110 mm, Shape Round





**171007** Light Unit  
Material Glass, Shape Square,  
E-approval Yes  
For Cargo 171006, 170926.





**171008** Lens  
Servicing: Cargo 171006, 170926  
Colour Orange

## Headlight Inserts



**170690** Light Unit  
Servicing: Chrysler, Fendt, Ford, GM, IH/  
Case, Isuzu, John Deere, Mazda  
60/65, 75/70 W, Dim. 167x106.7 mm,  
Bulb type H4, Socket type P43t,  
Shape Rectangular, Connection Multiplug,  
E-approval Yes




**170867** Head Lamp  
12-24 V, 60/55 W 1, 75/70 W 2, 4 W 3,  
Dim. 172x142x80 mm, Type H4,  
Socket type 1 P43t, Socket type 2 P43t,  
Socket type 3 BA9s, Material Metal,  
Material/dome Glass, Fixing screw 2,  
Sidemarker w/, E-approval Yes  
Heat resistant plastic reflector bonded w/  
glass lens. Flush fitting head lA. Build-in  
depth: 69 mm.




**170868** Light Unit  
60/55 W 1, 75/70 W 2, 4 W 3,  
Bulb type 1 H4, Bulb type 2 H4,  
Socket type 1 P43t, Socket type 2 P43t,  
Socket type 3 BA9s, Material Rubber,  
Shape Round, Sidemarker w/,  
E-approval Yes


## Sealed Beams



**h4360** Sealed Beam  
Servicing: John Deere lawn equipment w/  
cooling eng  
12 V, 37.5 W, Dim. 138.2x61.6x76.2 mm





**h5360** Sealed Beam  
Servicing: John Deere  
12 V, 37.5 W, Dim. 138.2x61.6x76.2 mm  
Longlife.



### 4440x Sealed Beam



Servicing: Ford  
12 V, 40/40 W

## Auxilliary Lamps





### 170549 Fog Lamp

12/24 V, 55/70 W,  
Light aperture 200x107 mm,  
Dim. 242x166x92 mm, Type Fog light,  
Bulb type 1 H3, Shape Rectangular,  
E-approval Yes  
Light unit: Cargo 170620.



### 170550 Driving Lamp



12/24 V, 55/70 W,  
Light aperture 200x107 mm,  
Dim. 242x166x92 mm, Mount. Mounted  
below, Type Driving lamp, Bulb type H3,  
Colour Black, Material Metal,  
Shape Rectangular, Bulb incl. No,  
E-approval Yes  
Light unit: Cargo 170621.



### 170616 Fog Lamp

12/24 V, 55/70 W,  
Dim. 242x172x87.8 mm, Type Fog light,  
Bulb type H3, Colour Yellow,  
Shape Rectangular, E-approval Yes  
Light unit: Cargo 170622.



Pkg. 2



### 171359 Driving Lamp



12/24 V, Light aperture 55x35 mm,  
Dim. 106x84.5x86 mm,  
Mount. U-bracket w/ 2 holes,  
Bulb type H3, Material Shockproof  
plastic, Shape Oval, Bulb incl. No

Pkg. 2





### 171360 Fog Lamp

12/24 V, Light aperture 55x35 mm,  
Dim. 106x84.5x86 mm, Mount. U-bracket  
w/ 2 holes, Bulb type 1 H3,  
Material Shockproof plastic, Shape Oval,  
Bulb incl. No





### 171361 Driving Lamp

12/24 V, 55/70 W,  
Light aperture 130x35 mm,  
Dim. 154.6x75.3x69 mm,  
Mount. U-bracket w/ 1 bolt,  
Bulb type H3, Material Shockproof plastic,  
Shape Rectangular, Bulb incl. No





### 171362 Fog Lamp

12/24 V, Light aperture 130x35 mm,  
Dim. 154.6x75.3x69 mm,  
Mount. U-bracket w/ 1 bolt,  
Bulb type H3, Material Shockproof plastic,  
Shape Rectangular, Bulb incl. No





### 171363 Driving Lamp

12-24 V, Light aperture 95 mm,  
Dim. 122x134x64 mm, Mount. Mounted  
below, Bulb type H3, Colour Black,  
Material Metal, Shape Round,  
Bulb incl. No





### 171364 Fog Lamp

12/24 V, 55/70 W,  
Light aperture 95 mm,  
Dim. 122x134x64 mm, Mount. Mounted  
below, Bulb type H3, Colour Black,  
Material Metal, Shape Round,  
Bulb incl. No



### 171365 Driving Lamp



12/24 V, 55/70 W,  
Light aperture 110x75 mm,  
Dim. 156x105x56 mm,  
Mount. Mounted below, Type Driving  
lamp, Bulb type H3, Colour Black,  
Material Metal, Shape Rectangular,  
Bulb incl. No, E-approval Yes



### 171366 Fog Lamp



12/24 V, 55/70 W,  
Light aperture 110x75 mm,  
Dim. 156x105x56 mm,  
Mount. Mounted below, Type Fog light,  
Bulb type H3, Colour Black,  
Material Metal, Shape Rectangular,  
Bulb incl. No, E-approval Yes







### 171451 Set of Driving Lamps

12 V, 55 W, 55 W,  
Light aperture 110x60 mm,  
Dim. 138x78x68 mm, Mount. 1 bolt,  
Bulb type H3, Material Shockproof  
plastic, Bulb incl. Yes, Bracket Pendant,  
E-approval Yes





### 171452 Fog Lamp Set

12 V, 55 W, 55 W,  
Light aperture 110x60 mm,  
Dim. 138x78x68 mm, Mount. Screw,  
Bulb type H3, Material Shockproof  
plastic, Bulb incl. Yes, Bracket Pendant,  
E-approval Yes



### 171597 Driving Lamp

12/24 V, 55/70 W 1, 4 W 2,  
Light aperture 180 mm,  
Dim. 183x214x97 mm,  
Mount. Mounted below, Bulb type H3,  
Socket type 1 PK22s, Socket type 2 BA9s,  
Colour Black, Material Metal,  
Shape Round, Sidemarker w/,  
Bulb incl. No, E-approval Yes



### 171598 Fog Lamp

12/24 V, 55/70 W 1, 4 W 2,  
Light aperture 180 mm,  
Dim. 183x214x97 mm, Mount. Mounted  
below, Type Fog light, Bulb type H3,  
Socket type 1 PK22s, Socket type 2 BA9s,  
Colour Black, Material Metal,  
Shape Round, Sidemarker w/,  
Bulb incl. No, E-approval Yes

## Spare Parts



### 170620 Light Unit

Servicing: Cargo 170549

Dim. 215x120.5x81 mm, Shape Rectangular





### 170621 Light Unit

Servicing: Cargo 170550

Light aperture 200x107 mm,  
Dim. 215x120.5x81 mm, Bulb type H3,  
Colour Black, Material Metal,  
Shape Rectangular, Bulb incl. No



## LED Daytime Running Lights

### Set




### 171739 Daytime Running Light

12/24 V, 7 W, Dim. 180.02x24x43 mm,  
Dist. mount. holes 110 mm,  
Cable length 500 mm, Type LED,  
Fixing screw 4, Shape Rectangular,  
Connection Cable, No./lamps 2,  
LEDs w/, LEDs 2 2x18,  
Bracket Adjustable, E-approval Yes




**171740** Daytime Running Light  
12/24 V, 2x5 W, Dim. 220x33x26 mm,  
Dist. mount. holes 215 mm,  
Cable length 500 mm, Type LED,  
Fixing screw 4, Shape Rectangular,  
Connection Cable, No./lamps 2,  
LEDs w/, LEDs 2 2x5,  
Bracket Adjustable, E-approval Yes




**171741** Daytime running light  
12-24 V, 4 W, Light aperture 73 mm,  
Dim. 90x69 mm, OD 90 mm,  
Dist. mount. holes 40 mm,  
Mount. Bracket, Cable length 500 mm,  
Type LED, Colour Black,  
Colour/glass Clear, Material ABS plastic,  
Material/dome PMMA, Fixing screw 2,  
Shape Round, Connection Cable,  
No./lamps 2, LEDs w/,  
LEDs 2 2x18, Asymmetric light w/o,  
Bracket Adjustable, Grill w/o,  
E-approval Yes

## Tail Lights


### Reversing Lamps




**170689** Reversing Lamp  
21 W 1, Dim. 129x75x55 mm,  
Dist. mount. holes 56 mm,  
Socket type BA15S, Fixing screw 1,  
Shape Rectangular, Connection Connection,  
Rear/fog lamp w/, Bracket Straight




**170932** Reversing Lamp  
21 W 1, Dim. 102x95x55 mm,  
Dist. mount. holes 77 mm,  
Socket type BA15S, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Screw, Rear/fog lamp w/



**170934** Reversing Lamp  
21 W 1, Dim. 140x90 mm,  
Dist. mount. holes 45 mm,  
Socket type BA15S, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection,  
Rear/fog lamp w/, Wiring system w/  
Lens: Cargo 171250.




**170935** Reversing Lamp  
21 W 1, Dim. 125x84x68 mm,  
Socket type BA15S, Colour Black,  
Material Shockproof plastic,  
Fixing screw M10, Shape Rectangular,  
Connection Connection, Rear/fog lamp w/,  
Bracket Pendant, E-approval Yes




**171222** Reversing Lamp  
12/24 V, 55 W, 55 W 1, 70 W 2, Dim. 140x90 mm, Dist. mount. holes 45 mm, Bulb type 1 H3, Bulb type 2 H3, Socket type 1 PK22s, Socket type 2 PK22s, Colour Black, Material Shockproof plastic, Fixing screw 2, Shape Circular, Connection Connection, Bulb incl. No, Wiring system w/


w/LED



**170909** LED Fog/Reverse Lamp  
12/24 V, Dim. 140x88.3 mm, OD 140 mm, Dist. mount. holes 45 mm, Type LED, Colour/glass White, Material Shockproof plastic, Fixing screw 2, Shape Round, LEDs w/, Rear/fog lamp w/, Tail light w/, E-approval Yes  
Lens and o-ring: Cargo 170910.



**171684** LED Reversing Lamp  
9-33 V, Dim. 140x52.5 mm, Dist. mount. holes 45 mm, Type Reversing lamp, Colour Clear, Material Shockproof plastic, Shape Circular, Connection Connection, LEDs w/, E-approval Yes  
*Can be flush mounted by using Cargo 171266.*




**171726** LED Fog/Reverse Lamp  
12/24 V, Dim. 122x84.5 mm, OD 122 mm, Dist. mount. holes 44 mm, Cable length 150 mm, Type LED, Material Shockproof plastic, Material/dome Shockproof plastic, Connection Cable, LEDs w/, LEDs 2 38, Numberplate light w/o, Rear/fog lamp w/, Reverse light w/, Reflector w/o, E-approval Yes  
Ring: clear, center: red.

## Spare Parts




**170910** Lens, Rear Lamp  
Servicing: Cargo 170909  
OD 140 mm, Colour White, Shape Round

## Rear Fog Lamps




**170688** Rear Fog Lamp  
21 W 1, Dim. 129x75x55 mm, Dist. mount. holes 56 mm, Socket type BA15S, Shape Rectangular, Connection Connection, Rear/fog lamp w/, Bracket Straight, E-approval Yes



**170928** Rear Fog Lamp  
21 W 1, Dim. 102x95x55 mm, Dist. mount. holes 77 mm, Socket type BA15S, Colour Black, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, LEDs Black, E-approval Yes




Pkg. 2




### 170929 Rear Fog Lamp

21 W 1, Dim. 140x90 mm,  
Dist. mount. holes 45 mm,  
Socket type BA15S, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
Rear/fog lamp w/, Bulb incl. No,  
Wiring system w/, E-approval Yes




### 170930 Rear Fog Lamp

21 W 1, Dim. 125x84x68 mm,  
Socket type 1 BA15S, Colour Black,  
Material Shockproof plastic,  
Fixing screw 1, Connection Connection,  
Rear/fog lamp w/, Bracket Pendant,  
E-approval Yes



### 171219 Rear Fog Lamp


21 W, Dim. 93x99x50 mm,  
Dist. mount. holes 45 mm,  
Socket type BA15S, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Shape Hexagon,  
Connection Connection,  
Rear/fog lamp w/, E-approval Yes  
Lens: Cargo 171255.



### 171220 Rear Fog Lamp

21 W, Dim. 99x63x56 mm,  
Dist. mount. holes 42 mm,  
Socket type BA15S, Material Shockproof  
plastic, Shape Rectangular,  
Connection Connection, Sidemark w/,  
E-approval Yes  
w/ Grommet.

w/LED



### 170909 LED Fog/Reverse Lamp


12/24 V, Dim. 140x88.3 mm,  
OD 140 mm, Dist. mount. holes 45 mm,  
Type LED, Colour/glass White,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round, LEDs w/,  
Rear/fog lamp w/, Tail light w/,  
E-approval Yes  
Lens and o-ring: Cargo 170910.



### 171685 LED Rear Fog Lamp

9-33 V, Dim. 140x52.5 mm,  
Dist. mount. holes 45 mm,  
Type Rear fog lamp, Colour Red,  
Material Shockproof plastic,  
Shape Circular, Connection Connection,  
LEDs w/, Rear/fog lamp w/  
Can be flush mounted by using Cargo  
171266.





**171726** LED Fog/Reverse Lamp  
12/24 V, Dim. 122x84.5 mm,  
OD 122 mm, Dist. mount. holes 44 mm,  
Cable length 150 mm, Type LED,  
Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Connection Cable, LEDs w/  
LEDs 2 38, Numberplate light w/o,  
Rear/fog lamp w/, Reverse light w/,  
Reflector w/o, E-approval Yes  
Ring: clear, center: red.


#### Spare Parts



**170910** Lens, Rear Lamp  
Servicing: Cargo 170909  
OD 140 mm, Colour White, Shape Round



#### Multi Function Lamps

##### Trailer Lamps




**170685** Multi Function Lamp  
21 W 1, 21/5 W 2, Dim. 104x98x50 mm,  
Dist. mount. holes 45/55 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
LEDs w/o, Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 170687.

Pkg. 4




**170846** Multi Function Lamp  
10 W 1, 21/5 W 2, Dim. 111x82x74 mm,  
Dist. mount. holes 57/87 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 4, Connection Connection,  
Numberplate light w/o, Flasher light w/,  
Tail light w/, Stop light w/, RH/ LH RH/  
LH, E-approval Yes  
Lens: Cargo 170847.


Pkg. 2



**170908** Multi Function Lamp  
18 W 1, 10 W 2, Dim. 105x55 mm,  
OD 105 mm, Dist. mount. holes 45 mm,  
Socket type 1 S8.5, Socket type 2 S8.5,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection, LEDs w/o,  
Numberplate light w/o, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH/LH,  
Approvals National approval for Germany




**170939** Multi Function Lamp  
Servicing: Cargo 170809, 170818, 170828,  
170829, 170835, 171049  
21 W 1, 21/5 W 2,  
Dim. 108x103x52 mm,  
Dist. mount. holes 45/55 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
LEDs w/o, Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 170833.



**170940** Multi Function Lamp  
21 W 1, 21/5 W 2, Dim. 108x103x52 mm,  
Dist. mount. holes 45/55 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
Numberplate light w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 170833.




**170985** Multi Function Lamp  
10 W 1, 21/5 W 2,  
Dim. 180x60x51.5 mm,  
Dist. mount. holes 134 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
RH/ LH RH/LH, E-approval Yes  
Lens: Cargo 170987.



**171013** Multi Function Lamp  
21 W 1, 21/5 W 2,  
Dim. 218x140x58 mm,  
Dist. mount. holes 70 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH LH,  
E-approval Yes  
Lens: Cargo 171015. Right: Cargo 171014.


Pkg. 2



**170943** Multi Function Lamp  
21 W 1, 21/5 W 2, Dim. 114x76x50 mm,  
Dist. mount. holes 60 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
RH/ LH RH/LH, E-approval Yes  
Lens: Cargo 170944.




**170986** Multi Function Lamp  
10 W 1, 21/5 W 2,  
Dim. 180x60x51.5 mm,  
Dist. mount. holes 134 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 170987.



**171014** Multi Function Lamp  
21 W 1, 21/5 W 2,  
Dim. 218x140x58 mm,  
Dist. mount. holes 70 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH RH,  
E-approval Yes  
Lens: Cargo 171016. Left: Cargo 171013.


Pkg. 2



### 171050 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3, Dim. 235x135x52 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 S8.5, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection 171372t, Numberplate light w/, Rear/fog lamp w/, Flasher light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH LH, E-approval Yes  
 Lens: Cargo 171057. Plug: Cargo 171372, 171373. Right: Cargo 171053.


Pkg. 2



### 171052 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3, Dim. 235x135x52 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 S8.5, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection 171373, LEDs w/o, Numberplate light w/, Flasher light w/, Reverse light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH RH, E-approval Yes  
 Lens: Cargo 171058. Supplied w/ Cargo 171372, 171373. Left: Cargo 171055.


Pkg. 2



### 171054 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3, Dim. 235x135x52 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 S8.5, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection 171372, Numberplate light w/, Flasher light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH LH, E-approval Yes  
 Lens: Cargo 171057. Plug: Cargo 171372, 171373. Right: Cargo 171051.


Pkg. 2



### 171051 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3, Dim. 235x135x52 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 S8.5, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection 171373t, Numberplate light w/, Flasher light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH RH, E-approval Yes  
 Lens: Cargo 171056. Plug: Cargo 171372, 171373. Left: 171054.


Pkg. 2



### 171053 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3, Dim. 235x135x52 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 S8.5, Material Shockproof plastic, Shape Rectangular, Connection 171373, Numberplate light w/, Rear/fog lamp w/, Flasher light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH RH, E-approval Yes  
 Lens: Cargo 171056. Left: Cargo 171050.


Pkg. 2




### 171055 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3, Dim. 235x135x52 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 S8.5, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection 171372, LEDs w/o, Numberplate light w/, Flasher light w/, Reverse light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH LH, E-approval Yes  
 Lens: Cargo 171059. Plug: Cargo 171372, 171373. Right: Cargo 171052.







**171191** Multi Function Lamp  
21 W 1, 10 W 2, Dim. 120x119x61 mm,  
Dist. mount. holes 46 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
LEDs w/o, Numberplate light w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 171235, 171236.




**171192** Multi Function Lamp  
Dim. 140x60 mm, OD 140 mm,  
Dist. mount. holes 46 mm,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No



**171193** Multi Function Lamp  
Dim. 140x60 mm, OD 140 mm,  
Dist. mount. holes 46 mm,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Screw, LEDs w/o,  
Numberplate light w/o, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, E-approval Yes  
Mounting kit: Cargo 171266.




**171194** Multi Function Lamp  
21 W 1, 5 W 2, Dim. 140x60 mm,  
OD 140 mm, Dist. mount. holes 46 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/o  
Lens: Cargo 171237.




**171195** Multi Function Lamp  
Dim. 140x60 mm, OD 140 mm,  
Dist. mount. holes 46 mm,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection,  
Numberplate light w/o, Bulb incl. No  
Mounting kit: Cargo 171266.

Pkg. 2



**171202** Multi Function Lamp  
21 W 1, 5 W 2, Dim. 93x99x50 mm,  
Dist. mount. holes 46 mm,  
Socket type 1 BA15S, Socket type 2 S8.5,  
Material Shockproof plastic, Fixing screw 2,  
Shape Hexagon, Connection Connection,  
LEDs w/o, Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No, E-approval Yes  
Lens: Cargo 171253.






### 171203 Multi Function Lamp

Servicing: Right: Cargo 171204


21 W 1, 10 W 2, Dim. 158x64x51 mm,  
Dist. mount. holes 98/45 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Fixing screw 4, Shape Rectangular,  
LEDs w/o, Numberplate light w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/, RH/ LH LH,  
E-approval Yes  
Lens: Cargo 171258.



### 171204 Multi Function Lamp

Servicing: Left: Cargo 171203


10 W 1, 21 W 2, Dim. 158x64x51 mm,  
Dist. mount. holes 98/45 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material/dome Shockproof plastic,  
Fixing screw 4, Shape Rectangular,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Reflector w/, RH/ LH RH  
Lens: Cargo 171259.



### 171213 Multi Function Lamp

Servicing: Right: Cargo 171214


21 W 1, 21/5 W 2, 5 W 3,  
Dim. 235x135x52 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 S8.5,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH LH,  
E-approval Yes  
Lens: Cargo 171264.



### 171214 Multi Function Lamp


Servicing: Left: Cargo 171213

21 W 1, 21/5 W 2, 5 W 3,  
Dim. 235x135x52 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 S8.5, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH RH,  
E-approval Yes  
Lens: Cargo 171265.




### 171328 Multi Function Lamp

21 W 1, 5 W 2, Dim. 140x77 mm,  
OD 140 mm, Dist. mount. holes 45 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Shape Circular,  
Connection Connection, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/o,  
E-approval Yes  
Lens: Cargo 171330.




### 171329 Multi Function Lamp


Dim. 140x77 mm, OD 140 mm,  
Dist. mount. holes 45 mm,  
Socket type BA15S, Material Shockproof  
plastic, Fixing screw 2, Shape Circular,  
Connection Connection, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, E-approval Yes  
Mounting kit: Cargo 171266. Lens: Cargo  
171330.



**171533** Multi Function Lamp  
21 W 1, 21/5 W 2, 5 W 3,  
Dim. 248x140x58 mm,  
Dist. mount. holes 70 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d, Socket type 3 S8.5,  
Material Shockproof plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH LH  
Lens: Cargo 171015. Plug: Cargo 171537,  
171538. Right: Cargo 171534.



**171534** Multi Function Lamp  
21 W 1, 21/5 W 2,  
5 W 3, Dim. 248x140x58 mm,  
Dist. mount. holes 70 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 S8.5, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH RH  
Lens: Cargo 171016. Plug: Cargo 171537,  
171538. Left: Cargo 171533.




**171822** Multi Function Lamp  
Servicing: Cargo 171821  
Shape Square, Connection Multiplug,  
Numberplate light w/o, Sidemarker w/,  
Flasher light w/, Stop light w/,  
Bulb incl. Yes, E-approval Yes  
Fits w/ Cargo 171372 and 171373. Lens:  
Cargo 170833.


#### Trailer Lamps w/LED




**171549** LED Multifunction Lamp  
9-33 V, Dim. 140x52.5 mm,  
Dist. mount. holes 45 mm, Type LED,  
Colour Black, Material Shockproof plastic,  
Fixing screw 2, Shape Circular,  
Connection Connection, LEDs w/,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/o,  
E-approval Yes  
Fitting kit: Cargo 171266.




**171665** LED Multifunction Lamp  
12/24 V, Dim. 336x151x67 mm,  
Dist. mount. holes 152 mm, Type LED,  
Material Shockproof plastic,  
Shape Rectangular, Connection Connection,  
LEDs w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/, RH/ LH LH,  
E-approval Yes  
Right: Cargo 171666.



**171666** LED Multifunction Lamp  
12/24 V, Dim. 336x151x67 mm,  
Dist. mount. holes 152 mm, Type LED,  
Material Shockproof plastic,  
Shape Rectangular,  
Connection Connection, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/,  
RH/ LH RH, E-approval Yes  
Left: Cargo 171665



**171667** LED Multifunction Lamp  
12/24 V, Dim. 150x80x26.9 mm,  
Dist. mount. holes 100 mm, Type LED,  
Material Plastic, Shape Rectangular,  
Connection Connection, LEDs w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/,  
E-approval Yes  
W = ground. B = tail light. R = stop. Y =  
indicator.




**171668** LED Multifunction Lamp  
12/24 V, Dim. 150x80x26.9 mm,  
Dist. mount. holes 100 mm, Type LED,  
Colour/glass Clear, Material Shockproof  
plastic, Material/dome Glass, Sha  
pe Rectangular, Connection Cable,  
LEDs w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Reflector w/, E-approval Yes  
W = ground. B = tail light. R = stop. Y =  
indicator.




**171725** LED Tail-Position Lamp  
12/24 V, Dim. 122x84.5 mm,  
OD 122 mm, Dist. mount. holes 44 mm,  
Cable length 150 mm, Type LED,  
Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Fixing screw 6, Shape Round,  
Connection Cable, LEDs w/, LEDs 2 44,  
Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/o,  
E-approval Yes  
Ring: amber, center: red.



**171726** LED Fog/Reverse Lamp  
12/24 V, Dim. 122x84.5 mm,  
OD 122 mm, Dist. mount. holes 44 mm,  
Cable length 150 mm, Type LED,  
Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Connection Cable, LEDs w/,  
LEDs 2 38, Numberplate light w/o,  
Rear/fog lamp w/,  
Reverse light w/, Reflector w/o, E-  
approval Yes  
Ring: clear, center: red.




**171756** LED Multifunction Lamp  
12/24 V, Dim. 174x218x28.8 mm,  
Dist. mount. holes 150 mm, Type Tail/  
position lamp, Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Shape Triangle, Connection Multiplug,  
LEDs w/, Rear/fog lamp w/,  
Flasher light w/, Reverse light w/,  
Tail light w/, Stop light w/,  
Reflector w/, RH/ LH RH, Approvals CE,  
E-approval Yes  
Fits w/ multi-plug: Cargo 171788.




**171757** LED Multifunction Lamp  
12-24 V, Dim. 174x218x28.8 mm,  
Dist. mount. holes 150 mm, Type Tail/  
position lamp, Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Shape Triangle, Connection Multiplug,  
LEDs w/, Rear/fog lamp w/,  
Flasher light w/, Reverse light w/,  
Tail light w/, Stop light w/,  
Reflector w/, RH/ LH LH, Approvals CE,  
E-approval Yes  
Fits w/ multi-plug: Cargo 171788.







**171758** LED Multifunction Lamp  
12-24 V, Dim. 237x140x28.8 mm,  
Dist. mount. holes 152 mm, Mount. 2  
screws, Cable length 2000 mm, Type Tail  
lamp, Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Shape Oval, Connection Cable, LEDs w/  
Numberplate light w/, Flasher light w/  
Reverse light w/, Tail light w/  
Stop light w/, Reflector w/  
RH/ LH RH, E-approval Yes  
White = ground. Red = stop. Black = tail.  
Yellow = indicator. Brown = reverse.




**171759** LED Multifunction Lamp  
12/24 V, Dim. 237x140x28.8 mm,  
Dist. mount. holes 152 mm, Mount. 2  
screws, Cable length 2000 mm, Type Tail  
lamp, Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Shape Oval, Connection Cable, LEDs w/  
Numberplate light w/, Rear/fog lamp w/  
Flasher light w/, Tail light w/  
Stop light w/, Reflector w/, RH/ LH LH,  
E-approval Yes  
White = ground. Red = stop. Black = tail.  
Yellow = indicator. Blue = fog.




**171772** LED Multifunction Lamp  
Dim. 284x156x102 mm,  
Dist. mount. holes 130x78 mm, Mount. 4  
screws, Material Polypropylene,  
Material/dome PMMA, Connection Cable,  
LEDs w/, LEDs 2 3x16,  
Numberplate light w/o, Rear/fog lamp w/o,  
Flasher light w/, Reflector w/  
E-approval Yes



**171789** LED multifunction lamp  
12-24 V, Dim. 102.1x107.1x28.4 mm,  
Dist. mount. holes 45 mm, Mount. 2 screws,  
Cable length 500 mm, Type Tail lamp,  
Bulb type LED, Material Polycarbonat,  
Material/dome Polycarbonat,  
Shape Square, Connection Cable,  
LEDs w/, LEDs 2 18, Numberplate light w/  
Flasher light w/, Tail light w/  
Stop light w/, Reflector w/  
RH/ LH RH/LH, Tightness norm IP 67,  
E-approval Yes  
Vertical mount.



**171790** LED multifunction lamp  
12-24 V, Dim. 102.1x28.4 mm,  
Dist. mount. holes 45 mm, Mount. 2 screws,  
Cable length 500 mm, Type Tail lamp,  
Material Polycarbonat,  
Material/dome Polycarbonat,  
Shape Square, Connection Cable,  
LEDs w/, LEDs 2 12, Flasher light w/  
Tail light w/, Stop light w/  
Reflector w/, RH/ LH RH/LH,  
Tightness norm IP 67, E-approval Yes



**171791** LED multifunction lamp  
12-24 V, Dim. 103x101.7x28.4 mm,  
Dist. mount. holes 45 mm, Mount. 2 screws,  
Cable length 500 mm, Type Tail lamp,  
Material Polycarbonat,  
Material/dome Polycarbonat,  
Shape Square, Connection Cable,  
LEDs w/, LEDs 2 16,  
Numberplate light w/  
Flasher light w/, Tail light w/  
Stop light w/, Reflector w/  
RH/ LH RH/LH, Tightness norm IP 67,  
E-approval Yes  
Horizontal mount.



## Trailer Lamps

### Spare Parts



**170687** Lens, Rear Lamp  
Servicing: Cargo 170685.  
Dim. 104x98 mm, RH/ LH RH/LH



**170833** Lens, Rear Lamp  
Servicing: Cargo 170939, 170940  
Dim. 108x103x52 mm,  
Material Shockproof plastic,  
Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/o,  
RH/ LH RH/LH



**170847** Lens, Rear Lamp  
Servicing: Cargo 170846  
Dim. 111x82 mm, Material Shockproof  
plastic, Numberplate light w/o,  
RH/ LH RH/LH



**170944** Lens, Rear Lamp  
Servicing: Cargo 170943  
Dim. 120x80 mm, Material Shockproof  
plastic, Shape Rectangular,  
Numberplate light w/o, Reflector w/o,  
RH/ LH RH/LH



**170987** Lens, Rear Lamp  
Servicing: Cargo 170985, 170986  
Dim. 180x60 mm, Material Shockproof  
plastic, Shape Rectangular, RH/ LH RH/LH



**171015** Lens, Rear Lamp  
Servicing: Cargo 171013, 171533  
Dim. 218x140 mm, Material Shockproof  
plastic, Shape Rectangular, Reflector w/,  
RH/ LH LH



**171016** Lens, Rear Lamp  
Servicing: Cargo 171534, 171014  
Dim. 218x140 mm, Material Shockproof  
plastic, Shape Rectangular, Reflector w/,  
RH/ LH RH



**171056** Lens, Rear Lamp  
Servicing: Cargo 171051, 171053  
Dim. 235x135x52 mm,  
Material Shockproof plastic,  
Shape Rectangular,  
Numberplate light w/, Reflector w/,  
RH/ LH RH



**171057** Lens, Rear Lamp  
Servicing: Cargo 171050, 171054  
Dim. 235x135x52 mm,  
Material Shockproof plastic,  
Shape Rectangular,  
Numberplate light w/, Reflector w/,  
RH/ LH LH



**171058** Lens, Rear Lamp  
Servicing: Cargo 171052  
Dim. 235x135 mm, Material Shockproof  
plastic, Shape Rectangular,  
Numberplate light w/, Reflector w/,  
RH/ LH RH



**171059** Lens, Rear Lamp  
Servicing: Cargo 171055  
Dim. 235x135 mm, Material Shockproof  
plastic, Shape Rectangular,  
Numberplate light w/, Reflector w/,  
RH/ LH LH



**171162** Lens, Rear Lamp  
Servicing: Ford Transit 1986  
Dim. 364x94 mm, Material Shockproof  
plastic, Shape Rectangular, Reflector w/,  
E-approval Yes

Pkg. 2

Pkg. 2



### 171236 Lens, Rear Lamp

Servicing: Cargo 171191

Dim. 122.5x122.5x53 mm, Shape Square, RH/ LH RH/LH

Pkg. 2



### 171237 Lens, Rear Lamp

Servicing: Cargo 171192, 171193, 171194, 171195

OD 140 mm, Type Tail lamp, Material Plastic, Shape Circular, Reflector w/o, RH/ LH RH/LH

Pkg. 6



### 171253 Lens, Rear Lamp

Servicing: Cargo 171202

Dim. 93x99 mm, Dist. mount. holes 45 mm, Material Shockproof plastic, Shape Hexagon, LEDs w/o, Bulb incl. No, Reflector w/o, RH/ LH RH/LH

Pkg. 3



### 171258 Lens, Rear Lamp

Servicing: Cargo 171203

Dim. 158x64 mm, Material Shockproof plastic, Shape Rectangular, Reflector w/, RH/ LH LH

Pkg. 3



### 171259 Lens, Rear Lamp

Servicing: Cargo 171204

Dim. 158x64 mm, Shape Rectangular, Reflector w/, RH/ LH RH



### 171264 Lens, Rear Lamp

Servicing: Cargo 171213

Dim. 235x135 mm, Shape Rectangular, Numberplate light w/, Reflector w/, RH/ LH LH



### 171265 Lens, Rear Lamp

Servicing: Cargo 171214

Dim. 235x135 mm, Shape Rectangular, Numberplate light w/, Reflector w/, RH/ LH RH




### 171330 Lens, Rear Lamp

Servicing: Cargo 171328, 171329

OD 140 mm, Shape Circular, Reflector w/o, RH/ LH RH/LH

## Accessories

Pkg. 2



### 170604 Vibration Damper

Servicing: Cargo 170602, 171323.

*Gives a longer life to the bulbs.*

Pkg. 4



### 171266 Repair Kit

Servicing: Cargo 171193, 171195, 171329, 171549, 171550

*Circulars.*



### 171372 Multi Connector

Servicing: Cargo 171050, 171051, 171052, 171053, 171054, 171055, 171818, 171821

Colour/glass Yellow, RH/ LH LH, E-approval Yes  
*Socket w/ quick connection.*



### 171373 Multi Connector

Servicing: Cargo 171050, 171051, 171052, 171053, 171054, 171055, 171818, 171821.

Colour/glass Green, RH/ LH RH, E-approval Yes  
*Socket w/ quick connection.*



**171537** Multi Connector  
Servicing: Cargo 171533, 171534  
Colour Red, RH/ LH LH  
Socket w/ quick connection.




**171538** Multi Connector  
Servicing: Cargo 171533, 171534  
Colour Green, RH/ LH RH  
Socket w/ quick connection.




**171788** Multiconnector 7 pin  
Servicing: Cargo 171756, 171757  
Type/terminal Round, Colour Black,  
No./poles 7, Plug Female  
Gasket: Cargo 192178.



## Trailer Lamps (Trucks)




**170602** Multi Function Lamp  
Servicing: RVI Renault, Pegaso  
21 W 1, 5 W 2,  
10 W 3, Dim. 406x135x74 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Socket type 3 BA15S,  
Material Shockproof plastic,  
Shape Rectangular, Connection A, LEDs w/o,  
Numberplate light w/, Rear/fog lamp w/,  
Flasher light w/, Reverse light w/,  
Tail light w/, Stop light w/, Bulb incl. No,  
Reflector w/, RH/ LH LH, E-approval Yes  
Fits w/ Cargo 170603. Lens: Cargo 170665.  
More info page 98.



**170603** Multi Function Lamp  
Servicing: RVI Renault, Pegaso  
21 W 1, 5 W 2,  
10 W 3, Dim. 406x135x74 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Socket type 3 BA15S,  
Material Shockproof plastic,  
Shape Rectangular, Connection A, LEDs w/o,  
Rear/fog lamp w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/, RH/ LH RH, E-approval Yes  
Fits w/ Cargo 170602. Lens: Cargo 170665.  
More info page 98.




**170893** Multi Function Lamp  
21 W 1, Dim. 335x96x83 mm,  
Dist. mount. holes 45 mm,  
Socket type BA15S, Material Shockproof  
plastic, Shape Rectangular,  
Connection A, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH  
Fits w/ Cargo 170895. 2 sockets for tail  
light. Lens: Cargo 171062. More info page 98.



**170895** Multi Function Lamp  
21 W 1, Dim. 335x96x83 mm,  
Dist. mount. holes 45 mm,  
Socket type BA15S, Material Shockproof  
plastic, Shape Rectangular,  
Connection A, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH LH  
Fits w/ Cargo 170893. 2 bulb holders for  
tail light. Lens: Cargo 171062. More info  
page 98.




Pkg. 2




### 170908 Multi Function Lamp

18 W 1, 10 W 2, Dim. 105x55 mm, OD 105 mm, Dist. mount. holes 45 mm, Socket type 1 S8.5, Socket type 2 S8.5, Material Shockproof plastic, Fixing screw 2, Shape Round, Connection Connection, LEDs w/o, Numberplate light w/o, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/o, RH/ LH RH/LH, Approvals National approval for Germany




### 170916 Multi Function Lamp

Servicing: Scania, Universal  
21 W 1, 5 W 2, 10 W 3, Dim. 465x130x83 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BA15S, Socket type 3 BA15S, Material Shockproof plastic, Shape Rectangular, Connection A, Numberplate light w/, Rear/fog lamp w/, Sidemarkers lamp w/, Flasher light w/, Reverse light w/, Tail light w/, Stop light w/, Reflector w/, RH/ LH LH Fits w/ Cargo 170917. 2 bulb holders for tail light. Lens: Cargo 170968. More info page 98.




### 170917 Multi Function Lamp

Servicing: Scania, Universal  
21 W 1, 5 W 2, 10 W 3, Dim. 465x130x83 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BA15S, Socket type 3 BA15S, Material Shockproof plastic, Shape Rectangular, Connection A, Numberplate light w/, Rear/fog lamp w/, Sidemarkers lamp w/, Flasher light w/, Reverse light w/, Tail light w/, Stop light w/, Reflector w/, RH/ LH RH, E-approval Yes Fits w/ Cargo 170916. 2 bulb holders for tail light. Lens: Cargo 170968. More info page 98.




### 170922 Multi Function Lamp

Servicing: MAN, Universal  
21 W 1, 5 W 2, 10 W 3, Dim. 465x130x83 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BA15S, Socket type 3 BA15S, Material Shockproof plastic, Shape Rectangular, Connection C, Numberplate light w/, Rear/fog lamp w/, Sidemarkers lamp w/, Flasher light w/, Tail light w/, Stop light w/, Reflector w/, RH/ LH LH, E-approval Yes Fits w/ Cargo 170923. Lens: Cargo 170968. More info page 98.



### 170923 Multi Function Lamp


Servicing: MAN, Universal  
21 W 1, 5 W 2, 10 W 3, Dim. 465x130x83 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BA15S, Socket type 3 BA15S, Material Shockproof plastic, Shape Rectangular, Connection C, Numberplate light w/, Rear/fog lamp w/, Sidemarkers lamp w/, Flasher light w/, Reverse light w/, Tail light w/, Stop light w/, Reflector w/, RH/ LH RH, E-approval Yes Fits w/ Cargo 170922. 2 bulb holders for tail light. Lens: Cargo 170968. More info page 98.



### 170990 Multi Function Lamp

Servicing: Commercial trailers  
21 W 1, 20/5 W 2, 5 W 3, 10 W 4, Dim. 418x148x90 mm, Dist. mount. holes 152 mm, Socket type 1 BA15S, Socket type 2 BAY15d, Socket type 3 BA15S, Socket type 4 BA10s, Material Shockproof plastic, Shape Rectangular, Connection A, LEDs w/o, Numberplate light w/, Rear/fog lamp w/, Sidemarkers lamp w/, Flasher light w/, Tail light w/, Stop light w/, Bulb incl. No, Reflector w/, RH/ LH RH, E-approval Yes Fits w/ Cargo 170991. Lens: Cargo 170994. More info page 98.





### 170991 Multi Function Lamp

Servicing: Commercial trailers

21 W 1, 21/5 W 2, 5 W 3,

10 W 4, Dim. 418x148x90 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BAY15d,

Socket type 3 BA15S,

Socket type 4 BA10s, Material Shockproof

plastic, Shape Rectangular,

Connection A, LEDs w/o,

Numberplate light w/, Rear/

fog lamp w/, Sidemarkers lamp w/,

Flasher light w/, Tail light w/,


Stop light w/, Bulb incl. No,

Reflector w/, RH/ LH LH,

E-approval Yes

Fits w/ Cargo 170990. Lens: Cargo 170995.

More info page 98.



### 170998 Multi Function Lamp

Servicing: Iveco

21 W 1, 5 W 2, Dim. 465x130x83 mm,

Dist. mount. holes 190/60 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection D,

Rear/fog lamp w/, Sidemarkers lamp w/,

Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,


Reflector w/, RH/ LH RH/LH,

E-approval Yes

Fits w/ Cargo 170999. 2 bulb holders for

tail light. Lens: Cargo 171000. More info

page 98.



### 170999 Multi Function Lamp

Servicing: Iveco

21 W 1, 5 W 2, 10 W 3,

Dim. 465x130x83 mm,

Dist. mount. holes 190/60 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection D,

Numberplate light w/, Rear/fog lamp w/,

Sidemarkers lamp w/, Flasher light w/,

Tail light w/, Stop light w/,



Bulb incl. No, Reflector w/,

RH/ LH RH/LH, E-approval Yes

Fits w/ Cargo 170998. 2 bulb holders for

tail light. Lens: Cargo 171000. More info

page 98.



### 171188 Multi Function Lamp

21 W 1, 5 W 2, 10 W 3,

Dim. 282x105x73 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection A,

LEDs w/o, Numberplate light w/,


Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,

Reflector w/o, RH/ LH LH

Fits w/ Cargo 171189. Lens: Cargo 171234.

More info page 98.



### 171189 Multi Function Lamp

21 W 1, 5 W 2, Dim. 282x105x73 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection A,

LEDs w/o, Numberplate light w/o,


Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,

Reflector w/o, RH/ LH RH

Fits w/ Cargo 171188, 171190. Lens: Cargo

171234. More info page 98.



### 171190 Multi Function Lamp

21 W 1, 5 W 2, Dim. 282x105x73 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection A,

LEDs w/o, Numberplate light w/o,


Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,


Reflector w/o, RH/ LH LH

Fits w/ Cargo 171189. Lens: Cargo 171234.


More info page 98.




**171192** Multi Function Lamp  
Dim. 140x60 mm, OD 140 mm,  
Dist. mount. holes 45 mm,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No



**171193** Multi Function Lamp  
Dim. 140x60 mm, OD 140 mm,  
Dist. mount. holes 45 mm,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Screw, LEDs w/o,  
Numberplate light w/o, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, E-approval Yes  
Mounting kit: Cargo 171266.



**171194** Multi Function Lamp  
21 W 1, 5 W 2, Dim. 140x60 mm,  
OD 140 mm, Dist. mount. holes 45 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/o  
Lens: Cargo 171237.





**171195** Multi Function Lamp  
Dim. 140x60 mm, OD 140 mm,  
Dist. mount. holes 45 mm,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection,  
Numberplate light w/o, Bulb incl. No  
Mounting kit: Cargo 171266.



**171199** Multi Function Lamp  
Servicing: Mercedes  
21 W 1, Dim. 344x147x72 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection A, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH  
Fits w/ Cargo 171201. Lens: Cargo 171252.  
More info page 98.



**171201** Multi Function Lamp  
Servicing: Mercedes  
21 W 1, Dim. 344x147x72 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Material Shockproof  
plastic, Shape Rectangular,  
Connection A, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH LH  
Fits w/ Cargo 171199. Lens: Cargo 171252.  
More info page 98.



### 171205 Multi Function Lamp

Servicing: MAN, VW, Mercedes

21 W 1, 5 W 2, Dim. 343x133x75 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S, Material Shockproof plastic, Shape Rectangular, Connection A,

LEDs w/o, Numberplate light w/o,

Rear/fog lamp w/, Flasher light w/,


Tail light w/, Stop light w/, Bulb incl. No,

Reflector w/, RH/ LH RH

Fits w/ Cargo 171206. 2 bulb holders for

tail light. Lens: Cargo 171263. More info

page 98.



### 171209 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3,

Dim. 281x99x56 mm,

Dist. mount. holes 184 mm,

Socket type 1 BA15S,

Socket type 2 BAY15d,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection A,


LEDs w/o, Numberplate light w/,

Rear/fog lamp w/, Flasher light w/,

Tail light w/, Stop light w/,

Bulb incl. No, Reflector w/, RH/ LH LH

Fits w/ Cargo 171210. More info page 98.



### 171299 Multi Function Lamp

Servicing: Mercedes Atego

21 W 1, 5 W 2, 10 W 3,

Dim. 465x130x90 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection P,

LEDs w/o, Numberplate light w/,

Rear/fog lamp w/, Sidemarkers lamp w/,

Flasher light w/, Tail light w/,


Stop light w/, Bulb incl. No,

Reflector w/, RH/ LH RH, E-approval Yes

Fits w/ Cargo 171302. 2 bulb holders for

tail light. Lens: Cargo 171307. More info

page 98.



### 171206 Multi Function Lamp

Servicing: MAN, VW, Mercedes

21 W 1, 5 W 2, Dim. 343x133x75 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection A,

LEDs w/o, Numberplate light w/,

Rear/fog lamp w/, Flasher light w/,

Reverse light w/, Tail light w/,


Stop light w/, Bulb incl. No,

Reflector w/, RH/ LH LH

Fits w/ Cargo 171205. 2 bulb holders for

tail light. Lens: Cargo 171263. More info

page 98.



### 171210 Multi Function Lamp

21 W 1, 21/5 W 2, 5 W 3,

Dim. 281x99x56 mm,

Dist. mount. holes 184 mm,

Socket type 1 BA15S,

Socket type 2 BAY15d,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection A,


LEDs w/o, Numberplate light w/,

Flasher light w/, Reverse light w/,

Tail light w/, Stop light w/,

Bulb incl. No, Reflector w/, RH/ LH RH

Fits w/ Cargo 171209. More info page 98.



### 171302 Multi Function Lamp

Servicing: Mercedes Atego

21 W 1, 5 W 2, 10 W 3,

Dim. 465x130x90 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection P,

LEDs w/o, Numberplate light w/,

Rear/fog lamp w/, Sidemarkers lamp w/,

Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,


Reflector w/, RH/ LH LH, E-approval Yes

Fits w/ Cargo 171299. 2 bulb holders for

tail light. Lens: Cargo 171307. More info

page 98.





### 171303 Multi Function Lamp

Servicing: Mercedes Sprinter

21 W 1, 5 W 2, 10 W 3,

Dim. 465x130x90 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection K,

LEDs w/o, Numberplate light w/,

Rear/fog lamp w/, Sidemarkers lamp w/,


Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,

Reflector w/, RH/ LH RH, E-approval Yes

Fits w/ Cargo 171306. 2 bulb holders for

tail light. Lens: Cargo 171307. More info



### 171306 Multi Function Lamp

Servicing: Mercedes Sprinter

21 W 1, 5 W 2, 10 W 3,

Dim. 465x130x90 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection K,

LEDs w/o, Numberplate light w/,

Rear/fog lamp w/, Sidemarkers lamp w/,


Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,

Reflector w/, RH/ LH LH, E-approval Yes

Fits w/ Cargo 171303. 2 bulb holders for

tail light. Lens: Cargo 171307. More info



### 171308 Multi Function Lamp

Servicing: Mercedes Actros

21 W 1, 5 W 2, 10 W 3,

Dim. 525x139x83 mm,

Dist. mount. holes 200 mm,

Socket type 1 BA15S, Socket type 2 BA15S,

Socket type 3 BA15S, Material Shockproof

plastic, Fixing screw 12,

Shape Rectangular, Connection M,

Numberplate light w/, Rear/fog lamp w/,

Sidemarkers lamp w/, Flasher light w/,


Reverse light w/, Tail light w/,

Stop light w/, Reflector w/, RH/ LH RH,

E-approval Yes

Fits w/ Cargo 171311. Lens: Cargo 171312.

More info page 98.



### 171311 Multi Function Lamp

Servicing: Mercedes Actros

21 W 1, 5 W 2, 10 W 3,

Dim. 525x139x83 mm,

Dist. mount. holes 200 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Socket type 3 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection M,

Numberplate light w/, Rear/fog lamp w/,

Sidemarkers lamp w/, Flasher light w/,



Reverse light w/, Tail light w/,

Stop light w/, Reflector w/, RH/ LH LH,

E-approval Yes

Fits w/ Cargo 171308. Lens: Cargo 171521.

More info page 98.



### 171323 Multi Function Lamp

Servicing: Scania

21 W 1, Dim. 350x110x87.5 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Material Shockproof

plastic, Shape Rectangular,

Connection A, LEDs w/o,


Numberplate light w/o,

Flasher light w/, Tail light w/,

Stop light w/, Bulb incl. No,

Reflector w/o, RH/ LH RH/LH

Lens: Cargo 171325. More info page 98.



### 171328 Multi Function Lamp

21 W 1, 5 W 2, Dim. 140x80 mm,

OD 140 mm, Dist. mount. holes 45 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Material Shockproof plastic,

Fixing screw 2, Shape Circular,

Connection Connection, LEDs w/o,

Numberplate light w/, Flasher light w/,


Tail light w/, Stop light w/,

Bulb incl. No, Reflector w/o,

E-approval Yes


Lens: Cargo 171330.






### 171329 Multi Function Lamp

Dim. 140x80 mm, OD 140 mm,  
Dist. mount. holes 45 mm,  
Socket type 1 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Shape Circular,  
Connection Connection, LEDs w/o,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, E-approval Yes  
Mounting kit: Cargo 171266. Lens: Cargo 171330.




### 171441 Multi Function Lamp

Servicing: Commercial trailers  
21 W 1, 20/5 W 2, 10 W 3,  
Dim. 421x147x75 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 BA10s, Material Shockproof plastic, Shape Rectangular,  
Connection K, LEDs w/o,  
Numberplate light w/, Flasher light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH LH,  
E-approval Yes  
Fits w/ Cargo 171442. Lens: Cargo 171446.  
More info page 98.




### 171442 Multi Function Lamp

Servicing: Commercial trailers  
21 W 1, 21/5 W 2, 5 W 3,  
10 W 4, Dim. 421x147x75 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 BA15S,  
Socket type 4 BA10s, Material Shockproof plastic, Shape Rectangular,  
Connection K, LEDs w/o,  
Numberplate light w/, Rear/ fog lamp w/, Sidemarker lamp w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/, RH/ LH RH, E-approval Yes  
Fits w/ Cargo 171441. Lens: Cargo 171446.  
More info page 98.




### 171443 Multi Function Lamp

Servicing: Schwarzmüller  
21 W 1, 21/5 W 2, 5 W 3,  
10 W 4, Dim. 421x147x75 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 BA15S,  
Socket type 4 BA10s, Material Shockproof plastic, Shape Rectangular,  
Connection I, LEDs w/o,  
Numberplate light w/, Rear/ fog lamp w/, Sidemarker lamp w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/, RH/ LH LH  
Fits w/ Cargo 171444. Lens: Cargo 171446.  
More info page 98.




### 171444 Multi Function Lamp

Servicing: Schwarzmüller  
21 W 1, 21/5 W 2, 5 W 3,  
10 W 4, Dim. 421x147x75 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Socket type 3 BA15S,  
Socket type 4 BA10s, Material Shockproof plastic, Shape Rectangular,  
Connection I, LEDs w/o,  
Numberplate light w/, Rear/ fog lamp w/, Sidemarker lamp w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/  
Fits w/ Cargo 171443. Lens: Cargo 171446.  
More info page 98.




### 171447 Multi Function Lamp

Servicing: Mercedes Actros SK  
21 W 1, 5 W 2, 10 W 3,  
Dim. 525x139x83 mm,  
Dist. mount. holes 200 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Socket type 3 BA15S,  
Material Shockproof plastic,  
Shape Rectangular, Connection g,  
Numberplate light w/, Rear/fog lamp w/,  
Sidemarker lamp w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/, RH/ LH LH,  
E-approval Yes  
Fits w/ Cargo 171448. Lens: Cargo 171521.  
More info page 98.




### 171448 Multi Function Lamp

Servicing: Mercedes Actros SK  
21 W 1, 5 W 2, 10 W 3,  
Dim. 525x139x83 mm,  
Dist. mount. holes 200 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Socket type 3 BA15S,  
Material Shockproof plastic,  
Shape Rectangular, Connection B,  
Numberplate light w/, Rear/fog lamp w/,  
Sidemarkers lamp w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/,  
RH/ LH RH, E-approval Yes  
Fits w/ Cargo 171447. Lens: Cargo 171312.  
More info page 98.




### 171506 Multi Function Lamp

Servicing: DAF, Nissan, Renault  
21 W 1, 5 W 2,  
10 W 3, Dim. 350x130x85 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Socket type 3 BA15S,  
Material Shockproof plastic, Shape Rectangular,  
Connection J, LEDs w/o,  
Numberplate light w/, Rear/  
fog lamp w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/, RH/ LH RH/LH  
2 bulb holders for tail light. Lens: Cargo  
171507. More info page 98.




### 171508 Multi Function Lamp

Servicing: Commercial trailers  
21 W 1, 5 W 2,  
10 W 3, Dim. 350x130x85 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Socket type 3 BA15S,  
Material Shockproof plastic, Shape Rectangular,  
Connection K, LEDs w/o,  
Numberplate light w/, Rear/  
fog lamp w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
RH/ LH RH/LH  
Optional use. 2 bulb holders for tail light.  
Lens: Cargo 171509. More info page 98.




### 171700 Multi Function Lamp

12/24 V, Dim. 303x130x81 mm,  
Dist. mount. holes 190 mm,  
Material Shockproof plastic,  
Shape Rectangular, Rear/fog lamp w/,  
Flasher light w/, Reverse light w/,  
Tail light w/, Stop light w/,  
Bulb incl. No, Reflector w/, RH/ LH RH,  
E-approval Yes  
Fits w/ Cargo 171701. Lens: Cargo 171702.




### 171701 Multi Function Lamp

12/24 V, Dim. 303x130x81 mm,  
Dist. mount. holes 190 mm,  
Material Shockproof plastic,  
Shape Rectangular,  
Numberplate light w/o, Rear/fog lamp w/,  
Flasher light w/, Reverse light w/,  
Tail light w/, Stop light w/,  
Reflector w/, RH/ LH LH,  
E-approval Yes  
Fits w/ Cargo 171700. Lens: Cargo 171702.



### 171802 Multi Function Lamp

Servicing: Scania  
21 W 1, 5 W 2,  
Dim. 517x129.5x80.2 mm,  
Dist. mount. holes 152 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Shape Rectangular,  
Numberplate light w/, Rear/fog lamp w/,  
Sidemarkers lamp w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/,  
RH/ LH RH, E-approval Yes  
Fits w/ Cargo 171803. Fits w/ Cargo  
171788. Lens: Cargo 171322. More info page  
98.



### 171803 Multi Function Lamp

Servicing: Scania

21 W 1, 5 W 2,

Dim. 517x129.5x80.2 mm,

Dist. mount. holes 152 mm,

Socket type 1 BA15S,

Socket type 2 BA15S,

Material Shockproof plastic,

Shape Rectangular,

Numberplate light w/, Rear/fog lamp w/,

Sidemarkers lamp w/, Flasher light w/,

Reverse light w/, Tail light w/,


Stop light w/, Reflector w/, RH/ LH LH,

E-approval Yes

Fits w/ Cargo 171802. Fits w/ multi plug:

Cargo 171788. Lens: Cargo 171322. More

info page 98.



### 171807 Multi Function Lamp

Servicing: Trucks, Universal

21/5 W 1, 21 W 2, 21 W 3, 5 W 4,

Dim. 428x140x87 mm,

Dist. mount. holes 152 mm,

Socket type 1 BAY15d,

Socket type 2 BA15S,

Socket type 3 BAU15s,

Socket type 4 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection M,

Rear/fog lamp w/, Sidemarkers lamp w/,


Flasher light w/, Reverse light w/,

Tail light w/, Stop light w/, RH/ LH RH,

E-approval Yes

Fits w/ Cargo 171806. Lens: Cargo 171810.

More info page 98.



### 171809 Multi Function Lamp

Servicing: Commercial trailers

21/5 W 1, 21 W 2, 21 W 3, 5 W 4,

Dim. 428x140x87 mm,

Dist. mount. holes 152 mm,

Socket type 1 BAY15d,

Socket type 2 BA15S,

Socket type 3 BAU15s,

Socket type 4 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection M,

Rear/fog lamp w/, Sidemarkers lamp w/,

Flasher light w/, Reverse light w/,



Tail light w/, Stop light w/,

Reflector w/, RH/ LH RH,

E-approval Yes

Fits w/ Cargo 171808. Lens: Cargo 171810.

More info page 98.



### 171806 Multi Function Lamp

Servicing: Trucks, Universal

21/5 W 1, 21 W 2, 21 W 3, 5 W 4,

Dim. 428x140x87 mm,

Dist. mount. holes 152 mm,

Socket type 1 BAY15d,

Socket type 2 BA15S,

Socket type 3 BAU15s,

Socket type 4 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection M,

Rear/fog lamp w/, Sidemarkers lamp w/,



Flasher light w/, Reverse light w/,

Tail light w/, Stop light w/, RH/ LH LH,

E-approval Yes

Fits w/ Cargo 171807. Lens: Cargo 171810.

More info page 98.



### 171808 Multi Function Lamp

Servicing: Commercial trailers

21/5 W 1, 21 W 2, 21 W 3, 5 W 4,

Dim. 428x140x87 mm,

Dist. mount. holes 152 mm,

Socket type 1 BAY15d,

Socket type 2 BA15S,

Socket type 3 BAU15s,

Socket type 4 BA15S,

Material Shockproof plastic,

Shape Rectangular, Connection M,

Rear/fog lamp w/, Sidemarkers lamp w/,

Flasher light w/, Reverse light w/,

Tail light w/, Stop light w/,



Reflector w/, RH/ LH LH,

E-approval Yes

Fits w/ Cargo 171809. Lens: Cargo 171810.

More info page 98.

## Trailer Lamps (Trucks) w/LED



### 170909 LED Fog/Reverse Lamp

12/24 V, Dim. 140x88.3 mm,

OD 140 mm, Dist. mount. holes 45 mm,

Type LED, Colour/glass White,

Material Shockproof plastic,


Fixing screw 2, Shape Round, LEDs w/,

Rear/fog lamp w/, Tail light w/,


E-approval Yes

Lens and o-ring: Cargo 170910.







**171549** LED Multifunction Lamp  
9-33 V, Dim. 140x52.5 mm,  
Dist. mount. holes 45 mm, Type LED,  
Colour Black, Material Shockproof  
plastic, Fixing screw 2, Shape Circular,  
Connection Connection, LEDs w/,  
Numberplate light w/o, Flasher light w/,  
Tail light w/, Stop light w/,  
Reflector w/o, E-approval Yes  
Fitting kit: Cargo 171266.




**171550** LED Multifunction Lamp  
9-33 V, Dim. 140x52.5 mm,  
Dist. mount. holes 45 mm, Type LED,  
Material Shockproof plastic,  
Fixing screw 2, Shape Round,  
Connection Connection, LEDs w/,  
Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/o,  
E-approval Yes  
w/ transparent lens when light is off.  
Mounting kit: Cargo 171266.




**171665** LED Multifunction Lamp  
12/24 V, Dim. 336x151x67 mm,  
Dist. mount. holes 152 mm, Type LED,  
Material Shockproof plastic,  
Shape Rectangular,  
Connection Connection,  
LEDs w/, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/, RH/ LH LH,  
E-approval Yes  
Right: Cargo 171666.



**171666** LED Multifunction Lamp  
12/24 V, Dim. 336x151x67 mm,  
Dist. mount. holes 152 mm, Type LED,  
Material Shockproof plastic,  
Shape Rectangular,  
Connection Connection, Flasher light w/,  
Reverse light w/, Tail light w/,  
Stop light w/, Reflector w/,  
RH/ LH RH, E-approval Yes  
Left: Cargo 171665




**171725** LED Tail-Position Lamp  
12/24 V, Dim. 122x84.5 mm,  
OD 122 mm, Dist. mount. holes 44 mm,  
Cable length 150 mm, Type LED,  
Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Fixing screw 6, Shape Round,  
Connection Cable, LEDs w/, LEDs 2 44,  
Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/o,  
E-approval Yes  
Ring: amber, center: red.



**171726** LED Fog/Reverse Lamp  
12/24 V, Dim. 122x84.5 mm,  
OD 122 mm, Dist. mount. holes 44 mm,  
Cable length 150 mm, Type LED,  
Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Connection Cable, LEDs w/, LEDs 2 38,  
Numberplate light w/o, Rear/fog lamp w/,  
Reverse light w/, Reflector w/o,  
E-approval Yes  
Ring: clear, center: red.





### 171772 LED Multifunction Lamp

Dim. 284x156x102 mm,  
Dist. mount. holes 130x78 mm,  
Mount. 4 screws, Material Polypropylene,  
Material/dome PMMA, Connection Cable,  
LEDs w/, LEDs 2 3x16,  
Numberplate light w/o, Rear/fog lamp w/o,  
Flasher light w/, Reflector w/,  
E-approval Yes

## Trailer Lamps (Trucks)

## Spare Parts

Pkg. 6



### 170665 Lens, Rear Lamp

Servicing: Cargo 170602, 170586



### 170910 Lens, Rear Lamp

Servicing: Cargo 170909

OD 140 mm, Colour White, Shape Round




Pkg. 2

### 170968 Lens, Rear Lamp

Servicing: Cargo 170916, 170917

Dim. 465x130 mm, Shape Rectangular

Pkg. 2




### 171000 Lens, Rear Lamp

Servicing: Cargo 170998, 170999

Dim. 465x130x83 mm, Shape Rectangular

Pkg. 2



### 171062 Lens, Rear Lamp

Servicing: Cargo 170895, 170893.

Dim. 335x96 mm, Material Shockproof plastic, Shape Rectangular, Numberplate light w/, Reflector w/o

Pkg. 2



### 171237 Lens, Rear Lamp

Servicing: Cargo 171192, 171193, 171194, 171195

OD 140 mm, Type Tail lamp, Material Plastic, Shape Circular, Reflector w/o, RH/ LH RH/LH



Pkg. 4

### 171252 Lens, Rear Lamp

Servicing: Cargo 171201, 171199

Dim. 344x147 mm, Material Shockproof plastic, Shape Rectangular, Numberplate light w/o, Reflector w/o

Pkg. 4



### 171263 Lens, Rear Lamp

Servicing: Cargo 171206, 171205

Dim. 343x133 mm, Material Shockproof plastic, Shape Rectangular, Numberplate light w/, Reflector w/



### 171307 Lens, Rear Lamp

Servicing: Cargo 171299, 171302, 171303, 171306

Dim. 465x130 mm, Shape Rectangular




### 171312 Lens, Rear Lamp

Servicing: Cargo 171308

Dim. 525x139 mm, Shape Rectangular, Reflector w/

Pkg. 2




**171322** Lens, Rear Lamp  
Servicing: Cargo 171802, 171803  
Dim. 516x130 mm,  
Dist. mount. holes 152 mm,  
Shape Rectangular



**171330** Lens, Rear Lamp  
Servicing: Cargo 171328, 171329  
OD 140 mm, Shape Circular,  
Reflector w/o, RH/ LH RH/LH

Pkg. 2



**171446** Lens, Rear Lamp  
Servicing: Cargo 171443, 171444  
Dim. 421x147 mm, Shape Rectangular,  
Numberplate light w/, Reflector w/

Pkg. 2



**171507** Lens, Rear Lamp  
Servicing: Cargo 171506  
Dim. 350x130 mm, Material Shockproof  
plastic, Shape Rectangular,  
Numberplate light w/, Reflector w/



**171521** Lens, Rear Lamp  
Servicing: Cargo 171311  
Dim. 525x139 mm, Shape Rectangular,  
Reflector w/

Pkg. 2



**171702** Lens, Rear Lamp  
Servicing: Cargo 171700, 171701  
Dim. 303x130 mm, Material Shockproof  
plastic, Shape Rectangular, Reflector w/,  
RH/ LH RH

Pkg. 2



**171703** Lens, Rear Lamp  
Servicing: Cargo 171701  
Dim. 303x130 mm, Material Shockproof  
plastic, Shape Rectangular,  
Numberplate light w/o, Reflector w/,  
RH/ LH LH



**171810** Lens, Rear Lamp  
Servicing: Cargo 171806, 171807, 171808,  
171809


## Accessories



**171788** Multiconnector 7 pin  
Servicing: Cargo 171756, 171757  
Type/terminal Round, Colour Black,  
No./poles 7, Plug Female  
Gasket: Cargo 192178.


## Tail Lamps

Pkg. 2



**170886** Tail Lamp  
5 W 1, Dim. 110x46x26 mm,  
Dist. mount. holes 85 mm,  
Socket type T10, Colour/glass Red,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, Reflector w/,  
E-approval Yes  
Lens: Cargo 171334.


Pkg. 6



### 171173 Tail Lamp

5 W 1, Dim. 62x62x46 mm,  
Dist. mount. holes 30 mm,  
Cable length 46 mm,  
Socket type S8.5, Colour/glass Red,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, Sidemarker w/  
E-approval Yes  
Lens: Cargo 171240.


Pkg. 8



### 171178 Tail Lamp

5 W 1, Dim. 70x36 mm,  
Dist. mount. holes 33 mm,  
Socket type S8.5, Colour/glass Red,  
Material Steel, Fixing screw 2,  
Connection Screw, E-approval Yes

Pkg. 6



### 171181 Tail Lamp


5 W 1, Dim. 80x42 mm,  
Dist. mount. holes 45 mm,  
Socket type S8.5, Colour/glass Red,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
Numberplate light w/o, E-approval Yes  
Lens: Cargo 171244.

Pkg. 6



### 171197 Tail Lamp


5 W 1, Dim. 77x45 mm,  
Dist. mount. holes 45 mm,  
Socket type S8.5, Colour/glass Red,  
Material Metal, Fixing screw 2,  
Shape Circular, Connection Connection,  
Numberplate light w/  
Lens: Cargo 171245.



### 171331 Tail Lamp

5 W 1, Dim. 102x42x28 mm,  
Dist. mount. holes 65 mm,  
Socket type S8.5, Colour/glass Red,  
Material Plastic, Fixing screw 2,  
Connection Connection, E-approval Yes



w/LED



### 171579 LED Tail Lamp



12 V, Dim. 104x36x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Red, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/  
LEDs 2 3, Tail light w/, Reflector w/  
E-approval Yes







### 171580 LED Tail Lamp

12 V, Dim. 104x36x19.6 mm,  
Dist. mount. holes 52 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Red, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/, LEDs 2 3,  
Tail light w/, Bracket Angled,  
Reflector w/, E-approval Yes




### 171599 LED Tail Lamp

24 V, Dim. 104x36x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Red, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/,  
LEDs 2 3, Tail light w/, Reflector w/,  
E-approval Yes




### 171600 LED Tail Lamp

24 V, Dim. 104x36x19.6 mm,  
Dist. mount. holes 52 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Red, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/, LEDs 2 3,  
Tail light w/, Bracket Angled,  
Reflector w/, E-approval Yes





### 171605 LED Tail Lamp

24 V, Dim. 114x39x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Red, Material Shockproof  
plastic, Fixing screw 2, Shape Oval,  
LEDs w/, LEDs 2 3, Tail light w/,  
Reflector w/, E-approval Yes



### 171635 LED Tail Lamp


9-36 V, Dim. 131x40x34 mm,  
Dist. mount. holes 115 mm, Type LED,  
Colour/glass Red, Material PP/PMMA,  
Shape Oval, Connection Cable, LEDs w/,  
LEDs 2 3, Numberplate light w/o,  
Tail light w/, Bulb incl. Yes,  
Reflector w/o, E-approval Yes



### 171637 LED Tail Lamp


9-36 V, 0.9 W 1, Dim. 109x49x18 mm,  
Dist. mount. holes 83 mm, Type LED,  
Colour/glass Red, Shape Rectangular,  
LEDs w/, LEDs 2 3, Tail light w/,  
Reflector w/, E-approval Yes






### 171719 LED Tail Lamp

12/24 V, Dim. 130x57x42.5 mm, Dist. mount. holes 50 mm, Type LED, Colour/glass Red, Material Shockproof plastic, Shape Rectangular, Connection Cable, LEDs w/, LEDs 2 1, Numberplate light w/o, Tail light w/, Bracket Angled, Reflector w/, E-approval Yes




### 171720 LED Tail Lamp

12/24 V, Dim. 130x32x20.5 mm, Dist. mount. holes 50 mm, Type LED, Colour/glass Red, Material Shockproof plastic, Shape Rectangular, Connection Cable, LEDs w/, LEDs 2 1, Numberplate light w/o, Tail light w/, Reflector w/, E-approval Yes




### 171771 LED Tail Lamp

24 V, 2.5 W, Dim. 162x113x50 mm, Mount. Plan installation, Type Tail lamp, Colour/glass Red, Material ABS plastic, Material/dome PMMA, Shape Rectangular, Connection Multiplug, LEDs w/, LEDs 2 16, Numberplate light w/o, Tail light w/, Stop light w/, Reflector w/o, RH/ LH RH/LH, E-approval Yes




### 171840 LED Tail Lamp

12-24 V, 0.45-1.6 W, - Dim. 115x44x9.5 mm, Dist. mount. holes 102 mm, Mount. 2 screws, Cable length 5000 mm, Type LED, Colour White, Colour/glass Red, Material Polycarbonat, Material/dome Polycarbonat, Shape Rectangular, Connection Cable, LEDs w/, LEDs 2 3, Tail light w/, Reflector w/, Tightness norm IP 67, Approvals SAE, E-approval Yes




### 171843 LED Tail Lamp

12-24 V, Dim. 57x35x21 mm, Dist. mount. holes 28 mm, Mount. 2 screws, Cable length 400 mm, Type LED, Colour Black, Colour/glass Red, Fixing screw 2, Shape Rectangular, Connection Cable, LEDs w/, LEDs 2 2, Tail light w/, Tightness norm IP 67, E-approval Yes



### 171861 LED Tail Lamp


12-24 V, 0.3-0.6 W, Dim. 72x26x24 mm, Cable length 5000 mm, Type LED, Colour Black, Colour/glass Red, Material PP, Material/dome PMMA, Fixing screw 2, Shape Rectangular, LEDs w/, LEDs 2 3, Tail light w/, Approvals CE, E-approval Yes



### 171867 LED Tail Lamp


12-24 V, 0.3-0.6 W,  
Cable length 5000 mm, Type LED,  
Colour Black, Colour/glass Red,  
Material PP, Material/dome PMMA,  
Fixing screw 2, Shape Rectangular,  
LEDs w/, LEDs 2 3, Tail light w/,  
Bracket Adjustable, Approvals CE,  
E-approval Yes

### Tail Position Lamps





### 170552 Tail/Position Lamp

5 W, Dim. 58.5x43x39 mm,  
Dist. mount. holes 25 mm,  
Socket type S8.5, Colour/glass Red/white,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, Sidemarkers w/,  
Tail light w/, RH/ LH RH/LH, E-approval Yes  
Lens: Cargo 170553.




### 170632 Tail/Position Lamp

10 W, Dim. 162x69.5 mm, OD 45 mm,  
Socket type BA15S, Colour/glass Red/white,  
Sidemarkers w/, Tail light w/,  
E-approval Yes  
Lens: Cargo 170635, 170636.




### 170633 Tail/Position Lamp

10 W 1, Dim. 154.2x69.5 mm,  
OD 45 mm, Dist. mount. holes 75 mm,  
Connection Cable, LEDs w/o,  
Sidemarkers w/, Tail light w/,  
Bulb incl. No, E-approval Yes  
Lens: Cargo 170635, 170636.



### 170640 Tail/Position Lamp


5 W 1, Dim. 110x78x93 mm,  
OD 60 mm, Dist. mount. holes 75 mm,  
Socket type BA15S, Colour/glass Red/white,  
Shape Round, Sidemarkers w/,  
Tail light w/, E-approval Yes  
Lens: Cargo 170642, 170641. Bulb holder:  
Cargo 170671.



### 170668 Tail/Position Lamp

5 W 1, Dim. 152.5x83 mm, OD 60 mm,  
Socket type BA15S, Colour/glass Red/white,  
Sidemarkers w/, Tail light w/,  
Bulb incl. No, E-approval Yes  
Lens: Cargo 170642, 170641. Bulb holder:  
Cargo 170671. Bulbs: Cargo 170773.

Pkg. 6




### 171196 Tail/Position Lamp

5 W, Dim. 62x62x45 mm,  
Dist. mount. holes 30 mm,  
Socket type S8.5, Colour/glass Red/white,  
Material Shockproof plastic,  
Fixing screw 2, Shape Square,  
Connection Connection, Sidemarker w/,  
Tail light w/, RH/ LH RH/LH,  
E-approval Yes



### 171627 Tail/Position Lamp

12/24 V, 5 W, 5 W 1, Dim. 143x40x35 mm,  
Dist. mount. holes 30 mm,  
Socket type S8.5, Material Plastic,  
Shape Rectangular, Connection Screw,  
LEDs w/o, Sidemarker w/, Tail light w/,  
Bulb incl. No, Reflector w/o,  
Approvals ADR, E-approval Yes



### 171706 Tail/Position Lamp

Servicing: Cargo 171627

12/24 V, 5 W, 5 W 1, Dim. 74x40x37 mm,  
Dist. mount. holes 45 mm,  
Socket type S8.5, Shape Rectangular,  
Connection Screw, LEDs w/o,  
Sidemarker w/, Tail light w/, Bulb incl. No,  
Approvals ADR, E-approval Yes

### Spare Parts

Pkg. 5



### 170635 Lens

Servicing: Cargo 170632, 170633  
Colour/glass White, Material Glass,  
Shape Round

Pkg. 5



### 170636 Lens

Servicing: Cargo 170632, 170633  
Colour/glass Red, Material Glass,  
Shape Round

Pkg. 4



### 170641 Lens

Servicing: Cargo 170640, 170668  
Colour/glass Red, Material Glass,  
Shape Round


Pkg. 4



### 170642 Lens

Servicing: Cargo 170640, 170668  
Colour/glass White, Material Glass

Pkg. 5




### 170671 Bulb Holder

Servicing: Cargo 170640, 170668, 170713

w/LED

Pkg. 2



**171528** LED Tail-Position Lamp  
24 V, Dim. 181x154x48 mm,  
Dist. mount. holes 73 mm, Mount. 2 screws,  
Cable length 700 mm, Type LED,  
Colour/glass Red/white, Material Rubber,  
Material/dome Shockproof plastic,  
Fixing screw 6, Connection Cable,  
LEDs w/, LEDs 2 2x1, Sidemarker w/,  
Tail light w/, RH/ LH RH/LH,  
E-approval Yes  
Flange 100x41 mm.

Pkg. 2




**171529** LED Tail-Position Lamp  
24 V, Dim. 177x144x48 mm,  
Dist. mount. holes 73 mm, Mount. 2 screws,  
Cable length 700 mm, Type LED,  
Colour/glass Red/white, Material Rubber,  
Material/dome Shockproof plastic,  
Fixing screw 6, Connection Cable,  
LEDs w/, LEDs 2 2x1, Sidemarker w/,  
Tail light w/, RH/ LH RH/LH,  
E-approval Yes  
Flange 100x41 mm.


Pkg. 2




**171530** LED Tail-Position Lamp  
24 V, Dim. 115x65x48 mm,  
Dist. mount. holes 73 mm, Mount. 2 screws,  
Cable length 700 mm, Type LED,  
Colour/glass Red/white, Material Rubber,  
Material/dome Shockproof plastic,  
Fixing screw 6, Connection Cable,  
LEDs w/, LEDs 2 2x1, Sidemarker w/,  
Tail light w/, RH/ LH RH/LH,  
E-approval Yes



**171591** LED Tail-Position Lamp  
9-36 V, Dim. 193x163x70 mm,  
OD 45 mm, Dist. mount. holes 78 mm,  
Type LED, Colour/glass Red/white,  
Connection Cable, LEDs w/, LEDs 2 2x3,  
Sidemarker w/, Tail light w/, RH/ LH RH/LH,  
Approvals ADR/SAE, E-approval Yes




**171592** LED Tail-Position Lamp  
9-36 V, Dim. 184x145x70 mm,  
OD 45 mm, Dist. mount. holes 78 mm,  
Type LED, Colour/glass Red/white,  
Connection Cable, LEDs w/,  
LEDs 2 2x3, Sidemarker w/,  
Tail light w/, RH/ LH RH/LH,  
Approvals SAE, E-approval Yes




**171593** LED Tail-Position Lamp  
9-36 V, Dim. 75x89x62 mm, OD 45 mm,  
Dist. mount. holes 78 mm, Type LED,  
Colour/glass Red/white, Material Rubber,  
Connection Cable, LEDs w/,  
LEDs 2 2x3, Sidemarker w/,  
Tail light w/, Reflector w/o,  
RH/ LH RH/LH, Approvals ADR/SAE,  
E-approval Yes





### 171617 LED Tail-Position Lamp

9-36 V, Dim. 96x76x63 mm, OD 76 mm, Dist. mount. holes 78 mm, Type LED, Colour/glass Red/white, Material Synthetic rubber, Connection Cable, LEDs w/, LEDs 2 2x3, Sidemarker w/, Tail light w/, Reflector w/o, RH/ LH RH/ LH, Approvals ADR/SAE, E-approval Yes



### 171730 LED Tail/Position/Side Marker

12/24 V, Dim. 127x61x47 mm, Dist. mount. holes 78 mm, Mount. 2 screws, Cable length 500 mm, Type LED, Connection Cable, LEDs w/, LEDs 2 7, Sidemarker w/, Sidemarker lamp w/, Tail light w/, RH/ LH RH/LH, Tightness norm IP 67, E-approval Yes w/ 128 mm rubber bracket.



### 171731 LED Tail/Position/Side Marker

12/24 V, Dist. mount. holes 52 mm, Mount. 4 holes, Cable length 450 mm, Type LED, Colour Black, Material Rubber, Connection Cable, LEDs w/, LEDs 2 9, Sidemarker w/, Sidemarker lamp w/, Tail light w/, RH/ LH RH, E-approval Yes w/ 145 mm rubber bracket.



### 171732 LED Tail/Position/Side Marker

12/24 V, Dim. 145x131x47 mm, Dist. mount. holes 52 mm, Mount. 4 holes, Cable length 450 mm, Type LED, Colour Black, Material Rubber, Connection Cable, LEDs w/, LEDs 2 9, Sidemarker w/, Sidemarker lamp w/, Tail light w/, RH/ LH LH, E-approval Yes




### 171733 LED Tail/Position/Side Marker

12/24 V, Dim. 173x167x47 mm, Dist. mount. holes 78 mm, Mount. 2 screws, Cable length 500 mm, Type LED, Connection Cable, LEDs w/, LEDs 2 7, Sidemarker w/, Sidemarker lamp w/, Tail light w/, RH/ LH RH



### 171734 LED Tail/Position/Side Marker

12/24 V, Dim. 173x167x47 mm, Dist. mount. holes 78 mm, Mount. 2 screws, Cable length 500 mm, Type LED, Connection Cable, LEDs w/, LEDs 2 7, Sidemarker w/, Sidemarker lamp w/, Tail light w/, RH/ LH LH



### 171743 LED Tail Lamp

9-36 V, Dim. 63x31 mm, OD 63 mm, Dist. mount. holes 30 mm, Mount. 2 screws, Cable length 300 mm, Type LED, Colour Black, Colour/glass Red, Material PVC, Material/dome PMMA, Connection Cable, LEDs w/, LEDs 2 3, Tail light w/, Reflector w/o, Approvals ADR/SAE, E-approval Yes

## Side Indicators



### 170713 Flasher Lamp

5 W, Dim. 108x84x93 mm, OD 60 mm, Socket type BA15S, Colour/glass Orange, E-approval Yes  
Lens: Cargo 170670, 170671.



### 171140 Flasher Lamp

Servicing: Fiat, Ford, Lada, Universal  
4 W, OD 41 mm, Dist. mount. holes 28 mm, Socket type BA9s, Colour/glass Orange, Connection Multiplug, E-approval Yes



### 171141 Flasher Lamp

Servicing: Fiat 127, 129  
Colour/glass Orange, E-approval Yes



### 171143 Flasher Lamp

Servicing: Fiat Uno 89  
Colour/glass Orange, E-approval Yes



### 171144 Flasher Lamp

Servicing: Fiat Tipo 86  
Colour/glass Orange, E-approval Yes



### 171147 Flasher Lamp

Servicing: Ford, Universal  
Colour/glass Orange, E-approval Yes



### 171148 Flasher Lamp

Servicing: Universal, Ford, Rover Group  
Socket type BA9s, Colour/glass Orange, E-approval Yes


Pkg. 10



### 171153 Flasher Lamp

Servicing: Audi, VW, Various types 84  
Colour/glass Orange, E-approval Yes

Pkg. 6



### 171183 Flasher Lamp

5 W, Dim. 80x42 mm, Dist. mount. holes 45 mm, Socket type S8.5, Colour/glass Orange, Material Shockproof plastic, Fixing screw 2, Connection Connection, E-approval Yes  
Lens: Cargo 171247.

Pkg. 2



### 171337 Flasher Lamp

10 W 1, Dim. 95x73x45+38 mm, Dist. mount. holes 48 mm, Socket type BA15S, Colour Black, Colour/glass Orange, Material Plastic, Fixing screw 2, Shape Rectangular, Connection Connection, E-approval Yes  
Lens: Cargo 171338.


Pkg. 2



### 171339 Flasher Lamp

21 W, Dim. 84x84x51 mm,  
Dist. mount. holes 45 mm, Mount. 2 screws,  
Socket type BA15S, Colour/glass Orange,  
Material Plastic, Fixing screw 2,  
Shape Rectangular,  
Connection Connection, E-approval Yes  
Lens: Cargo 171340.

w/LED



### 171770 LED Flasher Lamp


24 V, 4 W, Dim. 162x113x50 mm,  
Mount. Plan installation, Type Flasher lamp,  
Colour/glass Orange, Material ABS plastic,  
Material/dome PMMA, Shape Rectangular,  
Connection Multiplug, LEDs w/,  
LEDs 2 16, Flasher light w/,  
RH/LH RH/LH, E-approval Yes

Spare Parts



### 170670 Lens


Servicing: Cargo 170713  
Colour/glass Orange, Material Glass



### 170671 Bulb Holder


Servicing: Cargo 170640, 170668, 170713

## Side Marker Lamps



### 170880 Side Marker Lamp

5 W, Dim. 110x41x28 mm,  
Dist. mount. holes 45 mm,  
Socket type S8.5, Colour Black,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2, Shape Rectangular,  
Connection Connection, Reflector w/,  
E-approval Yes  
Lens: Cargo 170975.




### 170884 Side Marker Lamp

5 W, Dim. 110x46x26 mm,  
Dist. mount. holes 85 mm,  
Socket type T10, Colour/glass Orange,  
Material Shockproof plastic, Fixing screw 2,  
Shape Rectangular, Connection Connection,  
Reflector w/, E-approval Yes  
Lens: Cargo 170946.

Pkg. 5

Pkg. 2


Pkg. 2



### 170885 Side Marker Lamp

5 W, Dim. 110x46x26 mm,  
Dist. mount. holes 20/50 mm,  
Socket type T10, Colour/glass Orange,  
Material Shockproof plastic,  
Shape Rectangular,  
Connection Connection, Bracket Angled,  
Reflector w/, E-approval Yes  
Lens: Cargo 170946.

Pkg. 6




### 171175 Side Marker Lamp

5 W, Dim. 62x62x45 mm,  
Dist. mount. holes 30 mm,  
Socket type S8.5, Colour Black,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2,  
Connection Connection, Reflector w/,  
E-approval Yes  
Lens: Cargo 171243.




Pkg. 8




### 171180 Side Marker Lamp

5 W, Dim. 70x36 mm,  
Dist. mount. holes 33 mm, Mount. 2 screws,  
Type Side marker lamp,  
Socket type S8.5, Colour/glass Orange,  
Material Steel, Fixing screw 2,  
Connection Screw, E-approval Yes



### 171369 Side Marker Lamp


5 W, Dim. 102x42x28 mm,  
Dist. mount. holes 65 mm,  
Socket type S8.5, Colour Black,  
Colour/glass Orange, Material Plastic,  
Fixing screw 2, Connection Connection,  
E-approval Yes



### 171582 LED Side Marker Lamp

12 V, Dim. 104x36x19.6 mm,  
Dist. mount. holes 52 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/, LEDs 2 1,  
Sidemarker lamp w/, Bracket Angled,  
Reflector w/, E-approval Yes


Pkg. 6



### 171184 Side Marker Lamp


5 W, Dim. 126x48x31 mm,  
Dist. mount. holes 45/90 mm,  
Mount. 2 screws, Type Side marker lamp,  
Socket type S8.5, Colour/glass Orange,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, Reflector w/,  
E-approval Yes  
Lens: Cargo 171256.

w/LED



### 171581 LED Side Marker Lamp

12 V, Dim. 104x36x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Orange,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 1,  
Sidemarker lamp w/, Bracket Angled,  
Reflector w/, E-approval Yes



### 171601 LED Side Marker Lamp



24 V, Dim. 104x36x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2, Shape Rectangular,  
LEDs w/, LEDs 2 1, Sidemarker lamp w/,  
Reflector w/, E-approval Yes




### 171343 Side Marker Lamp

5 W, Dim. 74x45x22.5 mm,  
Dist. mount. holes 52 mm, Mount. 2 screws,  
Socket type S8.5, Colour Black,  
Colour/glass Orange, Material Plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, E-approval Yes








**171602** LED Side Marker Lamp  
24 V, Dim. 104x36x19.6 mm,  
Dist. mount. holes 36 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/, LEDs 2 1,  
Sidemarker lamp w/, Bracket Angled,  
Reflector w/, E-approval Yes




**171607** LED Side Marker Lamp  
24 V, Dim. 114x39x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2, LEDs w/,  
LEDs 2 1, Sidemarker lamp w/,  
Reflector w/, E-approval Yes




**171608** LED Side Marker Lamp  
24 V, Dim. 115x39.7x20 mm,  
Dist. mount. holes 52 mm, Type LED,  
Colour/glass Orange, Material Shockproof  
plastic, Fixing screw 2, Shape Oval,  
LEDs w/, LEDs 2 1, Sidemarker lamp w/,  
Bracket Angled, Reflector w/,  
E-approval Yes




**171618** LED Side Marker Lamp  
9-36 V, Dim. 131x40x34 mm,  
Dist. mount. holes 115 mm,  
Mount. Screw fastening,  
Cable length 28 mm, Type LED,  
Colour Yellow, Colour/glass Orange,  
Material PP/PMMA,  
Material/dome ABS plastic,  
Fixing screw 2, Connection Cable,  
No./lamps 1, LEDs w/, LEDs 2 3,  
Sidemarker lamp w/, Wiring system w/,  
Switch w/o, E-approval Yes




**171636** LED Side Marker Lamp  
9-36 V, 0.9 W, Dim. 109x49x18 mm,  
Dist. mount. holes 83 mm, Type LED,  
Colour/glass Orange, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 3,  
Sidemarker lamp w/, Reflector w/,  
E-approval Yes





**171721** LED Side Marker Lamp  
12/24 V, Dim. 130x57x42.5 mm,  
Dist. mount. holes 50 mm, Type LED,  
Socket type LED, Material Shockproof  
plastic, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 1,  
Sidemarker lamp w/, Bracket Angled,  
Reflector w/, E-approval Yes






**171722** LED Side Marker Lamp  
12/24 V, Dim. 111x50.5x23 mm,  
Dist. mount. holes 116 mm,  
Mount. Flat w/ 2 fixing holes, Type LED,  
Socket type LED, Colour/glass Orange,  
Material Shockproof plastic,  
Fixing screw 5, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 1,  
Sidemarker lamp w/, Reflector w/,  
E-approval Yes




**171729** LED Side Marker Lamp  
Servicing: MAN  
12/24 V, 1 W, Dim. 65x65x28 mm,  
Dist. mount. holes 30 mm, Type LED,  
Colour/glass Orange, Material ABS plastic,  
Material/dome PMMA, Shape Square,  
Connection Cable, LEDs w/, LEDs 2 2,  
Sidemarker lamp w/, Bracket Angled,  
Reflector w/, E-approval Yes




**171735** LED Side Marker Lamp  
12 V, Dim. 110x41x19.6 mm,  
Dist. mount. holes 75 mm,  
Cable length 200 mm, Type LED,  
Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 1,  
Sidemarker lamp w/




**171736** LED Side Marker Lamp  
24 V, Dim. 110x41x19.6 mm,  
Dist. mount. holes 75 mm,  
Cable length 20 mm, Type LED,  
Shape Rectangular, LEDs w/,  
LEDs 2 1, Sidemarker lamp w/




**171742** LED Side Marker Lamp  
12/24 V, Dim. 63x31 mm, OD 63 mm,  
Mount. 2 screws, Cable length 300 mm,  
Type LED, Colour Black,  
Colour/glass Orange, Material PVC,  
Material/dome PMMA, Connection Cable,  
LEDs w/, LEDs 2 3, Sidemarker lamp w/,  
Reflector w/o, Approvals ADR/SAE,  
E-approval Yes




**171835** LED Adapter  
Servicing: Cargo 171836 and 193119.  
Connection Multiplug,  
Cargo 171835 is the LED version of Cargo  
170763.



**171839** LED Side Marker Lamp  
12-24 V, 0.45-1.6 W, -  
Dim. 115x44x9.5 mm,  
Dist. mount. holes 102 mm, Mount. 2 screws,  
Cable length 5000 mm, Type LED,  
Colour White, Colour/glass Orange,  
Material Polycarbonat,  
Material/dome Polycarbonat, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 3, Sidemarker lamp w/,  
Reflector w/, Tightness norm IP 67,  
Approvals SAE, E-approval Yes



**171842** LED Side Marker Lamp  
12-24 V, Dim. 57x35x21 mm,  
Dist. mount. holes 28 mm, Mount. 2 screws,  
Cable length 400 mm, Type LED,  
Colour Black, Colour/glass Orange,  
Material ASA plastic, Material/dome PMMA,  
Fixing screw 2, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 2,  
Sidemarker lamp w/, Tightness norm IP 67,  
E-approval Yes



**171860** LED Side Marker Lamp  
12-24 V, 0.3-0.6 W, Dim. 72x26x24 mm,  
Cable length 5000 mm, Type LED,  
Colour Black, Colour/glass Orange,  
Material PP, Material/dome PMMA,  
Fixing screw 2, Shape Rectangular,  
LEDs w/, LEDs 2 3, Sidemarker w/,  
Approvals CE, E-approval Yes

### Spare Parts



**170946** Lens  
Servicing: Cargo 170885.



**170975** Lens  
Servicing: Cargo 170880  
Dim. 110x41x28 mm

### Accessories



**171417** Angle Bracket  
Mount hole 1 45 mm,  
Mount. hole 2 85 mm  
Long.



**171419** Angle Bracket  
Mount hole 1 45 mm,  
Mount. hole 2 85 mm  
Short.

### w/LED

### Accessories



**171639** Angle Bracket  
Servicing: Cargo 171636, 171637, 171638



**171836** Lens  
Servicing: Cargo 171835  
Dim. 120x44.7x10 mm, Shape Square,  
E-approval Yes



**193119** Junior Power Timer Connector  
Servicing: Cargo 171835, 171836  
Type/terminal Junior Power Timer,  
Colour Black, No./poles 2, Plug Female  
Terminal: Cargo 192175, 192176, 192177,  
192178 and 192179.




## Position Lamps

Pkg. 2



### 170875 Position Lamp


12/24 V, 5 W 1, Dim. 160x59x45 mm, Dist. mount. holes 57 mm, Mount. 2 screws, Colour/glass White, Material Plastic, Fixing screw 2, Connection Screw



### 170887 Position Lamp


5 W 1, Dim. 110x46x26 mm, Dist. mount. holes 85 mm, Socket type T10, Colour/glass White, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection Connection, Sidemarkers lamp w/, Tail light w/, Reflector w/, E-approval Yes  
Lens: Cargo 170952.

Pkg. 2



### 170881 Position Lamp

5 W 1, Dim. 110x41x28 mm, Dist. mount. holes 45 mm, Socket type S8.5, Colour/glass White, Material Shockproof plastic, Fixing screw 2, Shape Rectangular, Connection Connection, Sidemarkers lamp w/, Tail light w/, Reflector w/, E-approval Yes  
Lens: Cargo 170976.




### 171174 Position Lamp

5 W 1, Dim. 62x62x45 mm, Dist. mount. holes 30 mm, Mount. 2 screws, Socket type S8.5, Colour Black, Colour/glass White, Material Shockproof plastic, Fixing screw 2, Shape Square, Connection Connection, Reflector w/, E-approval Yes  
Lens: Cargo 171242.

Pkg. 6


Pkg. 6



### 171171 Position Lamp

5 W 1, Dim. 62x62x45 mm, Dist. mount. holes 30 mm, Socket type S8.5, Colour Black, Colour/glass Clear, Material Shockproof plastic, Fixing screw 2, Connection Connection, E-approval Yes  
Lens: Cargo 171238.

Pkg. 8




### 171179 Position Lamp

5 W 1, Dim. 70x36 mm, Dist. mount. holes 33 mm, Mount. 2 screws, Type Position lamp, Socket type S8.5, Colour/glass White, Material Steel, Fixing screw 2, Shape Circular, Connection Screw, E-approval Yes



Pkg. 6



### 171182 Position Lamp


5 W 1, Dim. 80x42 mm,  
Dist. mount. holes 45 mm, Mount. 2 screws,  
Type Position lamp, Socket type S8.5,  
Colour/glass White, Material Shockproof  
plastic, Fixing screw 2, Shape Circular,  
Connection Connection, E-approval Yes  
Lens: Cargo 171246.

Pkg. 6



### 171185 Position Lamp

5 W 1, Dim. 126x48x31 mm,  
Dist. mount. holes 45/90 mm,  
Socket type S8.5, Colour/glass White,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, Reflector w/,  
E-approval Yes  
Lens: Cargo 171257.



### 171332 Position Lamp


5 W 1, Dim. 102x42x28 mm,  
Dist. mount. holes 65 mm, Mount. 2 screws,  
Socket type S8.5, Colour Black,  
Colour/glass White, Material Plastic,  
Fixing screw 2, Connection Connection,  
E-approval Yes



### 171493 Position Lamp


Dim. 74x45x22.5 mm,  
Dist. mount. holes 52 mm, Mount. 2 screws,  
Colour Black, Colour/glass White,  
Material Plastic, Fixing screw 2,  
Shape Rectangular, Connection Connection,  
Reflector w/, E-approval Yes

w/LED




### 171583 LED Position Lamp

12 V, Dim. 104x36x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED, Colour/  
glass White, Material Shockproof plastic,  
Fixing screw 2, LEDs w/, LEDs 2 1, Sidemar  
ker w/, Reflector w/, E-approval Yes





### 171584 LED Position Lamp

12 V, Dim. 104x36x19.6 mm,  
Dist. mount. holes 52 mm,  
Cable length 500 mm, Type LED,  
Colour/glass White, Material Shockproof  
plastic, Fixing screw 2, LEDs w/,  
LEDs 2 1, Sidemarker w/,  
Bracket Angled, Reflector w/,  
E-approval Yes




### 171603 LED Position Lamp



24 V, Dim. 104x36x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass White, Material Shockproof  
plastic, Fixing screw 2,  
Shape Rectangular, LEDs w/, LEDs 2 1,  
Sidemarker w/, Reflector w/,  
E-approval Yes




**171604** LED Position Lamp  
24 V, Dim. 104x36x19.6 mm,  
Dist. mount. holes 52 mm,  
Cable length 500 mm, Type LED, Colour/  
glass White, Material Shockproof plastic,  
Fixing screw 2, Connection Cable,  
LEDs w/, LEDs 2 1, Sidemarker w/,  
Bracket Angled, Reflector w/,  
E-approval Yes





**171609** LED Position Lamp  
24 V, Dim. 114x39x20 mm,  
Dist. mount. holes 70 mm,  
Cable length 500 mm, Type LED,  
Colour/glass White, Material Shockproof  
plastic, Fixing screw 2, Connection Cable,  
LEDs w/, LEDs 2 1, Sidemarker w/,  
Reflector w/, E-approval Yes




**171610** LED Position Lamp  
24 V, Dim. 115x39.7x20 mm,  
Dist. mount. holes 52 mm,  
Cable length 500 mm, Type LED,  
Colour/glass White, Material Shockproof  
plastic, Fixing screw 2, Shape Oval,  
Connection Cable, LEDs w/, LEDs 2 1,  
Sidemarker w/, Bracket Angled,  
Reflector w/, E-approval Yes



**171638** LED Position Lamp  
9-36 V, 0.9 W, Dim. 110.5x50x19 mm,  
Dist. mount. holes 83 mm,  
Type LED, Colour/glass White, LEDs w/,  
LEDs 2 3, Sidemarker w/, Reflector w/,  
Approvals ADR, E-approval Yes




**171717** LED Position Lamp  
12/24 V, Dim. 130x57x42.5 mm,  
Type LED, Socket type LED,  
Colour/glass White, Material Shockproof  
plastic, Connection Cable, LEDs w/,  
LEDs 2 1, Sidemarker w/,  
Bracket Angled, Reflector w/,  
E-approval Yes




**171718** LED Position Lamp  
12/24 V, Dim. 130x32x20.5 mm,  
Type LED, Socket type LED,  
Colour/glass White, Material Shockproof  
plastic, Connection Cable, LEDs w/,  
LEDs 2 1, Sidemarker w/,  
Reflector w/, E-approval Yes




**171744** LED Position Lamp  
9-36 V, Dim. 63x31 mm, OD 63 mm,  
Dist. mount. holes 30 mm, Mount. 2 screws,  
Cable length 300 mm, Type LED,  
Colour Black, Colour/glass Clear,  
Material PVC, Material/dome PMMA,  
Shape Round,  
Connection Cable, LEDs w/,  
LEDs 2 3, Sidemarker w/,  
Approvals ADR/SAE, E-approval Yes




**171841** LED Position Lamp  
12-24 V, 0.45-1.6 W, -  
Dim. 115x44x9.5 mm,  
Dist. mount. holes 102 mm, Mount. 2 screws,  
Cable length 5000 mm, Type LED,  
Colour White, Colour/glass White,  
Material Polycarbonat,  
Material/dome Polycarbonat,  
Shape Rectangular, Connection Cable,  
LEDs w/, LEDs 2 3, Sidemarker w/,  
Reflector w/, Tightness norm IP 67,  
Approvals SAE, E-approval Yes



**171844** LED Position Lamp  
12-24 V, Dim. 57x35x21 mm,  
Dist. mount. holes 28 mm, Mount. 2 screws,  
Cable length 400 mm, Type LED,  
Colour Black, Colour/glass White,  
Fixing screw 2, Shape Rectangular,  
Connection Cable, LEDs w/, LEDs 2 2,  
Sidemarker w/, Tightness norm IP 67,  
E-approval Yes



**171862** LED Position Lamp  
12-24 V, 0.3-0.6 W, Dim. 72x26x24 mm,  
Cable length 5000 mm, Type LED,  
Colour Black, Colour/glass White,  
Material PP, Material/dome PMMA,  
Shape Rectangular, LEDs w/,  
LEDs 2 3, Sidemarker lamp w/,  
Approvals CE, E-approval Yes



**171868** LED Position Lamp  
12-24 V, 0.3-0.6 W,  
Cable length 5000 mm, Type LED,  
Colour Black, Colour/glass White,  
Material PP, Material/dome PMMA,  
Shape Rectangular, LEDs w/, LEDs 2 3,  
Sidemarker lamp w/, Bracket Adjustable,  
Approvals CE, E-approval Yes

## Spare Parts



**170952** Lens  
Servicing: Cargo 170887.



**170976** Lens  
Servicing: Cargo 170881  
Dim. 110x41x28 mm, Shape Rectangular

Pkg. 10




**171242** Lens  
Servicing: Cargo 171174.  
Dim. 62x62x46 mm, Shape Square




## Flasher-Position Lamps

Pkg. 2




**170925** Flasher/Position Lamp  
21 W 1, 5 W 2, Dim. 84x50 mm,  
Dist. mount. holes 45 mm,  
Socket type 1 BA15S,  
Socket type 2 S8.5, Material Shockproof  
plastic, Fixing screw 2, Shape Square,  
Connection Connection, RH/ LH RH/LH,  
E-approval Yes

Pkg. 2




**170927** Flasher/Position Lamp  
21 W 1, 5 W 2, Dim. 114x76 mm,  
Dist. mount. holes 58 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 170989.




**170941** Flasher/Position Lamp  
Servicing: Cargo 170828  
21 W 1, 5 W 2, Dim. 108x103x52 mm,  
Dist. mount. holes 45/55 mm,  
Socket type 1 BA15S, Socket type 2 S8.5,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, Sidemark w/,  
Flasher light w/, E-approval Yes  
Lens: Cargo 170834.

Pkg. 6




**171215** Flasher/Position Lamp  
18 W 1, 10 W 2, Dim. 80x42 mm,  
Dist. mount. holes 45 mm,  
Socket type 1 S8.5, Socket type 2 S8.5,  
Colour/glass White/orange,  
Material Metal, Fixing screw 2,  
Shape Circular, Connection Connection,  
RH/ LH RH/LH  
Lens: Cargo 171248.

Pkg. 2




**171216** Flasher/Position Lamp  
21 W 1, 5 W 2, Dim. 93x99x50 mm,  
Dist. mount. holes 45 mm,  
Socket type 1 BA15S,  
Socket type 2 S8.5, Material Shockproof  
plastic, Fixing screw 2, Shape Hexagon,  
Connection Connection, LEDs w/o,  
Bulb incl. No, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 171254.




**171217** Flasher/Position Lamp  
21 W 1, 5 W 2, Dim. 158x64x51 mm,  
Dist. mount. holes 98/45 mm,  
Mount. 4 holes, Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Shape Rectangular,  
Connection Connection, RH/ LH LH,  
E-approval Yes  
Lens: Cargo 171260.





### 171218 Flasher/Position Lamp


21 W 1, 5 W 2, Dim. 158x64x51 mm,  
Dist. mount. holes 98/45 mm,  
Mount. 4 holes, Socket type 1 BA15S,  
Socket type 2 BA15S,  
Material Shockproof plastic,  
Shape Rectangular,  
Connection Connection, RH/ LH RH,  
E-approval Yes  
Lens: Cargo 171261.



### 171510 Flasher/Position Lamp


21 W 1, 5 W 2, Dim. 180x60x51.5 mm,  
Dist. mount. holes 134 mm,  
Socket type 1 BA15S,  
Socket type 2 BA15S,  
Colour/glass White/orange,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 171510.

### w/LED



### 171800 LED Flasher/Positions Lamp LH

12-24 V, Dim. 150x70x77 mm,  
Dist. mount. holes 110/55 mm,  
Mount. Upright/pendant,  
Cable length 2100 mm, Colour Black,  
Colour/glass Transparent/orange,  
Material Shockproof plastic,  
Shape Rectangular, Connection Connection,  
LEDs w/, LEDs 2 14/3, Flasher light w/,  
RH/ LH LH, E-approval Yes



### 171801 LED Flasher/Positions Lamp RH

12-24 V, Dim. 150x70x77 mm,  
Dist. mount. holes 110/55 mm,  
Mount. Upright/pendant,  
Cable length 2100 mm, Colour Black,  
Colour/glass Transparent/orange,  
Material Shockproof plastic,  
Shape Rectangular, Connection Connection,  
LEDs w/, LEDs 2 14/3, Flasher light w/,  
RH/ LH RH, E-approval Yes

### Spare Parts



### 170834 Lens, Rear Lamp

Servicing: Cargo 170941

Dim. 108x103x52 mm, Fixing screw 2,  
Shape Rectangular, Sidemarker w/,  
Flasher light w/

Pkg. 5




### 170989 Lens

Servicing: Cargo 170927

Shape Rectangular

### Tail Lights

### Numberplate Lamps




### 170002 Number Plate Lamp

Servicing: Universal


12/24 V, 5 W, 5 W 1,  
Dim. 111x36.5x48 mm, Socket type S8.5,  
Colour Black, Shape Rectangular,  
Approvals CE

Pkg. 4



**170936** Number Plate Lamp  
5 W 1, Dim. 105x55x63 mm,  
Dist. mount. holes 72 mm,  
Type Illumination of numberplate,  
Socket type S8.5, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Connection Screw,  
Numberplate light w/, E-approval Yes

Pkg. 8



**171045** Number Plate Lamp  
5 W 1, Dim. 102x40x45 mm,  
Dist. mount. holes 45 mm,  
Type Illumination of numberplate,  
Socket type S8.5, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Connection, E-approval Yes

Pkg. 2




**171164** Number Plate Lamp  
Servicing: Ford, Universal  
5 W, Type Illumination of numberplate,  
Socket type T10, E-approval Yes

Pkg. 2




**171165** Number Plate Lamp  
Servicing: Ford w/ plastic bumper  
5 W, Type Illumination of numberplate,  
Socket type T10, E-approval Yes

Pkg. 2




**171166** Number Plate Lamp  
12/24 V, 5 W, 5 W 1,  
Dim. 82x30x35 mm,  
Dist. mount. holes 45 mm,  
Type Illumination of numberplate,  
Socket type S8.5, Colour Black,  
Fixing screw 2, Connection Screw,  
Numberplate light w/, E-approval Yes  
Universal.

Pkg. 6




**171224** Number Plate Lamp  
12/24 V, 5 W, 5 W 1,  
Dim. 82.7x28x31.6 mm,  
Dist. mount. holes 45 mm,  
Type Illumination of numberplate,  
Socket type S8.5, Colour Black,  
Material Shockproof plastic,  
Fixing screw 2, Shape Rectangular,  
Connection Screw, E-approval Yes

Pkg. 4




**171225** Number Plate Lamp  
12/24 V, 10 W,  
10 W 1, Dim. 142x62x55 mm,  
Dist. mount. holes 72 mm,  
Type Illumination of numberplate,  
Socket type BA15S, Material Shockproof  
plastic, Fixing screw 2,  
Connection Connection, E-approval Yes

Pkg. 2




**171345** Number Plate Lamp  
5 W 1, Dim. 100x58.1x69.7 mm,  
Dist. mount. holes 71.5 mm,  
Type Illumination of numberplate,  
Socket type S8.5, Colour Black,  
Material Plastic, Fixing screw 2,  
Connection Screw, E-approval Yes




**171823** Number Plate Lamp  
5 W, Dim. 100x58,5x55,8 mm,  
Dist. mount. holes 72 mm,  
Type Illumination of numberplate,  
Socket type S8.5, Colour Black,  
Colour/glass Red, Material Plastic,  
Fixing screw 2, Connection Screw,  
Numberplate light w/, Bulb incl. No,  
E-approval Yes


w/LED




**171622** LED Numberplate Lamp  
24 V, Dim. 102x56x53 mm,  
Dist. mount. holes 72 mm, Type LED,  
Colour Black, Colour/glass White,  
LEDs w/, Numberplate light w/,  
E-approval Yes




**171624** LED Numberplate Lamp  
24 V, Dim. 102x56x53 mm,  
Dist. mount. holes 72 mm, Type LED,  
Colour Black, Colour/glass Red,  
Shape Rectangular, LEDs w/,  
Numberplate light w/, E-approval Yes




**171709** LED Numberplate Lamp  
12/24 V, Dim. 109x61x55.5 mm,  
Type LED, Socket type LED,  
Colour Red, Material Shockproof plastic,  
Fixing screw 2, Numberplate light w/,  
E-approval Yes




**171714** LED Numberplate Lamp  
12/24 V, Dim. 109x61x55.5 mm,  
Type LED, Socket type LED,  
Colour Black, Material Shockproof plastic,  
Numberplate light w/



**171715** LED Numberplate Lamp  
12/24 V, Dim. 82.5x39x31 mm,  
Type LED, Socket type LED,  
Colour/glass Red, Material Shockproof  
plastic, Fixing screw 2,  
Numberplate light w/, E-approval Yes




**171716** LED Numberplate Lamp  
12/24 V, Dim. 82.5x39x31 mm,  
Type LED, Socket type LED,  
Colour Black, Fixing screw 2,  
Numberplate light w/, E-approval Yes



**171737** LED Numberplate Lamp  
12 V, Dim. 75x29x34 mm,  
Dist. mount. holes 65 mm, Mount. 2 screws,  
Cable length 300 mm, Type LED,  
Connection Cable, LEDs w/, LEDs 2 3,  
Numberplate light w/, E-approval Yes






**171738** LED Numberplate Lamp  
24 V, Dim. 75x29x34 mm,  
Dist. mount. holes 65 mm, Mount. 2 screws,  
Cable length 300 mm, Type LED,  
Connection Cable, LEDs w/,  
LEDs 2 3, Numberplate light w/




**171824** LED Number plate Lamp  
12-24 V, 0,5-1,1 W, -  
Dim. 100x58,5x55,8 mm,  
Dist. mount. holes 72 mm,  
Cable length 1000 mm, Type LED,  
Colour Black, Colour/glass White,  
Material Plastic, Fixing screw 2, LEDs w/,  
Numberplate light w/, E-approval Yes

## Interior Lamps




**171356** Interior Lamp  
25 W, Dim. 184.5x38.5 mm,  
OD 218 mm, Dist. mount. holes 138 mm,  
Socket type BA15S, Material Plastic,  
Shape Circular, Bulb incl. No, Switch w/o



**171428** Interior Lamp  
25 W, Dim. 218.5x39.7 mm,  
Dist. mount. holes 180 mm,  
Socket type BA15S, Material Plastic,  
Shape Circular, Switch w/o  
For build-in. Depth: 35 mm.


## w/LED



**171676** LED Interior Lamp  
12/24 V, 0.7 W,  
Dim. 125x78.6x28.4 mm,  
Dist. mount. holes 100 mm, Type LED,  
Colour/glass White, Material Shockproof  
plastic, Shape Oval, Connection Cable,  
LEDs w/, LEDs 2 6, Switch w/,  
Approvals CE/UL, E-approval Yes




**171677** LED Interior Lamp  
12/24 V, 1.5 W, OD 139.5 mm,  
Dist. mount. holes 75 mm, Type LED,  
Colour Black, Material Shockproof plastic,  
Shape Circular,  
Connection Cable, LEDs w/,  
LEDs 2 20, Switch w/, Approvals CE,  
E-approval Yes




**171679** LED Interior Lamp  
9-30 V, 3 W, Dim. 195x30x33 mm,  
Dist. mount. holes 164 mm, Type LED,  
Colour White, Material Alu/plastic,  
Connection Cable, LEDs w/, LEDs 2 2,  
Switch w/, Approvals CE  
180° adjustable.






### 171695 LED Interior Lamp

12/24 V, Dim. 90x24.7x14.3 mm,  
Type LED, Colour White,  
Material Shockproof plastic, Shape Oval,  
Connection Cable, LEDs w/, LEDs 2 4,  
Tightness norm IP 66, Approvals CE,  
E-approval Yes  
*For flush mounting.*




### 171696 LED Interior Lamp

12/24 V, 0.8 W, Dim. 176x24.7x21.2 mm,  
Dist. mount. holes 158 mm, Type LED,  
Colour White, Material Shockproof plastic,  
Shape Oval, Connection Cable,  
LEDs w/, LEDs 2 10, Switch w/o,  
Tightness norm IP 66, Approvals CE,  
E-approval Yes  
*For flush mounting.*




### 171750 LED Interior Lamp

12-24 V, Dim. 177x15.7 mm,  
OD 180 mm, Dist. mount. holes 140 mm,  
Cable length 500 mm, Type LED,  
Shape Round, Connection Cable,  
LEDs w/, LEDs 2 39, Switch w/o




### 171767 LED Interior Lamp

9-30 V, 0.8 W, Dim. 75x16 mm,  
OD 75 mm, Dist. mount. holes 53 mm,  
Mount. 3 screws, Cable length 120 mm,  
Type Interior lamp, Colour White,  
Colour/glass Clear, Material Shockproof  
plastic, Material/dome PMMA,  
Shape Round, Connection Cable,  
LEDs w/, LEDs 2 1, Switch w/,  
Approvals CE  
*Suited for flush mounting.*



### 171768 LED Interior Lamp


9-30 V, 2.8 W, Dim. 130x22 mm,  
OD 130 mm, Dist. mount. holes 100 mm,  
Mount. 3 screws, Cable length 120 mm,  
Type Interior lamp, Colour White,  
Material Shockproof plastic,  
Material/dome PMMA, Shape Round,  
Connection Cable, LEDs w/, LEDs 2 1,  
Switch w/  
*Suited for flush mounting.*



### 171773 LED Interior Lamp HD

Servicing: Suiteable for use in refrigeration  
vehicles

10-32 V, 8/9 W, Dim. 200x27 mm,  
OD 200 mm, Dist. mount. holes 137 mm,  
Type Interior lamp, Material Moulded  
aluminium, Shape Round,  
Connection Cable, LEDs w/, LEDs 2 6,  
Switch w/o, Tightness norm IP 67  
*Suited for flush mounting.*



**171776** LED Interior Lamp  
12-24 V, Dim. 145x28.5 mm,  
OD 145 mm, Dist. mount. holes 123 mm,  
Cable length 220 mm, Type LED,  
Colour Silver, Material Shockproof plastic,  
Material/dome Shockproof plastic,  
Shape Circular, Connection Cable, LEDs w/  
LEDs 2 42, Switch w/o,  
Tightness norm IP 66, Approvals CE



**171829** LED Interior Lamp  
12 V, 4.5 W, Dim. 300x15.2x6 mm,  
Mount. Plan installation, Type LED,  
Colour/glass Transparent,  
Fixing screw w/, Shape Flat,  
Connection Cable, LEDs w/  
Bracket Snap-on, Tightness norm IP 65  
6500K, 105lm.



**171830** LED Interior Lamp  
12 V, 9 W, Dim. 600x15.2x6 mm,  
Mount. Plan installation, Type LED,  
Colour/glass Transparent, Fixing screw w/  
Shape Flat, Connection Cable, LEDs w/  
Bracket Snap-on, Tightness norm IP 65  
6500K, 210lm.




**171831** LED Interior Lamp  
12 V, 15 W, Dim. 1000x15.2x6 mm,  
Mount. Plan installation, Type LED,  
Colour/glass Transparent,  
Fixing screw w/, Shape Flat,  
Connection Cable, LEDs w/  
Bracket Snap-on, Tightness norm IP 65  
6500K, 350lm.





**171832** LED Interior Lamp  
12 V, 21 W, Dim. 1400x15.2x6 mm,  
Mount. Plan installation, Type LED,  
Colour/glass Transparent,  
Fixing screw w/, Shape Flat,  
Connection Cable, LEDs w/  
Bracket Snap-on, Tightness norm IP 65  
6500K, 490lm.



**171863** LED Interior Lamp  
12-24 V, 22 W, Dim. 465x150x21.7 mm,  
Mount. Built-in, Cable length 420 mm,  
Type LED, Colour White,  
Colour/glass Frosted, Shape Rectangular,  
LEDs w/, LEDs 2 12, Tightness norm IP 67,  
Approvals CE  
1100 lm.




**171864** LED Interior Lamp  
12-24 V, 22 W,  
Dim. 485.1x170.1x21.7 mm, Mount. Plan  
installation, Cable length 420 mm,  
Type LED, Colour White,  
Colour/glass Frosted, Shape Rectangular,  
LEDs w/, LEDs 2 12, Tightness norm IP 67,  
Approvals CE  
1100 lm.



**171866** LED Interior Lamp  
12-24 V, Dim. 130x57x19 mm,  
Mount. Plan installation,  
Cable length 150 mm, Type LED,  
Colour Transparent, Colour/glass Frosted,  
Shape Rectangular, LEDs w/, LEDs 2 10,  
Tightness norm IP 67, Approvals CE  
210 lm.


## Flourescent Lamps

### Resolux 720



#### 170032 Interior Lamp


12 V, 13 W, Dim. 685x63.8x44 mm,  
Dist. mount. holes 463.5 mm,  
Colour White, Material Aluminium,  
Fixing screw 2, Switch w/  
Tightness norm IP 40, Approvals CE  
Tube fluorescent: Cargo 171397.



#### 170033 Interior Lamp


24 V, 13 W, Dim. 685x63.8x44 mm,  
Dist. mount. holes 590 mm, Material ABS  
plastic/Aluminium, Fixing screw 2,  
Switch w/, Tightness norm IP 40,  
Approvals CE  
Tube fluorescent: Cargo 171397.

### Resolux 505



#### 170035 Interior Lamp

12 V, 8 W, Dim. 394x60x36 mm,  
Dist. mount. holes 350 mm,  
Colour White, Material ABS plastic,  
Fixing screw 2, Switch w/  
Tube fluorescent: Cargo 170664.



#### 170036 Interior Lamp

24 V, 8 W, Dim. 394x60x36 mm,  
Dist. mount. holes 350 mm,  
Colour White, Material ABS plastic,  
Fixing screw 2, Switch w/  
Tube fluorescent: Cargo 170664.

### Twinlights



#### 171392 Interior Lamp

12 V, 2x8 W, Dim. 360x62x37 mm,  
Dist. mount. holes 200 mm,  
Colour White, Material Plastic,  
Fixing screw 2, Switch w/  
w/ switch 0 - 1 - 2. Tube: Cargo 170664.

### Slim Styling



#### 171393 Interior lamp

12 V, 8 W, Dim. 350x50x20 mm,  
Dist. mount. holes 235 mm,  
Colour White, Material Plastic,  
Fixing screw 2, Shape Rectangular,  
Switch w/  
Tube fluorescent: Cargo 170664.



#### 171396 Interior lamp

24 V, 13 W, Dim. 580x50x20 mm,  
Dist. mount. holes 465 mm,  
Colour White, Material Plastic,  
Fixing screw 2, Shape Rectangular,  
Switch w/  
Tube fluorescent: Cargo 171397.



### Spare Parts

#### 170664 Fluorescent Tube

Servicing: Cargo 170035, 170036, 171393  
8 W, Length 300 mm



Pkg. 10


#### 171397 Fluorescent Tube

Servicing: Cargo 170032, 170033, 171396  
13 W, Length 530 mm



## w/LED

### Reading Lamps




#### 171769 LED Reading lamp

9-30 V, 1.8 W, Dist. mount. holes 25 mm, Mount. 2 screws, Cable length 120 mm, Type Interior lamp, Shape w/ adjustable metal arm, Connection Cable, LEDs w/, LEDs 2 1, Switch w/, Approvals CE


## Tail Lights

### Tail-Lift Lamps



#### 170745 Tail Lift Lamp Set

24 V, Dim. 136x113x20.5 mm, Material Polycarbonat, Bulb incl. Yes, Approvals GGVS/ADR, E-approval Yes w/ set - packaging incl. 12/24V flasher unit, cable, connecting materials and fixing screws.



#### 170746 Tail Lift Lamp Set

24 V, Dim. 136x113x20.5 mm, Material Moulded aluminium, Bulb incl. Yes, Approvals GGVS/ADR w/ set - packaging incl. 12/24V flasher unit, cable, connecting materials and fixing screws.



#### 170747 Tail Lift Lamp

24 V, Dim. 136x113x20.5 mm, Dist. mount. holes 87 mm, Material Polycarbonat, Bulb incl. Yes, Approvals GGVS/ADR, E-approval E1 01522642



#### 170748 Tail Lift Lamp

24 V, Dim. 136x113x20.5 mm, Dist. mount. holes 87 mm, Material Moulded aluminium, Bulb incl. Yes, Approvals GGVS/ADR, E-approval E1 01522642

## w/LED



#### 171621 LED Tail Lift Lamp

24 V, Dim. 115x71.3x16.6 mm, Dist. mount. holes 87 mm, Type LED, Material Alu/zinc, LEDs w/, Approvals GGVS/ADR Dust and waterproof.

## Trailer Lighting Sets



#### 170809 Trailer Lighting Set

12 V, Dim. 1600 mm, Cable length 7500 mm, Material Galvanised steel, Connection Cable, No./lamps 2, No./reflectors 2, Flasher light w/, Stop light w/, Numberplate holder w/, Bulb incl. Yes Light construction. 7-pole plug.






**170818** Trailer Lighting Set  
12 V, Mount. Magnetic,  
Cable length 4000/12000 mm,  
Connection Cable, No./lamps 2,  
Sidemarker lamp w/, Tail light w/,  
Stop light w/, Bulb incl. Yes  
7-pole plug. Magnet w/ metalbracket:  
Cargo 170942.



**170828** Front/rear lighting set  
12 V, Mount. Magnetic,  
Cable length 4500/7500 mm,  
Connection Cable, No./  
lamps 2, Sidemarker w/,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. Yes  
7-pole plug. Tail-stop-flash lamp: Cargo  
170939. Flash-position lamp: Cargo 170941.  
Magnet w/ metalbracket: Cargo 170942.




**170829** Number Plate Holder  
12 V, Dim. 1050x146 mm,  
Cable length 1500 mm,  
Numberplate holder w/,  
Bulb incl. Yes, Reflector w/,  
Strap incl. Yes  
7-pole plug.



**170835** Trailer Lighting Set  
12 V, Dim. 1400-2100 mm,  
Cable length 1200 mm, Width/  
adjustable w/, Material Galvanised  
steel, No./lamps 2, No./reflectors 2,  
Flasher light w/, Tail light w/,  
Stop light w/, Numberplate holder w/,  
Bulb incl. Yes  
Light construction. 7-pole plug.




**171049** Trailer Lighting Set  
12 V, Dim. 1000-1600 mm,  
Cable length 7500 mm, Width/  
adjustable w/, Material Galvanised  
steel, Connection Connection,  
No./lamps 2, No./reflectors 2,  
Flasher light w/, Tail light w/,  
Stop light w/, Numberplate holder w/,  
Bulb incl. Yes  
Light construction. 7-pole plug.



**171818** Trailer lighting set  
12 V, Dim. 237x138x61 mm,  
Cable length 2000x5000 mm, Sha  
pe Rectangular, Connection Multiplug,  
No./lamps 2, Numberplate light w/,  
Rear/fog lamp w/, Sidemarker w/,  
Flasher light w/, Stop light w/,  
Bulb incl. Yes, E-approval Yes  
Lens: Cargo 171833/171834

Pkg. 2



**171821** Trailer lighting set  
Cable length 2x5000 mm, Sha  
pe Square, Connection Multiplug,  
Numberplate light w/, Sidemarker w/,  
Flasher light w/, Stop light w/,  
Bulb incl. Yes, E-approval Yes  
Fits w/ Cargo 171372 and 171373. Lens:  
Cargo 170833.

## Spare Parts



**170833** Lens, Rear Lamp  
Servicing: Cargo 170939, 170940  
Dim. 108x103x52 mm, Material Shockproof  
plastic, Flasher light w/, Tail light w/,  
Stop light w/, Reflector w/o,  
RH/ LH RH/LH



**170834** Lens, Rear Lamp  
Servicing: Cargo 170941  
Dim. 108x103x52 mm, Fixing screw 2,  
Shape Rectangular, Sidemarker w/,  
Flasher light w/



### 170939 Multi Function Lamp

Servicing: Cargo 170809, 170818, 170828, 170829, 170835, 171049

21 W 1, 21/5 W 2,  
Dim. 108x103x52 mm,  
Dist. mount. holes 45/55 mm,  
Socket type 1 BA15S,  
Socket type 2 BAY15d,  
Material Shockproof plastic,  
Fixing screw 2, Connection Connection,  
LEDs w/o, Numberplate light w/o,  
Flasher light w/, Tail light w/,  
Stop light w/, Bulb incl. No,  
Reflector w/o, RH/ LH RH/LH,  
E-approval Yes  
Lens: Cargo 170833.



### 170941 Flasher/Position Lamp

Servicing: Cargo 170828

21 W 1, 5 W 2, Dim. 108x103x52 mm,  
Dist. mount. holes 45/55 mm,  
Socket type 1 BA15S,  
Socket type 2 S8.5, Fixing screw 2,  
Shape Rectangular, Connection Connection,  
Sidemarker w/, Flasher light w/,  
E-approval Yes  
Lens: Cargo 170834.

Pkg. 2



### 170942 Magnet

Servicing: Cargo 170818, 170828  
OD 76 mm  
For Cameras.



### 171795 Rubber Protection

Servicing: Cargo 170942  
ID 76 mm



### 171822 Multi Function Lamp

Servicing: Cargo 171821


Shape Square, Connection Multiplug,  
Numberplate light w/o, Sidemarker w/,  
Flasher light w/, Stop light w/,  
Bulb incl. Yes, E-approval Yes  
Fits w/ Cargo 171372 and 171373. Lens:  
Cargo 170833.



### 171833 Lens, Rear Lamp

Servicing: Cargo 171818.

Dim. 237x138x19 mm,  
Material Shockproof plastic,  
Shape Rectangular, Numberplate light w/,  
Rear/fog lamp w/, Sidemarker w/,  
Flasher light w/, Stop light w/,  
RH/ LH RH, E-approval Yes



### 171834 Lens, Rear Lamp

Servicing: Cargo 171818.

Dim. 237x138x19 mm,  
Material Shockproof plastic,  
Numberplate light w/, Rear/fog lamp w/,  
Sidemarker w/, Flasher light w/,  
Stop light w/, RH/ LH LH,  
E-approval Yes

## Reflectors

Pkg. 10



### 170142 Reflector

OD 60 mm, Colour Red,  
Material Plastic, Shape Round,  
Approvals I A approval, E-approval Yes  
w/ 5 mm bolt.

Pkg. 10



### 170143 Reflector

OD 83 mm, Colour Red,  
Material Plastic, Shape Round,  
Approvals I A approval, E-approval Yes  
w/ 5 mm bolt.


Pkg. 2



### 170144 Reflector

Dim. 160x160x160 mm,  
Dist. mount. holes 85 mm,  
Mount. 2 screws, Colour Red,  
Material Plastic, Shape Triangle,  
Approvals III A approval, E-approval Yes

Pkg. 10



### 170163 Reflector

Dim. 155x135 mm,  
Dist. mount. holes 70 mm,  
Mount. 2 holes, Colour Red,  
Material Plastic, Shape Triangle,  
Approvals III A approval, E-approval Yes





Pkg. 10

### 170165 Reflector

OD 60 mm, Hole size 4 mm,  
Colour Red, Material Plastic,  
Shape Round, Approvals I A approval,  
E-approval Yes



Pkg. 10

### 170169 Reflector

OD 60 mm, Hole size 4 mm,  
Colour Orange, Material Plastic,  
Shape Round, Approvals I A approval,  
E-approval Yes



Pkg. 10

### 170170 Reflector


OD 60 mm, Hole size 4 mm,  
Colour White, Material Plastic,  
Shape Round, Approvals I A approval,  
E-approval Yes



Pkg. 50

### 170208 Reflector

Dim. 50x200 mm, Mount. Self adhesive,  
Colour Red, Approvals JRU,  
E-approval No  
*Only approved in DK.*



Pkg. 50

### 170212 Reflector


Dim. 50x200 mm, Mount. Self adhesive,  
Colour White, Approvals JRU,  
E-approval No  
*Only approved in DK.*



Pkg. 50

### 170213 Reflector


Dim. 50x200 mm, Mount. Self adhesive,  
Colour Yellow, Approvals JRU,  
E-approval No  
*Only approved in DK.*



Pkg. 10

### 170623 Reflector


Dim. 95x44 mm,  
Dist. mount. holes 105 mm,  
Mount. 2 holes, Colour Red,  
Material Plastic, Shape Rectangular,  
Approvals I A approval, E-approval Yes



Pkg. 10

### 170624 Reflector


Dim. 95x44 mm,  
Dist. mount. holes 105 mm,  
Mount. 2 holes, Colour Orange,  
Material Plastic, Shape Rectangular,  
Approvals I A approval, E-approval Yes



Pkg. 10

### 170625 Reflector


Dim. 95x44 mm,  
Dist. mount. holes 105 mm,  
Mount. 2 holes, Colour White,  
Material Plastic, Shape Rectangular,  
Approvals I A approval, E-approval Yes



Pkg. 10

### 170626 Reflector


Dim. 95x44 mm, Mount. Self adhesive,  
Colour Red, Material Plastic,  
Shape Rectangular, Approvals I A approval,  
E-approval Yes



Pkg. 10

### 170627 Reflector

Dim. 95x44 mm, Mount. Self adhesive,  
Colour Orange, Material Plastic,  
Shape Rectangular, Approvals I A approval,  
E-approval Yes




Pkg. 10

### 170628 Reflector

Dim. 95x44 mm, Mount. Self adhesive,  
Colour White, Material Plastic,  
Shape Rectangular, Approvals I A approval,  
E-approval Yes


Pkg. 10



### 170629 Reflector

Dim. 69x31.5 mm, Mount. Self adhesive, Colour Red, Material Plastic, Shape Rectangular, Approvals I A approval, E-approval Yes


Pkg. 10



### 170630 Reflector

Dim. 69x31.5 mm, Mount. Self adhesive, Colour Orange, Material Plastic, Shape Rectangular, Approvals I A approval, E-approval Yes

Pkg. 10



### 170631 Reflector

Dim. 69x31.5 mm, Mount. Self adhesive, Colour White, Material Plastic, Shape Rectangular, Approvals I A approval, E-approval Yes


Pkg. 10



### 170675 Reflector

OD 60 mm, Mount. Self adhesive, Colour Red, Material Plastic, Shape Round, Approvals I A approval, E-approval Yes


Pkg. 10



### 170676 Reflector

OD 60 mm, Mount. Self adhesive, Colour Orange, Material Plastic, Shape Round, Approvals I A approval, E-approval Yes

Pkg. 10



### 170677 Reflector

OD 60 mm, Mount. Self adhesive, Colour White, Material Plastic, Shape Round, Approvals I A approval, E-approval Yes

Pkg. 10



### 170729 Reflector

OD 83 mm, Mount. 1 hole, Hole size 4 mm, Colour Red, Material Plastic, Shape Round, Approvals I A approval, E-approval Yes

Pkg. 10



### 170730 Reflector

OD 83 mm, Mount. 1 hole, Hole size 4 mm, Colour White, Material Plastic, Shape Round, Approvals I A approval, E-approval Yes


Pkg. 10



### 171048 Reflector

OD 83 mm, Mount. 1 hole, Hole size 4 mm, Colour Orange, Material Plastic, Shape Round, Approvals I A approval, E-approval Yes


Pkg. 10



### 171228 Reflector

Dim. 90x40 mm, Dist. mount. holes 79 mm, Mount. 2 holes, Colour Red, Material Plastic, Shape Rectangular, Approvals I A approval, E-approval Yes

Pkg. 10



### 171230 Reflector

Dim. 90x40 mm, Dist. mount. holes 79 mm, Mount. 2 holes, Colour Orange, Material Plastic, Shape Rectangular, Approvals I A approval, E-approval Yes

Pkg. 10



### 171233 Reflector

Dim. 180x40 mm, Dist. mount. holes 150 mm, Mount. 2 holes, Colour Orange, Material Plastic, Shape Rectangular, Approvals I A approval, E-approval Yes



## Accessories

Pkg. 10



**171536** Bracket  
No./mount. holes 1 (0)

## Warning Triangles



**170171** Warning Triangle  
Shape Triangle, E-approval Yes  
Break down warning triangle. Supplied in plastic carrying box.

## Rear Marking Trailers



**170397** Reflector Board  
Dim. 1132x200 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A. Red: fluorescent.



**170398** Reflector Board Set  
Dim. 566x200 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A. Red: fluorescent. 2 pcs.



**170399** Reflector Board Set  
Dim. 283x200 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A. Red: fluorescent. 4 pcs.



**170403** Reflector Foil Set  
Dim. 566x200 mm, Mount. Self adhesive, Colour Red/yellow, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A. Red: fluorescent. 2 pcs.



**170404** Reflector Foil Set  
Dim. 283x200 mm, Mount. Self adhesive, Colour Red/yellow, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A. Red: fluorescent. 4 pcs.



**171554** Reflector Tape  
Dim. 50x5000 mm, Mount. Self adhesive, Colour Yellow, E-approval Yes  
Safety marking for heavy vehicles and trailers. Mounting on rigid surface.



**171555** Reflector Tape  
Dim. 50x5000 mm, Mount. Self adhesive, Colour White, E-approval Yes  
Safety marking for heavy vehicles and trailers. Mounting on rigid surface.



**171556** Reflector Tape  
Dim. 50x5000 mm, Mount. Self adhesive, Colour Red, E-approval Yes  
Safety marking for heavy vehicles and trailers. Mounting on rigid surface.



**171569** Reflector Board  
Dim. 1132x197x1 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3. Red: fluorescent.



**171570** Reflector Board Set  
Dim. 566x197x1 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3. Red: fluorescent. 2 pcs.



### 171572 Reflector Foil Set

Dim. 566x197 mm, Mount. Self adhesive, Colour Red/yellow, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3.  
Red: fluorescent. 2 pcs.



### 171575 Reflector Board Set

Dim. 283x197x1 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3.  
Red: fluorescent. 4 pcs.

## Rear Marking Trucks




### 170394 Reflector Board

Dim. 1132x140 mm, Colour Red/yellow, Material Aluminium, E-approval Yes  
Yellow: high intensive reflex. Class - A.  
Red: fluorescent.



### 170395 Reflector Board Set

Dim. 566x140 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A.  
Red: fluorescent. 2 pcs.




### 170396 Reflector Board Set

Dim. 283x140 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A.  
Red: fluorescent. 4 pcs.



### 170401 Reflector Foil Set

Dim. 566x140 mm, Mount. Self adhesive, Colour Red/yellow, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A.  
Red: fluorescent. 2 pcs.



### 170402 Reflector Foil Set

Dim. 283x140 mm, Mount. Self adhesive, Colour Red/yellow, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - A.  
Red: fluorescent. 4 pcs.



### 171567 Reflector Board

Dim. 1132x132x1 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3.  
Red: fluorescent.



### 171568 Reflector Board Set

Dim. 1566x132 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3.  
Red: fluorescent. 2 pcs.



### 171571 Reflector Foil Set

Dim. 566x132 mm, Mount. Self adhesive, Colour Red/yellow, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3.  
Red: fluorescent. 2 pcs.



### 171574 Reflector Board Set

Dim. 2830x1320x1 mm, Colour Red/yellow, Material Aluminium, Shape Rectangular, E-approval Yes  
Yellow: high intensive reflex. Class - 3.  
Red: fluorescent. 4 pcs.

## Triangles

Pkg. 25



### 170390 Reflector Triangle

Dim. 350-365 mm,  
Dist. mount. holes 153 mm,  
Hole size 7 mm, Colour Red,  
Material Aluminium, Shape Triangle,  
E-approval Yes  
*Red: high intensive reflex. Class A. Red: fluorescent. w/o bracket.*



### 170407 Reflector Foil

Mount. Self adhesive, Colour Red,  
Shape Triangle, E-approval Yes  
*Red: high intensive reflex. Class A. Red: fluorescent.*

Pkg. 10



### 170759 Reflector Triangle

Dist. mount. holes 153 mm,  
Hole size 6 mm, Colour Red,  
Material Shock thermo plastic,  
Shape Triangle, E-approval Yes  
*Red: high intensive foil. Class A. Red: fluorescent foil. w/o bracket.*

## Accessories

Pkg. 10



### 170391 Mounting Bracket

Servicing: Cargo 170390, 170759  
*Male.*

Pkg. 10



### 170392 Mounting Bracket

Servicing: Cargo 170390, 170759  
*Female.*



### 170393 Mounting Bracket Kit

Servicing: Cargo 170390, 170759  
*w/ male and female brackets, bolts and nuts.*

Pkg. 10



### 170797 Mounting Bracket

Servicing: Cargo 170390, 170759  
*Angled.*

## Bulb Holders


Pkg. 10



### 170135 Bulb Holder

Socket type BAY15d, Connection Screw M5

Pkg. 10



### 170136 Bulb Holder

Socket type BA9s, Connection Screw M5

Pkg. 10



### 170137 Bulb Holder

Socket type BA7s, Connection Screw M5

Pkg. 10



### 170138 Bulb Holder

Socket type BA15S, Connection Screw M5



Pkg. 10

### 170139 Bulb Holder

Socket type S8.5, Connection Screw M5, 33-36 mm. Festoon type.



Pkg. 10

### 170433 Bulb Holder

Servicing: H4


Socket type P43t, Connection Terminal, Also for bulbs that fit socket P43t. Used w/ sealed beams.



Pkg. 10

### 170596 Bulb Holder

Socket type BA15d, Connection Screw M5



Pkg. 10

### 170619 Bulb Holder

Servicing: H4

Socket type P45t, Connection Plug, Also for bulbs that fit socket p43t. Used w/ sealed beams.



Pkg. 2

### 170763 Bulb Holder

Servicing: VW Golf, Vento, Polo, Passat, Seat Ibiza, Toledo

Socket type T10, Connection Multiplug



Pkg. 10

### 170790 Bulb Holder


Socket type BA9s, Connection Terminal, 2 x terminal connection.



Pkg. 10

### 170791 Bulb Holder

Socket type BA15S, Connection Screw M5, 2 x screw connection.



Pkg. 10

### 170799 Bulb Holder

Servicing: Cargo 191938

Socket type P43t, Connection Plug, Also for bulbs that fit socket p45. Used w/ sealed beams. Angled type.



Pkg. 10

### 170827 Bulb Holder

Socket type T10, Connection Terminal, 2 x terminal connection.



Pkg. 10

### 170964 Bulb Holder


Socket type P43t+P45t, Connection Cable, H4. Also used for bulbs, socket type P45t. Used for sealed beams. w/ snap-lock function for cable connection.



Pkg. 10

### 171426 Bulb Holder

Socket type HB3, H10, H12, Connection Cable, w/ wire.



Pkg. 10

### 171427 Bulb Holder

Socket type HB4, Connection Cable w/ wire.



Pkg. 10



**171453** Bulb Holder  
Socket type PX26d, Connection Cable H7.



**171783** Bulb Holder  
Socket type HB1, HB5, Connection Cable

Pkg. 10




**171784** Bulb Holder  
Socket type H8, H9, H11, Connection Cable

## Set



**171281** Bulb Holder Set  
Socket type P43t, Connection Plug H4. Contains: 1 pcs. Cargo 170619 w/ terminals. 3 pcs. Cargo 191200.



**171282** Bulb Holder Set  
Socket type P43t, Connection Plug H4. Contains: 1 pcs. Cargo 170799 w/ terminals. 3 pcs. Cargo 191938.




# Multi Function Lamps

Edition 2012/2013



Cargo no.	Dimension	Servicing	Right / Left	Flasher light	Number Plates light	Rear fog lamp	Reflector	Reverse light	Side marker lamp	Stop light	Tail light	Connection	E- Approval	Replacing	Lens
171308	525 x 139 x 83	Mercedes Actros.	RH	✓	✓	✓	✓	✓	✓	✓	✓	M	✓	42940000, 42939000, 0015406370	Cargo 171312.
171311	525 x 139 x 83	Mercedes Actros.	LH	✓	✓	✓	✓	✓	✓	✓	✓	M	✓	42942000, 42941000, 0015406270	Cargo 171521.
171447	525 x 139 x 83	Mercedes Actros. SK	LH	✓	✓	✓	✓	✓	✓	✓	✓	G	✓	2VD007500-091	Cargo 171521.
171448	525 x 139 x 83	Mercedes Actros. SK	RH	✓	✓	✓	✓	✓	✓	✓	✓	B	✓		Cargo 171312.
171802	517 x 129.5 x 80.2	Scania.	RH	✓	✓	✓	✓	✓	✓	✓	✓		✓		Cargo 171322.
171803	517 x 129.5 x 80.2	Scania.	LH	✓	✓	✓	✓	✓	✓	✓	✓		✓		Cargo 171322.
170916	465 x 130 x 83	Scania, Universal.	LH	✓	✓	✓	✓	✓	✓	✓	✓	A		2vd007323-031, 21.197-021, 21.197-001, 170914, 168350, 168340, 1365963	Cargo 170968.
170917	465 x 130 x 83	Scania, Universal.	RH	✓	✓	✓	✓	✓	✓	✓	✓	A	✓	2vp007323-021, 2vd007323-041, 21.197-031, 21.197-011, 170915, 168360, 168270, 167600, 1365965, 1365964	Cargo 170968.
170922	465 x 130 x 83	MAN, Universal.	LH	✓	✓	✓	✓		✓	✓	✓	C	✓	2vd007323-131, 21.197-121, 168100	Cargo 170968.
170923	465 x 130 x 83	MAN, Universal	RH	✓	✓	✓	✓	✓	✓	✓	✓	C	✓	2vp007323-121, 2vd007323-141, 21.197-131, 21.197-111, 170921, 167700	Cargo 170968.
170998	465 x 130 x 83	Iveco.	RH/LH	✓		✓	✓		✓	✓	✓	D	✓	99463242, 44847000, 171298	Cargo 171000.
170999	465 x 130 x 83	Iveco.	RH/LH	✓	✓	✓	✓		✓	✓	✓	D	✓	99463244, 44848000	Cargo 171000.
171299	465 x 130 x 90	Mercedes Atego.	RH	✓	✓	✓	✓		✓	✓	✓	P	✓	42931000, 42632000, 0035445503, 0035445203	Cargo 171307.
171302	465 x 130 x 90	Mercedes Atego.	LH	✓	✓	✓	✓		✓	✓	✓	P	✓	42934000, 0035445603, 0035445303	Cargo 171307.
171303	465 x 130 x 90	Mercedes Sprinter.	RH	✓	✓	✓	✓		✓	✓	✓	K	✓	42935000, 42936000, 0035445403	Cargo 171307.
171306	465 x 130 x 90	Mercedes Sprinter.	LH	✓	✓	✓	✓		✓	✓	✓	K	✓	42938000, 42937000, 0025445503	Cargo 171307.
171806	428 x 140 x 87	Trucks, Universal	LH	✓		✓		✓	✓	✓	✓	M	✓		Cargo 171810
171807	428 x 140 x 87	Trucks, Universal	RH	✓		✓		✓	✓	✓	✓	M	✓		Cargo 171810
171808	428 x 140 x 87	Commercial trailers.	LH	✓		✓	✓	✓	✓	✓	✓	M	✓		Cargo 171810
171809	428 x 140 x 87	Commercial trailers.	RH	✓		✓	✓	✓	✓	✓	✓	M	✓		Cargo 171810
171441	421 x 147 x 75	Commercial Trailers.	LH	✓	✓		✓			✓	✓	K	✓		Cargo 171446.
171442	421 x 147 x 75	Commercial Trailers.	RH	✓	✓	✓	✓		✓	✓	✓	K	✓		Cargo 171446.
171443	421 x 147 x 75	Schwarz m³ller	LH	✓	✓	✓	✓		✓	✓	✓	I			Cargo 171446.
171444	421 x 147 x 75	Schwarz m³ller		✓	✓	✓	✓		✓	✓	✓	I			Cargo 171446.
170990	418 x 148 x 90	Commercial Trailers.	RH	✓	✓	✓	✓		✓	✓	✓	A	✓		Cargo 170994.
170991	418 x 148 x 90	Commercial Trailers.	LH	✓	✓	✓	✓		✓	✓	✓	A	✓		Cargo 170995.
170602	406 x 135 x 74	RVI Renault, Pegaso	LH	✓	✓	✓	✓	✓		✓	✓	A	✓	141500	Cargo 170665.
170603	406 x 135 x 74	RVI Renault, Pegaso	RH	✓		✓	✓	✓		✓	✓	A	✓		Cargo 170665.
171506	350 x 130 x 85	DAF, Nissan, Renault.	RH/LH	✓	✓	✓	✓	✓		✓	✓	J			Cargo 171507.
171508	350 x 130 x 85	Commercial Trailers.	RH/LH	✓	✓	✓		✓		✓	✓	K			Cargo 171509.
171323	350 x 110 x 87.5	Scania	RH/LH	✓						✓	✓	A		44981000, 2se997098-001, 2se021088-001, 21.088-001, 170910	Cargo 171325.
171199	344 x 147 x 72	Mercedes	RH	✓						✓	✓	A		2se003167-021, 2sd003167-021, 21.086-031, 0311425002	Cargo 171252.



Cargo no.	Dimension	Servicing	Right / Left	Flasher light	Number Plates light	Rear fog lamp	Reflector	Reverse light	Side marker lamp	Stop light	Tail light	Connection	E- Approval	Replacing	Lens
171201	344 x 147 x 72	Mercedes.	LH	✓						✓	✓	A		2sd003167-011, 21.086-051, 0311425003	Cargo 171252.
171205	343 x 133 x 75	MAN, VW, Mercedes.	RH	✓		✓	✓			✓	✓	A		2vp003567-127, 21.147-071	Cargo 171263.
171206	343 x 133 x 75	MAN, VW, Mercedes.	LH	✓	✓	✓	✓	✓		✓	✓	A		2sl003567-691, 21.147-081	Cargo 171263.
170893	335 x 96 x 83		RH	✓						✓	✓	A		2sd001688-141, 21.002-031, 21.002-031, 21.002-021, 21.002-021, 170892	Cargo 171062.
170895	335 x 96 x 83		LH	✓						✓	✓	A		2sd001688-171, 21.002-071, 21.002-071	Cargo 171062.
171188	282 x 105 x 73		LH	✓	✓					✓	✓	A		2se001699-071, 2se001679-071, 21.001-021, 21.001-021	Cargo 171234.
171189	282 x 105 x 73		RH	✓						✓	✓	A		2sd001699-061, 21.001-031, 21.001-031	Cargo 171234.
171190	282 x 105 x 73		LH	✓						✓	✓	A		2sd001699-511, 2sd001699-071, 21.001-071, 21.001-071	Cargo 171234.
171209	281 x 99 x 56		LH	✓	✓	✓	✓			✓	✓	A		21.195-001	
171210	281 x 99 x 56		RH	✓	✓		✓	✓		✓	✓	A		21.195-011	


## LIGHTING







# Bulbs

Edition 2012/2013



## H1 Halogen







	Item no.	Volt	Watt		Colour	Ass.	Comment
 P14.5s	170069	12 V	55 W	Halogen		Pkg. 10	
	171070	12 V	55 W	Halogen		Pkg. 10	Gives up to 30% more light.
	171071	12 V	55 W	Halogen	Xenon blue	Pkg. 10	
	171136	12 V	55 W	Halogen		Pkg. 10	Gives up to 50% more light.
	171068	12 V	100 W	Halogen		Pkg. 10	
	171404	12 V	130 W	Halogen		Pkg. 10	
	171072	24 V	70 W	Halogen		Pkg. 10	
	Item no.	Volt	Watt		Colour	Ass.	Comment
 P14.5s	170332	12 V	55 W	Halogen		Pkg. 10	
	170823	12 V	55 W	Halogen	Xenon blue	Pkg. 10	
	170965	12 V	55 W	Halogen	Megalight	Pkg. 10	Gives up to 30% more light.
	170493	12 V	100 W	Halogen		Pkg. 10	
	170449	24 V	70 W	Halogen		Pkg. 10	
	170494	24 V	100 W	Halogen		Pkg. 10	
	Item no.	Volt	Watt		Colour	Ass.	Comment
 P14.5s	171686	12 V	55 W	Halogen	Nightbreaker	Pkg. 10	Up to 90% more light. Up to 35 m longer beam. Up to 10% whiter light.

## H2 Halogen

	Item no.	Volt	Watt		Colour	Ass.	Comment
 X511	171073	12 V	55 W	Halogen		Pkg. 10	
	170512	24 V	100 W	Halogen		Pkg. 10	
	Item no.	Volt	Watt		Colour	Ass.	Comment
 X511	170576	12 V	55 W	Halogen		Pkg. 10	
	170478	24 V	70 W	Halogen		Pkg. 10	

## H3 Halogen


	Item no.	Volt	Watt		Colour	Ass.	Comment
 PK22s	171469	6 V	55 W	Halogen		Pkg. 10	
	170070	12 V	55 W	Halogen		Pkg. 10	
	171405	12 V	130 W	Halogen		Pkg. 10	
	170836	24 V	70 W	Halogen		Pkg. 10	
	171407	48 V	45 W	Halogen		Pkg. 10	
	171378	80 V	55 W	Halogen		Pkg. 10	
	Item no.	Volt	Watt		Colour	Ass.	Comment
 PK22s	170696	12 V	35 W	Halogen		Pkg. 10	
	170333	12 V	55 W	Halogen		Pkg. 10	
	170723	12 V	55 W	Halogen	All day	Pkg. 10	Gives better visibility in poor weather conditions.
	170824	12 V	55 W	Halogen	Xenon blue	Pkg. 10	Brighter light as standard.
	170412	24 V	70 W	Halogen		Pkg. 10	
	170362	24 V	100 W	Halogen		Pkg. 10	

<b>Jahn</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PKY22s	170496	12 V	100 W	Halogen		Pkg. 10
<b>OSRAM</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PK22s	171687	12 V	55 W	Halogen	Nightbreaker	Pkg. 10 <i>Up to 90% more light. Up to 35 m longer beam. Up to 10% whiter light.</i>
H4 Halogen						
	Item no.	Volt	Watt	Colour	Ass.	Comment
	171474	6 V	60/55 W	Halogen		Pkg. 10
	170768	12 V	60/55 W	Halogen		Pkg. 10
	171066	12 V	60/55 W	Halogen		Pkg. 10 <i>Gives up to 30% more light.</i>
	171067	12 V	60/55 W	Halogen	Xenon blue	Pkg. 10 <i>Brighter light as standard.</i>
	171113	12 V	60/55 W	Halogen	Longlife	Pkg. 10
	171114	12 V	60/55 W	Halogen	Gold	Pkg. 10 <i>Gives better visibility in poor weather. Not approved in Germany.</i>
 P43t	171134	12 V	60/55 W	Halogen		Pkg. 10 <i>Gives up to 50% more light.</i>
	171688	12 V	60/55 W	Halogen	Nightbreaker	Pkg. 10 <i>Up to 90% more light. Up to 35 m longer beam. Up to 10% whiter light.</i>
	170803	12 V	100/80 W	Halogen	Xenon blue	Pkg. 10 <i>Brighter light as standard.</i>
	171065	12 V	100/80 W	Halogen		Pkg. 10
	170513	12 V	130/90 W	Halogen		Pkg. 10
	170514	12 V	165/120 W	Halogen		Pkg. 10
	170721	24 V	75/70 W	Halogen	Gold	Pkg. 10 <i>Gives better visibility in poor weather. Not approved in Germany.</i>
	170792	24 V	75/70 W	Halogen		Pkg. 10
	171125	24 V	75/70 W	Halogen	Heavy Duty	Pkg. 10
 P45t	170071	12 V	60/65 W	Halogen		Pkg. 10
	170515	24 V	130/90 W	Halogen		Pkg. 1
 PX43t	171473	6 V	35/35 W			Pkg. 10
<b>Jahn</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
	170718	12 V	35/35 W	Halogen		Pkg. 10
	170334	12 V	60/55 W	Halogen		Pkg. 10
	170657	12 V	60/55 W	Halogen	Longlife	Pkg. 10
	170802	12 V	60/55 W	Halogen	Xenon blue	Pkg. 10 <i>Brighter light as standard.</i>
	170804	12 V	60/55 W	Halogen	Megalight	Pkg. 10 <i>Gives up to 30% more light.</i>
	171064	12 V	60/55 W	Halogen	Megalight plus	Pkg. 2 <i>Gives up to 60% more light.</i>
	170572	12 V	100/55 W	Halogen		Pkg. 10
	170009	12 V	100/90 W	Halogen		Pkg. 10
	170348	24 V	75/70 W	Halogen		Pkg. 10
	170450	24 V	75/70 W	Halogen	Heavy Duty	Pkg. 10




<b>Jahn</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 P45t	170681	12 V	45/40 W	Halogen			Pkg. 10
	170359	12 V	100/80 W	Halogen			Pkg. 10
	170006	24 V	75/70 W	Halogen			Pkg. 10
	170360	24 V	100/70 W	Halogen			Pkg. 10
	170361	24 V	100/70 W	Halogen			Pkg. 10


## MH6 Halogen

<b>CAR GO</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 PX15d	170811	12 V	30/30 W	Bilux		809008	Pkg. 10
	170812	12 V	30/30 W	Halogen		809008	Pkg. 12


## H7 Halogen

<b>CAR GO</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 PX26d	171077	12 V	55 W	Halogen			Pkg. 10
	171079	12 V	55 W	Halogen	Xenon blue		Pkg. 10 <i>Brighter light as standard.</i>
	171081	12 V	55 W	Halogen			Pkg. 10 <i>Gives up to 30% more light.</i>
	171117	12 V	55 W	Halogen	Longlife		Pkg. 10
	171137	12 V	55 W	Halogen			Pkg. 10 <i>Gives up to 50% more light.</i>
	170837	12 V	100 W	Halogen			Pkg. 10
	171080	24 V	70 W	Halogen			Pkg. 10
	171532	24 V	70 W	Halogen	Longlife		Pkg. 10


<b>Jahn</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 PX26d	170720	12 V	55 W	Halogen			Pkg. 10
	170825	12 V	55 W	Halogen	Xenon blue		Pkg. 10 <i>Brighter light as standard.</i>
	170800	24 V	70 W	Halogen			Pkg. 10















<b>OSRAM</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 PX26d	171689	12 V	55 W	Halogen	Nightbreaker		Pkg. 10 <i>Up to 90% more light. Up to 35 m longer beam. Up to 10% whiter light.</i>

## H15 Halogen


<b>OSRAM</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 PGJ23T-1	171691	12 V	60/19 W	Halogen			Pkg. 10

## H6W Halogen


<b>CAR GO</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 BAX9s	171082	12 V	6 W	Halogen			Pkg. 10

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
  BAX9s	170741	12 V	6 W	Halogen		Pkg. 10
<b>H21W Halogen</b>						
<i><b>CAR GO</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
  BAY9s	171083	12 V	21 W	Halogen		Pkg. 10
	171084	24 V	21 W	Halogen		Pkg. 10
  P26s	171135	12 V	15 W	Halogen		Pkg. 10
<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
  BAY9s	170742	12 V	21 W	Halogen		Pkg. 10
<b>HB1 American Types</b>						
<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
  P29t	170692	12 V	6545 W	Halogen		Pkg. 10
<b>HB3 American Types</b>						
<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
  P20d	170693	12 V	65 W	Halogen		Pkg. 10
<b>HB3 A American Types</b>						
<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
  P20d	171804	12 V	60 W	Halogen		Pkg. 10


## HB4 American Types

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 P22d	170694	12 V	55 W	Halogen		Pkg. 10

## HB4 A American Types

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 P22d	171794	12 V	51 W	Halogen		Pkg. 1

## HB5 American Types

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PX29t	171039	12 V	6555 W	Halogen		Pkg. 10


## H8 American Types

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PGJ19-1	171034	12 V	35 W	Halogen		Pkg. 10



## H9 American Types

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PGJ19-5	171035	12 V	65 W	Halogen		Pkg. 10


## H10 American Types

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PY20d	171036	12 V	42 W	Halogen		Pkg. 10



## H11 American Types

<b>Jahn</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PGJ19-2	171037	12 V	55 W	Halogen		Pkg. 10
<b>OSRAM</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PGJ19-2	171690	12 V	55 W	Halogen	Nightbreaker	Pkg. 10 <i>Up to 90% more light. Up to 35 m longer beam. Up to 10% whiter light.</i>


## H13 Halogen

<b>Jahn</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 P26.4t	171796	12 V	60/55 W	Halogen		Pkg. 10


## H27W/1 American Types

<b>Jahn</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PG13	171009	12 V	27 W	Halogen		Pkg. 10
 W2.5x16q	170710	12 V	27/7 W			Pkg. 10
	170711	12 V	27/7 W	Orange		Pkg. 10 <i>19.4/2.2 CP.</i>

## H27W/2 American Types








<b>Jahn</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 PGJ13	171010	12 V	27 W	Halogen		Pkg. 10
	170726	12 V	37.5 W	Halogen		Pkg. 10
	170951	12 V	50 W	Halogen		Pkg. 10

## High Intensity Discharge




<b>OSRAM</b>	Item no.	Volt	Watt	Colour	Ass.	Comment
 P32d-2	171133		35 W	Electronic gas	4150K	Pkg. 10










# Bulbs

<b>OSRAM</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 P32d-3	171132		35 W	Electronic gas	4150K		Pkg. 1
 P32d-5	171713		35 W	Electronic gas	4150K		Pkg. 10
 P32d-6	171711		35 W	Electronic gas	4150K		Pkg. 10
 PK-32d-6	171710		35 W	Electronic gas	4150K		Pkg. 10
 PK32d-2	171613		35 W	Electronic gas	4150K		Pkg. 1
 PK32d-3	171683		35 W	Electronic gas	4150K		Pkg. 1
 PK32d-5	171712		35 W	Electronic gas	4150K		Pkg. 1

## Stop and Tail Lamps

<b>CAR GO</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 BAY15d	170770	12 V	21/5 W				Pkg. 10
	171092	24 V	21/5 W				Pkg. 10
 BAZ15d	171093	12 V	21/4 W				Pkg. 10
<b>Jahn</b>	Item no.	Volt	Watt		Colour	Ass.	Comment
 BAY15d	171476	6 V	21/5 W				Pkg. 10
	170337	12 V	20/5 W				Pkg. 10
	170336	12 V	21/5 W		809008		Pkg. 10
	170659	12 V	21/5 W	Longlife			Pkg. 10
	170724	12 V	26/8 W				Pkg. 10
	170453	24 V	20/5 W				Pkg. 10
	170452	24 V	21/5 W				Pkg. 10

<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 BAZ15d	170644	12 V	21/4 W			Pkg. 10
	170850	24 V	21/4 W			Pkg. 10
 T20	170776	12 V	21/5 W			Pkg. 10
Festoon						
	Item no.	Volt	Watt	Colour	Ass.	Comment
 S8.5	171487	6 V	10 W			Pkg. 10
	171094	12 V	5 W			Pkg. 10
	171097	12 V	5 W			Pkg. 10
	171095	12 V	10 W			Pkg. 10
	171098	12 V	10 W			Pkg. 10
	171120	12 V	21 W			Pkg. 10
	171096	24 V	5 W			Pkg. 10
	171099	24 V	5 W			Pkg. 10
	171100	24 V	10 W			Pkg. 10
<i><b>Jahn</b></i>	Item no.	Volt	Watt	Colour	Ass.	Comment
 S6	170591	12 V	3 W		809002	Pkg. 10
 S7	171485	6 V	3 W			Pkg. 10
	170590	12 V	3 W		809002	Pkg. 10
 S8.5	171484	6 V	5 W			Pkg. 10
	171488	6 V	5 W			Pkg. 10
	171489	6 V	10 W			Pkg. 10
	171486	6 V	15 W			Pkg. 10
	171479	6 V	18 W			Pkg. 10
	170341	12 V	5 W		809002	Pkg. 10
	170343	12 V	5 W		809002	Pkg. 10
	170005	12 V	10 W		809002	Pkg. 10
	170344	12 V	10 W		809002	Pkg. 10
	170411	12 V	10 W		809002	Pkg. 10
	170342	12 V	15 W			Pkg. 10
	170588	12 V	18 W		809002	Pkg. 10
	171139	12 V	21 W			Pkg. 10
	170414	24 V	5 W			Pkg. 10
	170415	24 V	5 W			Pkg. 10
	170475	24 V	10 W			Pkg. 10
	170592	24 V	15 W			Pkg. 10
	170589	24 V	18 W			Pkg. 10

## Parking and Flasher - Postion

	Item no.	Volt	Watt	Colour	Ass.	Comment
	171102	24 V	5 W			Pkg. 10
	BA15d					
	170773	12 V	5 W			Pkg. 10
	170794	24 V	5 W			Pkg. 10
	171118	24 V	5 W			Pkg. 10
	BA15S					
	171119	12 V	2 W			Pkg. 10
	BA7s					
	171490	6 V	3 W			Pkg. 10
	171103	12 V	2 W			
	170774	12 V	4 W			
	170822	12 V	4 W			
	170796	24 V	2 W			
	170795	24 V	4 W			
	BA9s					
	171401	12 V	5 W			Pkg. 10
	T15					
<i>Jahn</i>	Item no.	Volt	Watt	Colour	Ass.	Comment
	170593	12 V	5 W			Pkg. 10
	170482	24 V	5 W			Pkg. 10
	171481	6 V	5 W			Pkg. 10
	171480	6 V	10 W			Pkg. 10
	171472	6 V	18 W			Pkg. 10
	170340	12 V	5 W		809008	Pkg. 10
	170660	12 V	5 W			Pkg. 10
	170339	12 V	10 W		809008	Pkg. 10
	170413	24 V	5 W			Pkg. 10
	170455	24 V	5 W			Pkg. 10
	BA15S					
	171482	6 V	6 W	White		Pkg. 10
	171483	6 V	15 W	White		Pkg. 10
	170448	12 V	2 W		809006	Pkg. 10
	170456	24 V	3 W			Pkg. 10
	BA7s					
	171491	6 V	2 W			Pkg. 10
	171492	6 V	4 W			Pkg. 10
	170345	12 V	2 W		809006	Pkg. 10
	170594	12 V	3 W		809006	Pkg. 10
	170346	12 V	4 W		809006	Pkg. 10
	170580	12 V	5 W			Pkg. 10
	170416	24 V	2 W			Pkg. 10
	170474	24 V	3 W			Pkg. 10
	170417	24 V	4 W			Pkg. 10
	170503	24 V	4 W			Pkg. 10
	BA9s					

## Wedge Base

	Item no.	Volt	Watt	Colour	Ass.	Comment
 T10	171121	12 V	2 W			Pkg. 10
	171104	12 V	3 W			Pkg. 10
	170948	12 V	5 W	Xenon blue	809006	Pkg. 10 <i>Brighter light as standard.</i>
	171105	12 V	5 W			Pkg. 10
	171122	12 V	5 W	Blue		Pkg. 10
	171123	12 V	5 W	Orange		Pkg. 10
	170810	12 V	8 W		809006	Pkg. 10
	171106	24 V	3 W			Pkg. 10
	171107	24 V	5 W			Pkg. 10
 T5	170775	12 V	1.2 W			Pkg. 10
	171108	24 V	1.2 W			Pkg. 10
 T7	171391	12 V	3 W		809009	Pkg. 10
	Item no.	Volt	Watt	Colour	Ass.	Comment
 T10	170725	12 V	2 W		809006	Pkg. 10
	170331	12 V	3 W		809003, 809006	Pkg. 10
	170778	12 V	3 W	Orange	809006	Pkg. 10
	170779	12 V	3 W	Green	809006	Pkg. 10
	170780	12 V	3 W	Blue	809006	Pkg. 10
	170781	12 V	3 W	Red	809006	Pkg. 10
	170347	12 V	5 W		809003, 809006	Pkg. 10
	170662	12 V	5 W			Pkg. 10
	170754	12 V	5 W			Pkg. 10
	171027	24 V	2 W		809004	Pkg. 10
	170476	24 V	3 W		809005	Pkg. 10
	170805	24 V	3 W	Orange	809004	Pkg. 10
	170806	24 V	3 W	Green	809004	Pkg. 10
	170807	24 V	3 W	Blue	809004	Pkg. 10
	170808	24 V	3 W	Red	809004	Pkg. 10
	170542	24 V	5 W		809005	Pkg. 10
				Longlife		
				Orange	809005	Pkg. 10
					809004	Pkg. 10
 T5	170410	12 V	1.2 W		809003, 809006	Pkg. 10
	170617	12 V	1.2 W	Frosted	809003, 809006	Pkg. 10
	171283	12 V	2 W			Pkg. 10
	170684	24 V	0.7 W		809005	Pkg. 10
	170477	24 V	1.2 W		809005	Pkg. 10
	171386	24 V	2 W			Pkg. 10
Instrument Panel						
	Item no.	Volt	Watt	Colour	Ass.	Comment
 B8.4d	171109	12 V	1.2 W			Pkg. 10
	171381	12 V	1.2 W		809009	Pkg. 10
	171023	12 V	1.5 W		809009	Pkg. 10
	171110	12 V	2 W			Pkg. 10
	171030	24 V	1.2 W			Pkg. 10



	Item no.	Volt	Watt	Colour	Ass.	Comment
 B8.5d	171380	12 V	0.36 W		809009	Pkg. 10
	171379	12 V	1 W		809009	Pkg. 10
	171024	12 V	1.2 W		809009	Pkg. 10
	171383	12 V	1.5 W		809009	Pkg. 10
	171028	24 V	1.2 W		809009	Pkg. 10
 B8.7d	171455	12 V	2 W		809009	Pkg. 10
 BX2d	171284	12 V	1.2 W		809009	Pkg. 10
 EBSN10	171377	24 V	1.2 W			Pkg. 10 Alba - type.
 EBSR11	171031	12 V	1.2 W		809009	Pkg. 10 Alba - type.
	170698	12 V	1.8 W		809004	Pkg. 10
	171025	24 V	1.2 W		809004	Pkg. 10
	171026	24 V	1.2 W		809004	Pkg. 10
	171285	24 V	1.2 W	Frosted		Pkg. 10
	171032	24 V	1.4 W		809004	Pkg. 10
 F4.8	171112	14 V	1.2 W			Pkg. 10
 MFHZ	171382	12 V	1.2 W		809009	Pkg. 10
 MFJF	171384	12 V	1.2 W		809009	Pkg. 10
	171837	12 V	2 W			
 T-1/4	170364	14 V	1.12 W		809003, 809006	Pkg. 10
 T-1/4NW	170762	14 V	0.8 W		809005	Pkg. 10
	171389	14 V	1.4 W		809009	Pkg. 10
 T-3/4	170972	12 V	0.6 W		809005	Pkg. 10 Used as locating light bulbs in switches on Japanese vehicles.

	Item no.	Volt	Watt	Colour	Ass.	Comment
 T5	171388	12 V	0.4 W	Frosted	809009	Pkg. 10
	171029	24 V	1.2 W		809004	Pkg. 10
 T7	171111	14 V	2 W			Pkg. 10
	Item no.	Volt	Watt	Colour	Ass.	Comment
 B8.3d	170612	12 V	1.2 W		809003, 809006	Pkg. 10
	170613	24 V	1.2 W		809005	Pkg. 10
	170611	12 V	2 W		809003, 809006	Pkg. 10
 B8.4d	171033	12 V	1.12 W		809009	Pkg. 10
	170727	12 V	1.2 W		809005	Pkg. 10
	170756	12 V	2 W		809005	Pkg. 10
 B8.5d	170357	12 V	1.2 W		809003, 809006	Pkg. 10
	170610	12 V	2 W		809003, 809006	Pkg. 10
	170358	24 V	1.2 W		809005	Pkg. 10
 B8.7d	170545	12 V	1.2 W		809003, 809005, 809020	Pkg. 10
 EBSR10	171454	24 V	1.2 W	Frosted		Pkg. 10
 F4.8	170753	14 V	1.4 W		809005	Pkg. 10
 T5	170755	12 V	0.5 W		809005	Pkg. 10
	170758	12 V	1.2 W		809005	Pkg. 10
	170782	12 V	1.2 W	Orange	809006	Pkg. 10
	170783	12 V	1.2 W	Green	809006	Pkg. 10
	170784	12 V	1.2 W	Blue	809006	Pkg. 10
	170785	12 V	1.2 W	Red	809006	Pkg. 10
 T7	170757	14 V	2 W		809005	Pkg. 10

## Conventional

	Item no.	Volt	Watt	Colour	Ass.	Comment
 BA15d	170950	12 V	36/36 W			Pkg. 10
 P45t	170771	12 V	45/40 W	Bilux		Pkg. 10
	Item no.	Volt	Watt	Colour	Ass.	Comment
 BA15S	170577	12 V	45 W			Pkg. 1 For US and UK systems.
	170578	24 V	45 W			Pkg. 10 For US and UK systems.
 BA20d	171623	6 V	15 W			Pkg. 10
	171531	6 V	35/35 W			Pkg. 10
	170814	12 V	25/25 W		809008	Pkg. 10
	170815	12 V	35/35 W		809008	Pkg. 10
	170573	12 V	45/40 W			Pkg. 10
	170574	24 V	45/40 W			Pkg. 10
 BA20s	170575	12 V	35 W			Pkg. 10
	170579	12 V	50 W			Pkg. 10 For German and Italian systems.
 P26s	170816	12 V	15 W		809008	Pkg. 10
 P45t	171477	6 V	45/40 W	Bilux		Pkg. 10
	170338	12 V	45/40 W	Bilux		Pkg. 10
	170350	24 V	55/50 W	Bilux		Pkg. 10

## Electric Vehicles and Forklifts

	Item no.	Volt	Watt	Colour	Ass.	Comment
 BA15S	171410	48 V	10 W			Pkg. 10
	171408	48 V	25 W			Pkg. 10
 BAY15d	171458	48 V	25 W			Pkg. 10
	171411	48 V	25/10 W			Pkg. 10

	Item no.	Volt	Watt	Colour	Ass.	Comment
 PK22s	171407	48 V	45 W	Halogen		Pkg. 10
	171378	80 V	55 W	Halogen		Pkg. 10

## Flash and Penlight

	Item no.	Volt	Watt	Colour	Ass.	Comment
 	171724			Xenon		Pkg. 1
 2P	171275	2.4 V				Pkg. 2
 E10	170509	12 V	3 W			Pkg. 10
	170674	24 V	2 W			Pkg. 10
 P13.5s	171278	2.4 V		Krypton		Pkg. 10
	170201	2.5 V				Pkg. 10
	171280	4.8 V		Krypton		Pkg. 10

## Wedge Base - Covers

	Item no.	Volt	Watt	Colour	Ass.	Comment
 	170731			Blue	809005	Pkg. 25
	170732			Green		
	171127			Orange		
 	171128			Blue		Pkg. 10
	171129			Green		Pkg. 10
	171130			Red		Pkg. 10
	171131			Orange		Pkg. 10

## Halogen

 PG13	171748	12 V	50 W	Halogen		Pkg. 10
 W2.5x16d	171747	12 V	27 W			Pkg. 10



	Item no.	Volt	Watt	Colour	Ass.	Comment
 BA9s	170470	12 V	5 W	Halogen		Pkg. 10
	170502	12 V	12 W	Halogen		Pkg. 10
	170380	12 V	20 W	Halogen		Pkg. 10
 G4	171425	12 V	5 W	Halogen		Pkg. 10
	170712	12 V	10 W	Halogen		Pkg. 5
	170749	12 V	20 W	Halogen		Pkg. 5
	170848	24 V	10 W	Halogen		Pkg. 5
	170750	24 V	20 W	Halogen		Pkg. 5
 T10	171124	12 V	5 W	Halogen		Pkg. 10
	Item no.	Volt	Watt	Colour	Ass.	Comment
 B10d	170751	12 V	3 W	Halogen	809005	Pkg. 10
	170752	12 V	5 W	Halogen	809005	Pkg. 10
 BA15S	170839	12 V	10 W	Halogen		Pkg. 10
Stop and Flasher - Position						
	Item no.	Volt	Watt	Colour	Ass.	Comment
 BA15d	171088	24 V	15 W			Pkg. 10
 BA15S	170772	12 V	10 W			Pkg. 10
	170769	12 V	21 W			Pkg. 10
	171091	12 V	21 W	Orange		Pkg. 10
	170793	24 V	10 W			Pkg. 10
	171076	24 V	10 W			Pkg. 10
	171086	24 V	15 W			Pkg. 10
	170826	24 V	21 W			Pkg. 10
	171078	24 V	21 W			Pkg. 10
 BAU15s	171089	12 V	21 W	Orange		Pkg. 10
	171371	12 V	21 W	Silver/amber		
	171090	24 V	21 W	Orange		
 PG20/4	171869	12 V	24 W	Orange		300lm.

	Item no.	Volt	Watt	Colour	Ass.	Comment
 T13	171390	12 V	10 W			Pkg. 10
 T15	171402	12 V	10 W			Pkg. 10
	171403	12 V	21 W			Pkg. 10
<i>Jahn</i>	Item no.	Volt	Watt	Colour	Ass.	Comment
	170581	12 V	25 W			Pkg. 10
	170583					Pkg. 10
	170585					Pkg. 10
	170673					Pkg. 10
						Pkg. 10
 BA15d	171470	6 V	15 W			Pkg. 10
	170583	12 V	15 W			Pkg. 10
	170585	12 V	20 W			Pkg. 10
	170673	12 V	20/5 W			Pkg. 10
	170507	24 V	15 W			Pkg. 10
	170481	24 V	20 W			Pkg. 10
 BA15S	171471	6 V	20 W			Pkg. 10
	171475	6 V	21 W			Pkg. 10
	170663	12 V	10 W	Longlife		Pkg. 10
	170582	12 V	15 W			Pkg. 10
	170584	12 V	15 W			Pkg. 10
	170586	12 V	18 W			Pkg. 10
	170335	12 V	21 W			Pkg. 10
	170658	12 V	21 W	Longlife	809008	Pkg. 10
	170351	24 V	10 W			Pkg. 10
	170454	24 V	10 W			Pkg. 10
	170480	24 V	15 W			Pkg. 10
	170938	24 V	15 W			Pkg. 10
	170761	24 V	18 W			Pkg. 10
	170483	24 V	20 W			Pkg. 10
	170349	24 V	21 W			Pkg. 10
	170451	24 V	21 W			Pkg. 10
	170614	24 V	25 W			Pkg. 10
 BAU15s	170648	12 V	21 W	Orange		Pkg. 10
	170849	24 V	21 W	Orange		Pkg. 10
 T16	170813	12 V	16 W			Pkg. 10
 T20	170777	12 V	21 W	Orange		Pkg. 10
	171398	12 V	21 W			Pkg. 10

## Spare Lamp Kits

## For Cars

**Jahn**

171040



171042



171043

Dimensions: 90 x 90 x 57 mm.

Contains:

CARGO	TYPE	Jahn Ref. No.	Description	H4 171040	H7 171042	H1/H7 171043
170804	H4	1134	12 V. 60/55 W. P43t.	1		
170332	H1	1111	12 V. 55 W. P14.5s.			1
170720	H7	1117	12 V. 55 W. PX 26d.		1	1
170335	P12W.	1321	12 V. 21 W. BAY15s.	1	1	1
170336	P21/5W	1341	12 V. 21/5W. BAY15d.	1	1	1
170648	PY21W	1383	12 V. 21W. BAU15s.		1	1
170347	W5W	1621	12 V. 5 W. W2.1 x 9.5d.		1	1
170340	R5W	1401	12 V. 5 W. BA15s.	1	1	
170341	C5W	1711	12 V. 5 W. SV8.5.		1	1
170346	T4W	1501	12 V. 5 W. SV8.5.	1		
190057	ATO blade fuse		10 Amp. Red.	1	1	1
190058	ATO blade fuse		15 Amp. Blue.	1	1	1
190059	ATO blade fuse		20 Amp. Yellow.	1	1	1

## For Trucks and Busses

**Jahn**

Contains:

CARGO	TYPE	Jahn Ref. No.	Description	H4 171044
170348	H4	1102	24 V. 75/70W P43t.	2
170417	T4W	1502	24 V. 4 W. BA9s.	2
170413	R5W	1402	24 V. 5 W. BA15s.	1
170351	R10W	1412	24 V. 10 W. BA15s.	1
170349	P21W.	1322	24 V. 21 W. BA15s.	4
170416	T2W	1512	24 V. 2 W. BA9s.	2
170475	Fest. T10.5	1732	24 V. 10 W. SV8.5.	1
170414	C5W	1712	24 V. 5 W. SV8.5.	1
190057	ATO blade fuse		10 Amp. Red.	1
190058	ATO blade fuse		15 Amp. Blue.	1
190059	ATO blade fuse		20 Amp. Yellow.	1
190060	ATO blade fuse		25 Amp. Natural.	1



171044

Dimensions: 210 x 95 x 60 mm.



# Assortments

Edition 2012/2013





## Assortment Box and Inserts




**200663** Std pkg 6  
Profi Service Case, empty.  
Can be divided using inserts.  
Dim.: 340 x 265 x 57 mm.  
Polypropylene (Unbreakable).


### INSERTS FOR ASSORTMENT BOXES Polypropylene (Unbreakable)




**200664** Std pkg 96  
Dim.: 55 x 40 x 45 mm.




**200665** Std pkg 48  
Dim.: 110 x 40 x 45 mm.




**200666** Std pkg 30  
Dim.: 165 x 40 x 45 mm.



**200667** Std pkg 24  
Dim.: 220 x 40 x 45 mm.




**200668** Std pkg 48  
Dim.: 55 x 80 x 45 mm.




**200669** Std pkg 24  
Dim.: 55 x 160 x 45 mm.




**200670** Std pkg 15  
Dim.: 55 x 240 x 45 mm.



**200671** Std pkg 24  
Dim.: 110 x 80 x 45 mm.



**200672** Std pkg 12  
Dim.: 220 x 80 x 45 mm.



**200673** Std pkg 12  
Dim.: 110 x 160 x 45 mm.



**200676**  
Display for 4 Profi Service Cases.  
Dim.: 330 x 360 x 200 mm




**200693**  
Display for 4 Profi service cases.  
Dim.: 313 x 373 x 265 mm  
Can be assembled horizontally or vertically.

## Bulb Holders

809001

	Qty.
170136 ..... Bulb Holder.....	5
170137 ..... Bulb Holder.....	5
170138 ..... Bulb Holder.....	5
170139 ..... Bulb Holder.....	5
170433 ..... Bulb Holder.....	5
170135 ..... Bulb Holder.....	5
170596 ..... Bulb Holder.....	5
170619 ..... Bulb Holder.....	3
170763 ..... Bulb Holder.....	3
170790 ..... Bulb Holder.....	5
170791 ..... Bulb Holder.....	5
170799 ..... Bulb Holder.....	3
170827 ..... Bulb Holder.....	5

	Qty.
191938 ..... Terminal .....	100
193026 ..... Terminal .....	100



## Feston Bulbs 12 V

809002

	Qty.
170005 ..... Bulb .....	20
170344 ..... Bulb .....	20
170343 ..... Bulb .....	20
170341 ..... Bulb .....	20
170411 ..... Bulb .....	20
170588 ..... Bulb .....	20
170590 ..... Bulb .....	20
170591 ..... Bulb .....	20



## Wedge-Base Bulbs 12 V - I

809003

	Qty.
170331 ..... Bulb .....	20
170347 ..... Bulb .....	20
170357 ..... Bulb .....	20
170410 ..... Bulb .....	20
170545 ..... Bulb .....	20
170610 ..... Bulb .....	10
170612 ..... Bulb .....	10
170611 ..... Bulb .....	10
170617 ..... Bulb .....	10
170698 ..... Bulb .....	10
170364 ..... Bulb .....	20



## Wedge-Base Bulbs 24 V

809004

	Qty.
170358 ..... Bulb .....	10
170476 ..... Bulb .....	10
170477 ..... Bulb .....	10
170542 ..... Bulb .....	10
170613 ..... Bulb .....	10
170684 ..... Bulb .....	10
170805 ..... Bulb .....	10
171026 ..... Bulb .....	10
170806 ..... Bulb .....	10
170807 ..... Bulb .....	10
170808 ..... Bulb .....	10
171025 ..... Bulb .....	20
171027 ..... Bulb .....	10
171028 ..... Bulb .....	10

	Qty.
171029 ..... Bulb .....	10
171032 ..... Bulb .....	10



## Wedge-Base Bulbs 12 V - II

809005

	Qty.
170410..... Bulb .....	10
170727..... Bulb .....	5
170617..... Bulb .....	10
170611..... Bulb .....	10
170758..... Bulb .....	5
170756..... Bulb .....	5
170357..... Bulb .....	10
170545..... Bulb .....	10
170610..... Bulb .....	10
170753..... Bulb .....	5
170612..... Bulb .....	10
170752..... Bulb .....	5
170754..... Bulb .....	5
170972..... Bulb .....	10

	Qty.
170698..... Bulb .....	5
170757..... Bulb .....	5
170762..... Bulb .....	5
170732..... Bulb Cover.....	10
170755..... Bulb .....	5
170347..... Bulb .....	10
170331..... Bulb .....	10
170364..... Bulb .....	10
170731..... Bulb Cover.....	10
170751..... Bulb .....	5



## Wedge-Base Bulbs 12 V - III

809006

	Qty.
170594..... Bulb .....	10
170448..... Bulb .....	10
170346..... Bulb .....	20
170822..... Bulb .....	5
170948..... Bulb .....	5
170345..... Bulb .....	10
170780..... Bulb .....	10
170781..... Bulb .....	10
170782..... Bulb .....	10
170783..... Bulb .....	10
170784..... Bulb .....	10
170785..... Bulb .....	10
170725..... Bulb .....	10
170778..... Bulb .....	10

	Qty.
170779..... Bulb .....	10



## Wedge-Base Bulbs 12 - 24 V

809007

	Qty.
170347..... Bulb .....	10
170331..... Bulb .....	10
170357..... Bulb .....	10
170358..... Bulb .....	10
170364..... Bulb .....	10
170410..... Bulb .....	10
170476..... Bulb .....	10
170477..... Bulb .....	10
170542..... Bulb .....	10
170545..... Bulb .....	10
170613..... Bulb .....	10
170612..... Bulb .....	10
170611..... Bulb .....	10
170610..... Bulb .....	10

	Qty.
170617..... Bulb .....	10
170684..... Bulb .....	10



## Scooter Bulbs

809008

	Qty.
170335..... Bulb .....	5
170336..... Bulb .....	5
170339..... Bulb .....	5
170340..... Bulb .....	5
170810..... Bulb .....	5
170811..... Bulb .....	2
170812..... Bulb .....	2
170814..... Bulb .....	3
170815..... Bulb .....	3
170816..... Bulb .....	5



# Wedge-Base Bulbs 12 V - IV

809009


Assortments

	Qty.
171379 ..... Bulb .....	10
171380 ..... Bulb .....	10
171381 ..... Bulb .....	10
171382 ..... Bulb .....	10
171383 ..... Bulb .....	10
171384 ..... Bulb .....	10
171385 ..... Bulb .....	10
171387 ..... Bulb .....	10
171024 ..... Bulb .....	10
171388 ..... Bulb .....	10
171023 ..... Bulb .....	10
171389 ..... Bulb .....	10
171284 ..... Bulb .....	10
171031 ..... Bulb .....	10

	Qty.
171033 ..... Bulb .....	10
171391 ..... Bulb .....	10









# Cross Reference List

OE No. - HC-CARGO No.

Edition 2012/2013



O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO
<b>ALBA</b>		<b>DELPHI</b>		2SE001679-071	171188	9EL146451-001	171236
2761	171025	854000	170137	2SE001685-201	171194	9EL786000-001	170641
2762	171025	854600	170596	2SE001685-221	171194	9EL787000-001	170642
<b>ARIC</b>		<b>FORD</b>		2SE001685-331	171194	9EL997332-001	171235
33101000	171140	6160195	171162	2SE001685-331	171328	9EL997451-001	171258
33140000	171141	6696033	171162	2SE001699-071	171188	9EL997452-001	171259
33149000	171142			2SE002578-001	171191	9EL998002-001	171253
33150000	171143	<b>GE LIGHTING</b>		2SE002578-701	171191	9EL998002-011	171254
33153000	171144	1157	170724	2SE003167-021	171199	9ES106588-001	171250
33603000	171146	2357NA	170709	2SE003167-031	171198	9XD997909-801	171266
33634000	171147	3057NA	170711	2SE003184-011	171203	<b>IVECO</b>	
33635000	171148	3157	170710	2SE003184-101	171204	99463242	170998
33636631	171149	886	170951	2SE021088-001	171323	99463243	171098
33652000	171151	894	170726	2SE997098-001	171323	99463244	170999
33673000	171153	9004	170692	2SE997111-011	171203	<b>JAHN</b>	
33675000	171155	9005	170693	2SE997111-021	171204	1000	171133
33676000	171156	9006	170694	2SE998530-001	171202	1100	170804
33909130	170635	<b>HELLA</b>		2SK005883-011	170913	1101	170334
33909132	170636	1A3002850-031	170868	2SK005883-021	170913	1101	170768
34675000	171160	1A3996026-011	171038	2SL003567-691	171206	1102	170348
42632000	171299	1GA006876-001	171168	2SL005883-031	170912	1102	170792
42931000	171299	1GA006991-001	170851	2TF001259-661	171197	1103	170360
42931536	171307	1GA006991-031	170853	2TF001259-761	171197	1104LL	170657
42934000	171302	1GA006991-041	170851	2TJ003168-051	171196	1104LL	171113
42935000	171303	1GA006991-044	170851	2TJ781000-001	170668	1106	170692
42936000	171303	1GA007506-011	170857	2TJ801000-001	170640	1107	170450
42937000	171306	1GA007506-091	170857	2TM006717-047	170886	1107	171125
42938000	171306	1GA998532-011	170859	2VD007323-031	170916	1108	170572
42939000	171308	1AA004109-041	170867	2VD007323-041	170917	1109	170009
42939536	171312	2BE001259-061	171215	2VD007323-131	170922	1109	171065
42940536	171312	2BE003014-251	170925	2VD007323-141	170923	1110	170645
42941000	171311	2BE003184-051	171217	2VD007500-091	171447	1101	170802
42942000	171311	2BE003184-061	171218	2VPO07323-021	170917	1111	170069
42977000	171296	2BE998530-011	171216	2VPO07323-121	170923	1111	170332
44847000	170998	2KA001386-281	170936	2XS005639-001	171196	1111	170823
44847536	171000	2KA001389-101	171166	2ZR001389-101	171224	1117	170825
44848000	170999	2KA001389-101	171224	2ZR001423-001	170934	1112	170449
44849000	171098	2KA003389-061	171225	2ZR002985-081	170935	1112	171072
44904000	171329	2KA003389-067	171225	2ZR002985-264	170935	1121	170824
44904535	171330	2KA997011-021	171224	2ZR003315-041	170932	1121	170722
44905000	171328	2NE001412-091	170930	2ZR997033-011	171222	1114	170965
44954536	171162	2NE001423-011	170929	8HG002240-001	171226	1115	171070
44981000	171323	2NE003315-011	170928	8JA001909-001	170964	1115	170720
44981135	171325	2PF001259-631	171182	8PD003798-001	210212	1117	170720
55631000	171164	2PF001638-011	170875	8RA002014-031	170165	1119	170800
55632000	171165	2PF001638-011	170875	8RA002014-041	170170	1121	170070
55951000	171166	2PF003057-041	171171	8RA002014-051	170169	1121	170333
77163000	170927	2PF997027-011	171322	8RA002020-001	170163	1122	170412
77163133	170989	2PG003057-011	171174	8RA002023-001	171231	1122	170836
77164000	170925	2PG003057-061	171174	8RA002023-011	171232	1124	170723
77306000	170943	2PG003057-067	171174	8RA002023-021	171233	1125	170696
77309135	170944	2PG006717-021	170887	8RA002023-21	171233	1131	170576
99904000	171295	2PS003057-051	171175	8RA002023-21	171233	1131	171073
<b>BOSCH</b>		2PS003748-001	171184	8RA003326-011	171230	1132	170478
0311424007	171194	2PS006717-031	170884	9DF112246-001	170620	1132	171074
0311424008	171195	2PS006717-061	170885	9DF112247-001	170621	1134	171074
0311425001	171198	2SA001259-651	171181	9EL088146-001	171245	1138	171115
0311425002	171199	2SA001259-751	171181	9EL088538-001	171248	1152	170006
0311425003	171201	2SA003057-021	171173	9EL109048-001	171244	1153	170361
1305320816	170620	2SA006717-001	170886	9EL109139-001	171234	1155	170359
1305320818	170621	2SA997027-001	171331	9EL109208-011	171246	1172	171478
1305620959	171252	2SD001679-001	170908	9EL112753-001	171236	1173	170718
1315601902	171237	2SD001685-211	171195	9EL112758-001	171236	1176	170951
		2SD001685-231	171195	9EL113324-001	171237	1177	170693
		2SD001685-341	171195	9EL113324-041	171237	1178	170694
		2SD001685-341	171329	9EL117330-001	171238	1179	171039
		2SD001688-141	170893	9EL117330-011	171240	1181	170496
<b>CARGO</b>		2SD001688-171	170895	9EL117334-001	171242	1182	170362
170851	170980	2SD001688-171	170895	9EL117334-021	171243	1183	171009
170857	170982	2SD001699-061	171189	9EL118445-001	171252	1184	171010
		2SD001699-071	171190	9EL118697-001	171258	1185	170495
		2SD001699-511	171190	9EL118700-001	171258	1186	171034
		2SD002578-011	171191	9EL118701-001	171259	1187	171035
<b>DAF</b>		2SD003167-011	171201	9EL118703-001	171260	1188	171036
1272653	170968	2SD003167-021	171199	9EL121431-001	171259	1189	171037
1284211	171002	2SD003184-031	171203	9EL122689-027	171263	1191	170493
1284212	171001	2SD003184-041	171204	9EL135266-001	171244	1191	171068
		2SE001679-051	170907				

O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO
1192	170494	1502	170795	1715	171095	2722MF8	170611
1195	170380	1506	170503	1720	171488	2722MF8	171138
1199	170681	1508LL	170661	1721	170343	2741	170477
1200	171477	1510	171491	1721	171097	2741	171108
1201	170338	1511	170345	1722	170415	2741MF	170358
1201	170771	1511	171103	1722	171099	2741MF8	170613
1202	170350	1512	170416	1730	171489	2741MFX	171028
1211	170814	1512	170796	1731	170344	2820	170725
1221	170815	1520	171490	1731	171098	2820	171121
1231	170573	1521	170594	1732	170475	2821	170331
1232	170574	1522	170474	1732	171100	2821	171104
1241	170575	1531	170580	1735	170005	2825	170347
1245	170579	1540	171482	1740	171486	2825	171105
1248	170577	1550	171483	1741	170342	2825L	170662
1249	170578	1551	170448	1742	170592	2827	170754
1301	170582	1551	171119	1750	171479	2840	171027
1302	170480	1552	170456	1751	170588	2841	170476
1310	171472	1601	170410	1752	170589	2841	171106
1311	170586	1601	170775	1761	171139	2845	170542
1312	170761	1601-AMBER	170782	1836	170470	2845	171107
1318LL	170658	1601-BLUE	140784	1848	170380	3757	170711
1320	171475	1601-GREEN	170783	1849	170502	3796	170345
1321	170335	1601-RED	170785	1855	170839	3796	171103
1321	170769	1602	170477	1856	170838	3797	170416
1322	170349	1602	171108	1896	170741	3797	170796
1322	170826	1603	170617	1896	171082	3799	171483
1326	170451	1605	171283	1897	170742	3860	170580
1326	171078	1606	171386	1898	170751	3892	171492
1338LL	170659	1608	170758	1899	170752	3893	170346
1341	170336	1609	170755	1920	171042	3893	170774
1341	170770	1611	170331	1921	171043	3894	170594
1342	170452	1611	171104	1924	171041	3895	171491
1342	171092	1611-AMBER	170778	1932	171044	3896	171490
1345	170644	1611-BLUE	170780	1950	171040	3898	170448
1345	171093	1611-GREEN	170779	2000	171132	3898	171119
1351	170337	1611-RED	170781	20238	170726	3899	170456
1352	170453	1612	170476	24338	170509	3930	170417
1361	170581	1612	171106	27225	170725	3930	170795
1362	170614	1612-AMBER	170805	27243	171027	5001	171480
1365	170816	1612-BLUE	170807	37755	170664	5006	171481
1375	170585	1612-GREEN	170806	50440MPU	171064	5007	170340
1376	170481	1612-RED	170808	7234	171531	5007	170773
1380	171471	1621	170347	H4360	H4360	5007L	170660
1381	170560	1621	171105	H5360	H5360	5008	170339
1382	170483	1622	170542			5008	170772
1383	170648	1622	171107	<b>MAN</b>		5008L	170663
1383	171089	1624	170754	81.25229-6051	170968	5407	170593
1385	170673	1628LL	170662			5626	170482
1390	171470	1631	170777	<b>MERCEDES BENZ</b>		5626	171102
1391	170583	1632	170776	0015406270	171311	5627	170413
1391	171087	1633	171398	0015406370	171308	5627	170794
1392	170507	1641	170727	0025445503	171306	5631	170584
1392	171088	1641	171109	0035445203	171299	5637	170351
1393	170849	1645	170756	0035445303	171302	5637	170793
1393	171090	1645	171110	0035445403	171303	6253	170580
1401	170340	1646	171033	0035445503	171299	64070	170493
1401	170773	1651	170545	0035445603	171302	64070	171068
1402	170413	1655	170610			6411	170344
1402	170794	1661	170357	<b>OSRAM</b>		6411	171098
1406	170455	1662	170358	1157	170724	64111	170470
1406	171118	1665	170611	2321MFX	171379	64113	170502
1408LL	170660	1665	171138	2322MFX	171380	64115	170380
1410	171480	1671	170612	2351MFX	171381	64122MF	170751
1411	170339	1682	170613	2351MFX6	170727	64124MF	170752
1411	170772	1692	170757	2351MFX6	171109	6413	170343
1412	170351	1692	171111	2352MFX6	170756	6413	171097
1412	170793	1695	170753	2352MFX6	171110	64132	170741
1415	170584	1695	171112	2452MFX6	171023	64132	171082
1416	170454	1696	170698	2473MFX6	171033	64136	170742
1416	171076	1699	171025	2721	170410	64136	171083
1417	170938	1700	171485	2721	170775	64138	171084
1418LL	170663	1701	170590	2721MF	170357	64148	170645
1431	170593	1705	170591	2721MF8	170612	64149	170696
1432	170482	1710	171484	2721MF8W	170545	64150	170069
1432	171102	1711	170341	2721MFHZ	171382	64150	170332
1500	171492	1711	171094	2721MFJF	171384	64150ALL	170722
1501	170346	1712	170414	2721MFX	171024	64150SUP	170965
1501	170774	1712	171096	2722MF	170610	64150SUP	171070
1502	170417	1715	170411			64151	170070



O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO
<b>OSRAM continued</b>							
64151	170333	7506L	170658	12336BV	171075	12844	171094
64151ALL	170723	7507	171089	12342	170334	12850	170342
64152	170493	7507	170648	12342	170768	12854	170411
64153	170496	7507LDA	171371	12342	170804	12854	171095
64155	170449	7511	170349	12342BV	171067	12860	170005
64155	171072	7511	170826	12342GO	171114	12864	170343
64156	170412	7512	170481	12342GO	171115	12864	171097
64156	170836	7512A	170481	12342GOLD	171114	12865	170005
6416	171488	7517	171476	12342LL	170657	12866	170344
64173	170576	7526	171472	12342LL	171113	12866	171098
64173	171073	7527	170586	12342PR	170804	12875	170509
64175	170478	7528	170336	12342PR	171066	12886	170951
64175	171074	7528	170770	12342VP	171134	12894	170726
6418	170341	7528L	170659	12356	170742	12910	170594
6418	171094	7529	170482	12356	171083	12913	170345
64183	170681	7533	170582	12396	170754	12913	171103
64185	170718	7535	170761	12396	171123	12929	170346
64191	170572	7537	170452	12401	170582	12929	170774
64193	170334	7537	171092	12402	170583	12929LL	170661
64193	170768	7569	170577	12402	171087	12960	170725
64193	170804	7582	170581	12413	170584	12960	171121
64193GP	171114	7597	170614	12421	170560	12961	170347
64193GP	171115	7669	170578	12422	170585	12961	171105
64193L	170657	7950	171477	12428	170696	12961LL	170662
64193L	171113	7951	170338	12445	170586	12972	170720
64193SUP	170804	7951	170771	12454	170493	12972	171077
64193SUP	171066	7952	170350	12454	171068	12972BV	171079
64196	170348	9004	170692	12455	170496	12972LL	171117
64196	170792	9005	170693	12458	170718	12972PR	171081
64199	170006	9006	170694	12475	170681	12972VP	171137
64210	170720	9006XS	171794	12496	170648	13241	170578
64211	171037	9145	171036	12496	171089	13256	170476
64212	171034	94196	170450	12496SV	171371	13256	171106
64213	171035	94196	171125	12498	170335	13258	170449
64215	170800	9507	170849	12498	170769	13258	171072
64215	171080	9507	171090	12498LL	170658	13311	170478
64215L	171532	9511	170451	12499	170336	13311	171074
6423	170414	9511	171078	12499	170770	13324	170614
6423	171096	9627	170455	12499LL	170659	13336	170412
6424	170415	9627	171118	12500	170337	13336	170836
6424	171099	9637	170454	12503	170673	13342	170348
6428	170590	9637	171076	12507	170495	13342	170792
6429	170475	9930	170503	12516	170410	13342GO	170721
6429	171100			12516	170775	13342HD	170450
6439	170591	<b>PHILIPS</b>		12569	170009	13342HD	171125
6450	171489	1157	170724	12569	171065	13401	170480
6451	170342	12023	170470	12593	170572	13401	171086
6453	170592	12025	170380	12594	170644	13402	170507
6457	170643	12027	171124	12594	171093	13402	171088
6461	170411	12036	170741	12596	170071	13413	170938
6461	171095	12036	171082	12597	170612	13421	170483
6475	170588	12039	170591	12598	170357	13422	170481
6476	171139	12040	170948	12600	170610	13445	170761
6480	170589	12052	170822	12601	170611	13454	170494
66042	171613	12060	170726	12602	170611	13496	170849
66050	171132	12064	171135	12602	171138	13496	171090
66154	171683	12065	170777	12604	170610	13498	170349
66240	171133	12066	170776	12605	170357	13498	170826
7135	170816	12188	171869	12605	170610	13498HD	170451
7225	170644	12227	170575	12620	170338	13498HD	171078
7225	171093	12241	170577	12620	170771	13499	170452
7231	170337	12247	170579	12718	170814	13499	171092
7234	171531	12256	170331	12728	170815	13500	170453
7240	170673	12256	171104	12748	170573	13516	170477
7241	170337	12258	170069	12803	171139	13516	171108
7244	170453	12258	170332	12807	170588	13521M	170358
7301	170579	12258AW	170722	12814	170339	13593	170360
7309	170575	12258BV	171071	12814	170772	13597	170613
7326	170814	12258GO	170966	12814LL	170663	13598	170358
7327	170815	12258PR	170965	12818	170590	13620	170350
7351	170573	12258PR	171070	12819	170580	13628	170362
7360	170574	12258S	170645	12821	170340	13748	170574
7429	170507	12258VP	171136	12821	170773	13807	170589
7429	171088	12311	170576	12821LL	170660	13814	170351
7430	170583	12311	171073	12822	170593	13814	170793
7430	171087	12325	170581	12822	171101	13814HD	170454
7501	171475	12336	170070	12829	170448	13814HD	171076
7506	170335	12336	170333	12829	171119	13821	170413
7506	170769	12336AW	170723	12844	170341	13821	170794

O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO
13821HD	170455	20.104-031	170880	90.010-051	171237		
13821HD	171118	20.104-041	170881	90.017-001	171238		
13822	170482	20.131-051	170882	90.017-011	171239		
13822	171102	20.196-001	170884	90.017-021	171240		
13829	170456	20.196-021	170885	90.017-081	171242		
13844	170414	20.196-031	170886	90.017-091	171243		
13844	171096	20.196-041	170887	90.026-001	171244		
13850	170592	20.196-051	170888	90.026-011	171245		
13864	170415	21.001-021	171188	90.026-021	171246		
13864	171099	21.001-031	171189	90.026-031	171247		
13866	170475	21.001-071	171190	90.026-091	171248		
13866	171100	21.002-021	170893	90.032-021	171250		
13910	170474	21.002-031	170893	90.032-031	171250		
13913	170416	21.002-071	170895	90.086-021	171252		
13929	170417	21.008-041	171191	90.093-011	171253		
13929	170795	21.010-041	171192	90.093-021	171254		
13929HD	170503	21.010-051	171193	90.093-081	171255		
13961	170542	21.010-101	171194	90.094-001	171256		
13961	171107	21.010-111	171195	90.094-011	171257		
13972	170800	21.010-121	171328	90.104-001	170975		
13972	171080	21.010-131	171329	90.104-011	170976		
13972LL	171532	21.017-121	171196	90.111-001	171258		
24356	171084	21.026-011	171197	90.111-011	171259		
6258	170645	21.044-001	170907	90.111-021	171260		
6336	171469	21.044-011	170908	90.111-031	171261		
6402	171470	21.086-021	171198	90.131-001	170989		
6421	171471	21.086-031	171199	90.131-081	170944		
6445/99	171472	21.086-051	171201	90.147-021	171263		
6458	171473	21.088-001	171323	90.199-001	171264		
6498	171475	21.093-021	171202	90.199-011	171265		
6499	171476	21.111-001	171203	95.009-061	171266		
6620	171477	21.111-011	171204	95009-061	171266		
6636	171478	21.131-001	170943	99.176-001	171267		
6807	171479	21.147-071	171205	99.190-001	171268		
6811	171484	21.147-081	171206				
6814	171480	21.176-001	170912	<b>SCANIA</b>			
6821	171481	21.176-011	170913	1350343	170968		
6828	171482	21.195-001	171209	1365963	170916		
6829	171483	21.195-011	171210	1365964	170917		
6849	171485	21.197-001	170916	1365965	170917		
6850	171486	21.197-011	170917	VALEO			
6854	171487	21.197-021	170916	040500	170665		
6864	171488	21.197-031	170917	067500	170968		
6866	171489	21.197-111	170923	141500	170602		
6910	171490	21.197-121	170922	167600	170917		
6913	171491	21.197-131	170923	167680	171001		
6929	171492	21.199-001	171213	167690	171002		
7779	171027	21.199-011	171214	167700	170923		
85122	171133	22.026-171	171215	168100	170922		
85126	171132	22.028-091	170925	168270	170917		
85410	171613	22.093-041	171216	168340	170916		
9004	170692	22.111-001	171217	168350	170916		
9005	170693	22.111-011	171218	168360	170917		
9006	170694	22.111-041	171217	168590	171098		
		22.130-001	171006				
<b>SAW</b>		22.131-011	170927	<b>VOLVO</b>			
10.115-171	171167	23.030-051	170928	8181748	171003		
10.115-411	170851	23.033-001	170929	968372	171026		
10.185-021	171168	23.056-011	170930	968689	171025		
10.190-011	170857	23.093-001	171219	981189	171377		
14.115-011	170865	23.191-001	171220				
14.129-011	170867	24.030-051	170932				
20.017-001	171171	24.033-001	170934				
20.017-041	171173	24.033-031	171222				
20.017-061	170873	24.056-001	170935				
20.017-171	171174	24.056-011	170935				
20.017-181	171175	25.011-021	171224				
20.017-201	171176	25.012-011	170936				
20.017-211	171177	25.087-001	171225				
20.022-001	171178	80.085-001	171226				
20.022-011	171179	80.091-001	171228				
20.022-021	171180	80.091-021	171230				
20.024-001	170875	80.143-001	171231				
20.026-001	171181	80.143-011	171232				
20.026-021	171182	80.143-021	171233				
20.026-031	171183	90.001-011	171234				
20.094-001	171184	90.008-061	171235				
20.094-011	171185	90.008-101	171236				
20.104-021	170879	90.010-031	171237				

# Cross Reference List

O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO	O.E. No.	HC-CARGO



# Index

Edition 2012/2013





HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page
170002	80	170351	117	170483	117	170603	50
170005	109	170353	3	170488	22	170604	49
170006	104	170357	113	170489	22	170610	113
170009	103	170358	113	170490	5	170611	113
170032	86	170359	104	170491	5	170612	113
170033	86	170360	104	170492	11	170613	113
170035	86	170361	104	170493	102	170614	117
170036	86	170362	102	170494	102	170616	34
170069	102	170364	112	170496	103	170617	111
170070	102	170366	9	170502	116	170619	95
170071	103	170380	116	170503	110	170620	36
170093	21	170387	20	170505	9	170621	36
170130	21	170390	94	170506	9	170623	90
170132	31	170391	94	170507	117	170624	90
170135	94	170392	94	170509	115	170625	90
170136	94	170393	94	170512	102	170626	90
170137	94	170394	93	170513	103	170627	90
170138	94	170395	93	170514	103	170628	90
170139	95	170396	93	170515	103	170629	91
170142	89	170397	92	170525	9, 12	170630	91
170143	89	170398	92	170528	9, 13	170631	91
170144	89	170399	92	170531	20	170632	65
170163	89	170401	93	170534	22	170633	65
170165	90	170402	93	170537	20	170635	66
170169	90	170403	92	170540	5	170636	66
170170	90	170404	92	170541	5	170640	65
170171	92	170405	20	170542	111	170641	66
170201	115	170406	20	170543	9	170642	66
170208	90	170407	94	170545	113	170644	109
170212	90	170410	111	170549	34	170648	117
170213	90	170411	109	170550	34	170650	10
170237	22	170412	102	170551	5	170651	10
170239	33	170413	110	170552	65	170653	13, 31
170292	20	170414	109	170562	20	170654	12
170293	30	170415	109	170564	30	170657	103
170295	4	170416	110	170572	103	170658	117
170296	4	170417	110	170573	114	170659	108
170308	9	170419	20	170574	114	170660	110
170309	9	170433	95	170575	114	170662	111
170310	31	170435	4	170576	102	170663	117
170311	31	170436	4	170577	114	170664	86
170313	22	170437	5	170578	114	170665	60
170331	111	170438	5	170579	114	170668	65
170332	102	170448	110	170580	110	170670	70
170333	102	170449	102	170581	117	170671	66, 70
170334	103	170450	103	170582	117	170673	117
170335	117	170451	117	170583	117	170674	115
170336	108	170452	108	170584	117	170675	91
170337	108	170453	108	170585	117	170676	91
170338	114	170454	117	170586	117	170677	91
170339	110	170455	110	170588	109	170680	10
170340	110	170456	110	170589	109	170681	104
170341	109	170460	20	170590	109	170683	3
170342	109	170470	116	170591	109	170684	111
170343	109	170474	110	170592	109	170685	40
170344	109	170475	109	170593	110	170687	48
170345	110	170476	111	170594	110	170688	38
170346	110	170477	111	170596	95	170689	37
170347	111	170478	102	170598	6	170690	33
170348	103	170480	117	170599	6	170692	105
170349	117	170481	117	170601	6	170693	105
170350	114	170482	110	170602	50	170694	106

HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page
170696	102	170794	110	170910	38, 40, 60	171023	111
170698	112	170795	110	170916	51	171024	112
170710	107	170796	110	170917	51	171025	112
170711	107	170797	94	170922	51	171026	112
170712	116	170798	6	170923	51	171027	111
170713	69	170799	95	170925	79	171028	112
170718	103	170800	104	170927	79	171029	113
170720	104	170802	103	170928	38	171030	111
170721	103	170803	103	170929	39	171031	112
170723	102	170804	103	170930	39	171032	112
170724	108	170805	111	170932	37	171033	113
170725	111	170806	111	170934	37	171034	106
170726	107	170807	111	170935	37	171035	106
170727	113	170808	111	170936	81	171036	106
170729	91	170809	87	170938	117	171037	107
170730	91	170810	111	170939	40, 89	171038	32
170731	115	170811	104	170940	41	171039	106
170732	115	170812	104	170941	79, 89	171040	118
170741	105	170813	117	170942	89	171042	118
170742	105	170814	114	170943	41	171043	118
170745	87	170815	114	170944	48	171044	118
170746	87	170816	114	170945	9	171045	81
170747	87	170818	88	170946	74	171048	91
170748	87	170822	110	170948	111	171049	88
170749	116	170823	102	170950	114	171050	42
170750	116	170824	102	170951	107	171051	42
170751	116	170825	104	170952	78	171052	42
170752	116	170826	116	170964	95	171053	42
170753	113	170827	95	170965	102	171054	42
170754	111	170828	88	170968	60	171055	42
170755	113	170829	88	170970	23	171056	48
170756	113	170830	6	170972	112	171057	48
170757	113	170833	48, 88	170974	32	171058	48
170758	113	170834	80, 88	170975	74	171059	48
170759	94	170835	88	170976	78	171060	7
170761	117	170836	102	170979	23	171061	7
170762	112	170837	104	170980	23	171062	60
170763	95	170839	116	170981	23	171064	103
170768	103	170843	32	170982	24	171065	103
170769	116	170844	33	170983	24	171066	103
170770	108	170846	40	170984	24	171067	103
170771	114	170847	48	170985	41	171068	102
170772	116	170848	116	170986	41	171070	102
170773	110	170849	117	170987	48	171071	102
170774	110	170850	109	170989	80	171072	102
170775	111	170851	22	170990	51	171073	102
170776	109	170857	23	170991	52	171076	116
170777	117	170859	23	170998	52	171077	104
170778	111	170865	32	170999	52	171078	116
170779	111	170867	33	171000	60	171079	104
170780	111	170868	33	171005	10	171080	104
170781	111	170875	75	171006	32	171081	104
170782	113	170880	70	171007	33	171082	104
170783	113	170881	75	171008	33	171083	105
170784	113	170884	70	171009	107	171084	105
170785	113	170885	70	171010	107	171086	116
170788	21	170886	61	171013	41	171088	116
170789	21	170887	75	171014	41	171089	116
170790	95	170893	50	171015	48	171090	116
170791	95	170895	50	171016	48	171091	116
170792	103	170908	40, 51	171017	6	171092	108
170793	116	170909	38, 39, 58	171019	7	171093	108

HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page
171094	109	171182	76	171308	55	171417	74
171095	109	171183	69	171311	55	171419	74
171096	109	171184	71	171312	60	171423	7
171097	109	171185	76	171322	61	171424	7
171098	109	171188	52	171323	55	171425	116
171099	109	171189	52	171328	44, 55	171426	95
171100	109	171190	52	171329	44, 56	171427	95
171102	110	171191	43	171330	49, 61	171428	83
171103	110	171192	43, 53	171331	62	171441	56
171104	111	171193	43, 53	171332	76	171442	56
171105	111	171194	43, 53	171337	69	171443	56
171106	111	171195	43, 53	171339	70	171444	56
171107	111	171196	66	171343	71	171446	61
171108	111	171197	62	171345	81	171447	56
171109	111	171199	53	171347	24	171448	57
171110	111	171201	53	171349	9	171449	25
171111	113	171202	43	171351	7	171451	36
171112	112	171203	44	171354	10	171452	36
171113	103	171204	44	171355	10	171453	96
171114	103	171205	54	171356	83	171454	113
171117	104	171206	54	171359	34	171455	112
171118	110	171209	54	171360	34	171458	114
171119	110	171210	54	171361	35	171464	30
171120	109	171213	44	171362	35	171466	31
171121	111	171214	44	171363	35	171469	102
171122	111	171215	79	171364	35	171470	117
171123	111	171216	79	171365	35	171471	117
171124	116	171217	79	171366	35	171472	110
171125	103	171218	80	171369	71	171473	103
171127	115	171219	39	171371	116	171474	103
171128	115	171220	39	171372	49	171475	117
171129	115	171222	38	171373	49	171476	108
171130	115	171224	81	171375	30	171477	114
171131	115	171225	81	171376	12	171479	109
171132	108	171228	91	171377	112	171480	110
171133	107	171230	91	171378	102, 115	171481	110
171134	103	171233	91	171379	112	171482	110
171135	105	171236	49	171380	112	171483	110
171136	102	171237	49, 60	171381	111	171484	109
171137	104	171242	78	171382	112	171485	109
171139	109	171252	60	171383	112	171486	109
171140	69	171253	49	171384	112	171487	109
171141	69	171258	49	171386	111	171488	109
171143	69	171259	49	171388	113	171489	109
171144	69	171263	60	171389	112	171490	110
171147	69	171264	49	171390	117	171491	110
171148	69	171265	49	171391	111	171492	110
171153	69	171266	49	171392	86	171493	76
171162	48	171269	3	171393	86	171494	8
171164	81	171275	115	171396	86	171495	10
171165	81	171278	115	171397	86	171496	11
171166	81	171280	115	171398	117	171497	11
171167	24	171281	96	171399	7	171498	11
171168	24	171282	96	171401	110	171505	11
171171	75	171283	111	171402	117	171506	57
171173	62	171284	112	171403	117	171507	61
171174	75	171285	112	171404	102	171508	57
171175	70	171299	54	171405	102	171510	80
171178	62	171302	54	171407	102, 115	171512	9, 12
171179	75	171303	55	171408	114	171513	21
171180	71	171306	55	171410	114	171518	21
171181	62	171307	60	171411	114	171521	61

HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page
171528	67	171613	108	171688	103	171757	46
171529	67	171614	12	171689	104	171758	47
171530	67	171615	29	171690	107	171759	47
171531	114	171617	68	171691	104	171760	18
171532	104	171618	72	171695	84	171761	18
171533	45	171619	25	171696	84	171762	19
171534	45	171620	25	171700	57	171763	13
171536	92	171621	87	171701	57	171764	13
171537	50	171622	82	171702	61	171765	16
171538	50	171623	114	171703	61	171766	17
171540	11	171624	82	171704	4	171767	84
171541	11	171625	29	171705	8	171768	84
171549	45, 59	171626	29	171706	66	171769	87
171550	59	171627	66	171708	12	171770	70
171554	92	171631	3	171709	82	171771	64
171555	92	171632	4	171710	108	171772	47, 60
171556	92	171633	4	171711	108	171773	84
171561	12	171634	3	171712	108	171774	28
171562	21	171635	63	171713	108	171775	28
171564	25	171636	72	171714	82	171776	85
171565	32	171637	63	171715	82	171777	19
171566	25	171638	77	171716	82	171778	19
171567	93	171639	74	171717	77	171779	19
171568	93	171640	26	171718	77	171780	20
171569	92	171641	13	171719	64	171781	20
171570	92	171642	14	171720	64	171782	26
171571	93	171644	14	171721	72	171783	96
171572	93	171645	14	171722	73	171784	96
171574	93	171646	14	171723	27	171787	3
171575	93	171648	14	171724	115	171788	50, 61
171576	21	171650	14	171725	46, 59	171789	47
171577	8	171651	15	171726	38, 40, 46, 59	171790	47
171579	62	171652	15	171727	27	171791	47
171580	63	171654	15	171728	17	171792	4
171581	71	171657	16	171729	73	171793	8
171582	71	171658	16	171730	68	171794	106
171583	76	171659	16	171731	68	171795	89
171584	76	171660	16	171732	68	171796	107
171587	8	171661	15	171733	68	171797	3
171588	8	171662	15	171734	68	171798	12
171590	12	171663	16	171735	73	171800	80
171591	67	171664	17	171736	73	171801	80
171592	67	171665	45, 59	171737	82	171802	57
171593	67	171666	45, 59	171738	83	171803	58
171594	29	171667	46	171739	36	171804	105
171595	30	171668	46	171740	37	171805	3
171596	30	171671	26	171741	37	171806	58
171597	36	171672	26	171742	73	171807	58
171598	36	171673	13	171743	69	171808	58
171599	63	171674	13	171744	78	171809	58
171600	63	171675	17	171745	25	171810	61
171601	71	171676	83	171746	15	171811	28
171602	72	171677	83	171747	115	171813	16
171603	76	171679	83	171748	115	171814	16
171604	77	171680	18	171749	3	171815	16
171605	63	171681	17	171750	84	171816	17
171607	72	171682	19	171751	27	171817	17
171608	72	171683	108	171752	27	171818	88
171609	77	171684	38	171753	27	171820	17
171610	77	171685	39	171754	27	171821	88
171611	29	171686	102	171755	28	171822	45, 89
171612	30	171687	103	171756	46	171823	82



HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page	HC-CARGO	Page
171824	83	809002	121				
171829	85	809003	121				
171830	85	809004	121				
171831	85	809005	122				
171832	85	809006	122				
171833	89	809007	122				
171834	89	809008	122				
171835	73	809009	123				
171836	74	h4360	33				
171837	112	h5360	33				
171838	28						
171839	74						
171840	64						
171841	78						
171842	74						
171843	64						
171844	78						
171845	26						
171846	28						
171847	29						
171848	26						
171849	18						
171850	18						
171851	19						
171852	19						
171853	19						
171854	19						
171855	20						
171856	17						
171857	17						
171858	17						
171859	18						
171860	74						
171861	64						
171862	78						
171863	85						
171864	85						
171865	20						
171866	85						
171867	65						
171868	78						
171869	116						
180376	21						
180377	21						
193119	74						
200663	122						
200664	122						
200665	122						
200666	122						
200667	122						
200668	122						
200669	122						
200670	122						
200671	122						
200672	122						
200673	122						
200676	122						
200693	122						
253489	3						
253504	3						
4440x	34						
809001	121						





















For your nearest  
HC-CARGO dealer  
and full program  
overview visit  
[www.hc-cargo.com](http://www.hc-cargo.com)

Holger Christiansen A/S  
A Bosch Group Company  
Hedelundvej 13  
Postboks 2039  
6705 Esbjerg Ø

Tlf. 76 14 33 00  
Fax 76 14 33 33  
hc-cargo@hc-cargo.com  
www.hc-cargo.com

Holger Christiansen UK Ltd.  
A Bosch Group Company  
Unit 7-8, Glaisdale Business Centre  
Glaisdale Parkway, Bilborough  
Nottingham, NG8 4GP

Tel. 0115 928 0086  
Fax 0115 928 0033  
cargo@cargo-uk.com  
www.hc-cargo.com

Holger Christiansen Deutschland GmbH  
Ein Unternehmen der Bosch-Gruppe  
Elkersberg 1  
57234 Wilnsdorf

Tel. 02739 403040  
Fax 02739 4030420  
Österreich: Tel. 0810 202105  
Österreich: Fax 0810 202106  
cargo@cargo-de.com  
www.hc-cargo.com

Robert Bosch B.V.  
Division Holger Christiansen Benelux  
Penningweg 32 E  
4879 AG Etten-Leur

Tel. 076 5019700  
België: 03-6053128  
Fax 076 5019007  
cargo@cargo-nl.com  
www.hc-cargo.com

Holger Christiansen Sverige AB  
A Bosch Group Company  
Södra Vägen 12  
702 27 Örebro

Tel. 019-27 88 00  
Fax 019-27 88 70  
cargo@cargo-se.com  
www.hc-cargo.com

Holger Christiansen France SAS  
A Bosch Group Company  
Zac des Aulnaies  
550 Rue de la Juine  
45160 Olivet

Tel. 02 38 49 66 66  
Fax 02 38 49 66 67  
cargo@cargo-fr.com  
www.hc-cargo.com

Holger Christiansen Italia s.r.l.  
A Bosch Group Company  
Via Cicogna 27-29  
40068 San Lazzaro di Savena  
Bologna  
P.IVA. 02144311202  
C.F. 13225940157

Tel. 051 499 8989  
Fax 051 499 8990  
cargo@hccargo-it.com  
www.hc-cargo.com

Holger Christiansen North America, Inc.  
A Bosch Group Company  
6555 Fulton Industrial Blvd.  
Suite 200  
Atlanta, GA 30336, USA

Phone +1-770-236-0033  
Toll free +1-800-303-3170  
Fax +1-770-236-0310  
cargo@cargo-us.com  
www.hc-cargo.com

Robert Bosch Sp. z o.o.  
HC-CARGO Polska  
Ul. Firlika 20  
60-692 Poznań

Tel. 61 8400940  
Fax 61 8429907  
cargo@cargo-pl.com  
www.hc-cargo.com