

СЕРВИЗНО ОБОРУДВАНЕ КОСЕР, ВТОРО ИЗДАНИЕ

КОСЕР
АВТОЧАСТИ

SEALEY

КОМПРЕСОР, 100ЛИТРА, 3.0К.С.

- Air Displacement: 12.6cfm (356ltr/min).
- Maximum Free Air Delivery: 8.75cfm (248ltr/min).
- Maximum Pressure: 130psi/9bar.
- V-Twin pump with aluminium cylinders and cast iron liners for reduced weight and improved resistance to wear.
- Suitable for general purpose workshop applications.
- Pump directly coupled to heavy-duty induction motor for reliable and quiet operation.
- Precision welded receiver tank manufactured to meet Pressure Vessel Directive 87/404/EEC.
- Fitted with fully automatic pressure cut-out switch, air regulator and pressure gauges for tank and supply.
- Supplied with handle and wheels.
- Fitted with ASTA/BS approved non-rewirable plug.
- **Model No. SAC10030**



3hp
100ltr
V-Twin Pump

12.6 cfm

Made in Italy

РЕФРАКТОМЕТЪР-ТОЧКА НА ЗАМРЪЗВАНЕ НА АНТИФРИЗИ, ЕЛЕКТРОЛИТИ



Tests
Battery Fluid
Antifreeze
Screenwash



- Accurately measures the strength of battery fluid, screenwash and antifreeze by measuring the refractive index of light passing through the mixture.
- Suitable for synthetic antifreeze mixtures.
- Temperature corrected prism ensures accuracy.
- Eyepiece with adjustable focus.
- Supplied with pipette and carry-case.
- **Model No. VS005**

СТЕНД ЗА РЕГЛАЖ НА ПРЕДЕН И ЗАДЕН МОСТ

- Fast, simple and accurate alignment of both front and rear wheels.
- Optimises vehicle performance and set up after installation or modification of steering or suspension components.
- Simple and fast to use, it is ideal for the busy professional workshop and has a fast return on investment - potentially adding value to every steering or suspension job.
- This fully portable kit is also ideal for track-day set up for the enthusiast.
- Works on practically all cars and light commercials with rim diameters between 330mm(13") and 560mm(22").
- Supplied with steering wheel clamp, wheel turn plates and wheeled storage rack.
- **Model No. GA70**

Laser Sight



АКУМУЛАТОРНА БОРМАШИНА/ГАЙКОВЕРТ 18V СЪС ЗАРЯДНО И 2 БАТЕРИИ

Hour Charge


- Superbly balanced tool, intended for professional use.
- Features sixteen position torque control plus hammer action.
- Electronic variable speed control with reverse.
- 10mm keyless chuck. LCD display indicates battery level.
- Ideal for both screw driving and drilling.
- 1hr Charger with Schuko plug.
- **Model No. CP1801VEU**



18V

КОМПЛЕКТ ЦВЕТНИ НАКРАЙНИЦИ ЗА ОТВЕРКИ, 32 ЧАСТИ

- Colour coded for guaranteed fast identification and includes automatic quick-release chuck.
- Contents: Phillips; #1, #2 x 2, #3, Pozi; #1, #2 x 2, #3, Slotted; 3, 4, 5, 6, Hex; 3, 4, 5, 6, TRX-Star*; T10, T15, T20, T25, T27, T30, T40, Security TRX-Star*; T10H, T15H, T20H, T25H, T27H, T30H, T40H, 1/4" Sq Drive Adaptor, 65mm Quick Release Bit Holder.
- **Model No. AK2105**



КОМПЛЕКТ ЦВЕТНИ НАКРАЙНИЦИ ЗА ОТВЕРКИ, 71 ЧАСТИ

Premier

- Contents: 25mm Bits; Phillips - #1 x 3, #2 x 6, #3 x 3, Pozi; #1 x 3, #2 x 6, #3 x 3, Slotted - 4mm x 3, 6mm x 3, Hex - 4mm x 3, 5mm x 3, 6mm x 3, TRX-Star* - T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 2, T40 x 2, Security TRX-Star* - T10H, T15H, T20H, T25H, T27H, T30H, T40H, 75mm Bits; Phillips - #1, #2, #3, Pozi; #1, #2, Slotted - 4mm, 6mm, Security TRX-Star* - T20H, T25H, 1/4" Sq Drive Adaptor, 65mm Quick Release Bit Holder.
- **Model No. AK2107**



КОМПЛЕКТ КЛЕЩИ ЗА ЗЕГЕРКИ, 10 БРОЯ

Premier



- Heat treated steel construction with blackened finish for strength and resistance to corrosion.
- All circlip pliers feature reversible joints enabling use for either external or internal circlips.
- Fitted with comfortable vinyl grips.
- Tip Diameters: 1, 1.2, 1.8, 2.3mm.
- Set includes two 125mm picks for hard to reach or dropped clips.
- **Model No. AK20510**



КЛЕЩИ ЗА ЗАКОНТРЯНЕ, 21 ФУНКЦИИ, НЕРЪЖДАЕМА СТОМАНА

Premier



Self Tensioning Locking Jaw

- Stainless steel construction for robust performance.
- Self tensioning locking mechanism no need to adjust for different size fixings.
- 21 Functions includes driver bits with magnetic retention.
- Supplied with belt storage/carry pouch.
- Lifetime guarantee.
- **Model No. AK21**



КОМПЛЕКТ ОТВЕРКИ С ГЛАВА ЗА ЧУК, 6 БРОЯ



Hammer-Thru



Premier

- Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish.
- Contoured, textured handles with hammer caps.
- Shot blasted and blackened tips.
- Contents: Slotted; 5 x 100, 6 x 150, 8 x 175, Phillips; #1 x 75, #2 x 100, #3 x 150mm.
- **Model No. AK4932**



ДИНАМОМЕТРИЧЕН КЛЮЧ, 1/2 27-204NM



- Heat treated steel ratchet head.
- Fully hardened and tempered.
- Chrome plated for corrosion resistance.
- Calibration tolerance in accordance with BS EN ISO 6789:2003.
- Micrometer type torque range adjustment.
- Flip reverse ratchet mechanism.
- 20-150lb.ft/27-204Nm.
- Supplied in storage case.
- **Model No. AK224**

Premier

1/2" Drive

КОМПЛЕКТ ТРЕСЧОТКА С НАКРАЙНИЦИ, 1/2, 31 ЧАСТИ

- Deluxe professional socket set with heat treated, mirror polished Chrome Vanadium steel sockets.
- Covers sizes from 8 to 32mm.
- Features 48-tooth gear-to-gear comfort grip ratchet handle, spark plug sockets, extension bars and accessories.
- **Model No. AK8953**



Premier

1/2" Drive



Gear2Gear WallDrive

6pt

КОМПЛЕКТ ТРЕСЧОТКА С НАКРАЙНИЦИ, 1/2, 48 ЧАСТИ

- Deluxe professional socket set with standard and deep, heat treated, mirror polished Chrome Vanadium steel sockets.
- Covers sizes from 8 to 32mm.
- Features 48-tooth gear-to-gear comfort grip ratchet handle, spark plug sockets, extension bars and accessories.
- **Model No. AK8954**



Premier

1/2" Drive



Gear2Gear WallDrive

6pt

КОМПЛЕКТ ТРЕСЧОТКА С НАКРАЙНИЦИ, 1/4, 1/2, 45 ЧАСТИ

- Deluxe professional socket set with heat treated, mirror polished Chrome Vanadium steel sockets.
- Covers sizes from 4 to 32mm.
- Features 48-tooth gear-to-gear comfort grip ratchet handles, spark plug sockets, extension bars and accessories.
- **Model No. AK8955**



Premier

1/4" & 1/2" Drive



Gear2Gear WallDrive

6pt

КОМПЛЕКТ ТРЕСЧОТКА С НАКРАЙНИЦИ, 1/4 И 3/8, 63 ЧАСТИ

- Deluxe professional socket set with standard and deep, heat treated, mirror polished Chrome Vanadium steel sockets.
- Covers sizes from 4 to 24mm.
- Features 48-tooth gear-to-gear comfort grip ratchet handles, spark plug sockets, extension bars and accessories.
- **Model No. AK8951**



Premier

1/4" & 3/8" Drive



Gear2Gear WallDrive

6pt

КОМПЛЕКТ ТРЕСЧОТКА С НАКРАЙНИЦИ 1/4, 33 ЧАСТИ

- Deluxe professional socket set with standard and deep, heat treated, mirror polished Chrome Vanadium steel sockets.
- Features 48-tooth gear-to-gear comfort grip ratchet handle, extension bars and accessories.
- Supplied in tough, durable storage case with a contents map displayed on the inside of the lid.
- **Model No. AK8950**



Premier

1/4" Drive



Gear2Gear WallDrive

6pt

КОМПЛЕКТ ТРЕСЧОТКА С НАКРАЙНИЦИ, 3/8, 41 ЧАСТИ

- Deluxe professional socket set with standard and deep, heat treated, mirror polished Chrome Vanadium steel sockets.
- Covers sizes from 6 to 24mm.
- Features 48-tooth gear-to-gear comfort grip ratchet handle, spark plug sockets, extension bars and accessories.
- **Model No. AK8952**



Premier

3/8" Drive



Gear2Gear WallDrive

6pt

ЗАРЯДНО ЗА АКУМУЛАТОР, 6/12V, 6 АМП, 230V



Siegen
power

- Robust battery charger suitable for home and light workshop use.
- 6 & 12Volt Outputs.
- LEDs indicate the level of battery charge.
- Composite housing with carry handle.
- 1.3mtr Cable with insulated clamps.
- Supplied with BS approved non-rewirable plug.
- **Model No. S0549**

6V / 12V
6Amp

ЗАРЯДНО ЗА АКУМУЛАТОР, 6/12 V, 8 АМП.,230V



Siegen
power

- Robust battery charger suitable for home and light workshop use.
- 6 & 12Volt Outputs with trickle or boost charge option.
- LEDs indicate the level of battery charge.
- Composite housing with carry handle.
- 1.3mtr Cable with insulated clamps.
- Supplied with BS approved non-rewirable plug.
- **Model No. S0550**

Boostcharge
6V / 12V
8Amp

ГЕАЧЕН КЛЮЧ С 8 РАЗМЕРА

Siegen
power



6pt
WallDrive

- Manufactured from high quality drop-forged steel with a fully polished finish.
- Eight sizes on one wrench with go-through swivel heads.
- Sizes: 12-19mm.
- Features magnet for easy storage, also serves as oil drain plug and nut holder.
- **Model No. S0875**

MM

ПЛАШКИ И МЕТЧИЦИ, 39 ЧАСТИ



39pc

Siegen
power

- Kit includes 17 taps and 17 dies.
- Made from long-lasting high carbon steel.
- Contents: Taper Taps & Dies; 3 x 0.5, 3 x 0.6, 4 x 0.7, 4 x 0.75, 5 x 0.8, 5 x 0.9, 6 x 0.75, 6 x 1.0, 7 x 0.75, 7 x 1.0, 8 x 1.0, 8 x 1.25, 10 x 1.25, 10 x 1.5, 12 x 1.5, 12 x 1.75mm, NPT 1/8"-27, Tap Wrench, T-Bar Tap Wrench, Die Holder, Thread Gauge, Screwdriver.
- **Model No. S0770**

МАГНИТНА РЕЛСА ЗА ИНСТРУМЕНТИ 600MM

Siegen
power



- Wall or toolbox mounting magnetic rack.
- Size: 600 x 25mm.
- Suitable for retaining frequently used steel tools such as screwdrivers, spanners and pliers.
- Supplied with fixing screws.
- **Model No. S0703**

ХИДРАВЛИЧНА 10 ТОННА ПРЕСА YANKEE

Hydraulic

YANKEE

10tonne



- Table Aperture: 140mm.
- Working Table Width: 360mm.
- Overall Height: 945mm.
- High quality industrial press ideal for pressing, bending and extruding.
- Supplied with pressure gauge.
- Suitable for many automotive and industrial applications.
- **Model No. YK10B**

СЛЪНЧЕВ ПАНЕЛ 12V/1,5W

- Amorphous solar panels convert daylight directly into 12Volt electricity.
- Suitable for maintaining charge in a wide range of batteries and power packs.
- Ideal for batteries in boats, caravans and vehicles in long-term storage.
- Advanced technology solar panels require only daylight to generate power.
- Supplied with battery clips and cigarette lighter plug.
- Output: 12V, 1.5W.
- **Model No. SPP01**



Solar Powered

10 ТОННА ХИДРАВЛИЧНА ПРЕСА ЗА ИЗПЪВАНЕ НА АВТОМОБИЛИ

Hydraulic

- Tough steel components, with threaded connectors to interchange easily.
- SuperSnap® pipework for quick connections.
- Connecting parts zinc/cadmium plated for long life.
- Supplied in robust composite storage case.
- **Model No. RE83/10**



10tonne
Super
Snap

ПИСТОЛЕТ С КОМПРЕСОР ЗА БОЯДИСВАНЕ 600W-230V

- Utilizes 600Watt electric motor with high performance turbine to deliver continuous volumes of air.
- Spray gun uses composite body, which has low affinity for paint, enabling quick and easy cleaning.
- Gun includes air and paint controls for fine adjustment of spray pattern.
- Suitable for interior and exterior use, applying water and oil based paints, lacquers and stains.
- Supplied with air hose, viscosity cup and shoulder strap.
- Model No. HVLP2000**



ПИСТОЛЕТ ЗА БОЯДИСВАНЕ 0,8MM

- Ideal for blowing-in small areas of panel where fine control of paint and air is necessary.
- Anodized spray gun body resists corrosion and makes for easier cleaning.
- Brass air cap with stainless steel needle and nozzle make this HVLP gun suitable for water based paint.
- Supplied with 0.8mm set-up, 1.0mm set-up available separately.
- Model No. HVLP731**



ВАКУМЕН УРЕД ЗА ИЗПЪВАНЕ НА ВДЪБНАТИНИ

- Air activated suction pad keeps firm hold of panel.
- Slide hammer used to ease out dents and depressions without damage to the paint surface.
- Ideal for initial panel reshaping.
- Supplied with large and small suction pads.
- Model No. RE101**



СТРУГ 300MM

- 300mm Between centres.
- Precision built metal working lathe, ideal for the small workshop, professional or home engineer and model maker.
- Powered by a 300Watt motor this compact unit features variable speed reversible drive and powered cutting facility for right and left hand threads.
- Supplied with self centring 3 jaw chuck, 4-way tool post, swarf tray and rear splash guard.
- Complies with Machinery Directive 98/37/EEC is fully CE approved and supplied with emergency stop button and chuck guard.
- Optional stand is available, order Model No. SM3002ST.
- Model No. SM3002**



МИНИ БОРМАШИНА И ФРЕЗА

- Bench mounting machine with the flexibility to handle most materials.
- Features include a 350Watt motor, variable speed drive, working table with T-slots to enable clamping of workpieces and Metric graduated compound scales.
- Incorporates a tilting column which allows drilling/milling of workpiece at $\pm 45^\circ$ from vertical.
- Supplied with 13mm chuck and accessory kit for adjusting and setting.
- Complies with Safety of Machinery (Safety) Regulations 1992 (and amendments) and is fully CE approved.
- An optional stand is available, order Model No. SM3002ST.
- Model No. SM2502**



АЛУМИНИЕВА ГРЕДА ЗА ДВИГАТЕЛ, 300KG

- Min./Max. Width: 180/1400mm.
- Designed to support and accurately position engines during maintenance operations such as replacing anti-vibration mountings and certain body panels.
- Lightweight aluminium, weighs only 8.7kg, making it easy to manoeuvre without compromising the maximum load capacity.
- Also used as an aid for the removal of gearboxes and transmissions.
- Beams supported on rubber feet and fine adjustment control is obtained by using a screw/hook mechanism.
- Supplied with a short length of chain.
- Model No. ES300A**



300kg

Aluminium

РАЗТЕГЛИВ КРИК 1,6 МЕТРА

- Fully certified and approved to comply with VOSA requirements.
- 1.6mtr Load arm reach.
- Beam Lift: 95-300mm.
- Two-stage mechanical safety lock and telescopic finger guards.
- Spring loaded flat arms with roller bearings.
- Optional hook arms supplied.
- Supplied with two pairs of aluminium support blocks.
- Wide lift configuration meets VOSA recommendation for lifting on jacking point.

2tonne



1.6mtr REACH

Номер	ТОВАРОПОДЕМНОСТ	Размах
SJBEX200	2 Tonne	1.6mtr
SJBEX300	3 Tonne	1.6mtr

КОМПЛЕКТ 2 БРОЯ МОНТАЖНИ ПОДПОРИ, 2 ТОНА

- Folding design saves space and makes these axle stands ideal for occasional use.
- Constructed entirely from steel and TUV/GS approved.
- Min./Max. Height: 275/365mm.
- Folds flat for ease of storage.
- Fitted with locking safety pin.
- **Model No. AS2000F**



ПНЕВМАТИЧНА МАСЛЕНА ПОМПА С ДИСПЕНСЕР И КОЛИЧКА ЗА ГОЛЕМИ ВАРЕЛИ



- Mobile oil dispensing unit with air operated 3:1 double acting pump for barrel or tanks with 2" BSP fittings.
- Pump is supplied with air management system and connected to a 940mm rigid suction probe with non-return valve.
- Features trolley, 4mtr hose and digital oil meter (Model No. AK4565D supplied).
- Suitable for use with engine, hydraulic, synthetic, gear and transmission oils up to SAE150.
- **Model No. AK4561D**

ГРАВИТАЦИОНЕН УРЕД ЗА ИЗТОЧВАНЕ НА МАСЛО С РЕЗЕРВОАР 65 ЛИТРА

- Steel fabricated 65ltr reservoir and telescopic steel drain pan fitted with grid filter.
- Air discharge drain with hose.
- Fitted with reservoir oil level indicator tube.
- Min./Max. Pan Height: 1070/1590mm.
- **Model No. AK451DX**

65ltr

AIR DISCHARGE



ПНЕВМАТИЧЕН ГАЙКОВЕРТ, 1/2, 670 НМ- МАКС. ВЪРТЯЩ МОМЕНТ

1/2" Drive



Composite

- Combination of composite materials, alloyed metals and twin hammer design result in a lightweight, durable and powerful air impact wrench.
- Soft grip handle, with downward facing exhaust, makes this wrench comfortable on the hands and ears and limits the circulation of brake dust on wheel applications.
- Working/Maximum Torque: 450/500lb.ft.
- Ultimate Torque: 600lb.ft.
- **Model No. GSA6002**

Twin Hammer

ПНЕВМАТИЧЕН ГАЙКОВЕРТ, 1/2 720 НМ МАКС. ВЪРТЯЩ МОМЕНТ

Premier



1/2" Drive

Pin Clutch

- Extra-heavy-duty.
- Power pin clutch.
- Working/Maximum Torque: 420/520lb.ft.
- Ultimate Torque: 600lb.ft.
- Suitable for heavy garage and tyre shop use.
- **Model No. SA5/S**

СОЛАРЕН ФЕНЕР С ДИНАМО

LED



Solar Powered

- Ultra-slim lightweight design with three super bright LEDs powered by a built-in rechargeable 3.6Volt 110mAh highly efficient Lithium battery.
- The solar panel can be charged in daylight or artificial light and when fully charged can give up to thirty minutes illumination.
- Alternatively fast charge using the pull cord, operating for one minute can give up to eighteen minutes illumination.
- No batteries or bulbs to replace.
- **Model No. AK3308**

СТОЙКА "БАРИЕРА ЗА ПАРКИРАНЕ"



- Heavy-duty parking barrier manufactured from Ø35mm tube steel.
- Supplied with padlock and two keys.
- All parts galvanized or zinc plated for corrosion resistance.
- **Model No. PB296**

ПОКРИВАЛО ЗА МОТОР



MCS ILLUSTRATED

- Double layer cover for extra protection.
- Inner layer is made from soft anti-scratch material to protect motorcycle's paintwork.
- Elastic corners for easy and secure fitting.
- Eyelet for wheel lock to be fitted.

SIZES:
Small: 1830 x 890 x 1200mm.
Medium: 2320 x 1000 x 1250mm.
Large: 2460 x 1050 x 1270mm.

Homep	Размер
MCS	Small
MCM	Medium
MCL	Large

ПОКРИВАЛО ЗА АВТОМОБИЛ CCS ILLUSTRATED



- Inner layer is made from soft anti-scratch material.
- Elastic corners for easy and secure fitting.
- Side-opening zip to allow access to the car when covered.
- Supplied with waterproof storage bag.

SIZES:
Small: 3800 x 1540 x 1190mm
Medium: 4060 x 1650 x 1220mm
Large: 4300 x 1690 x 1220mm
X-Large: 4830 x 1780 x 1220mm

Homep	Размер
CCS	Small
CCM	Medium
CCL	Large
CCXL	Extra large

МУЛТИФУНКЦИОНАЛНА ПОМПА, 1 ЛИТЪР



- Multi-purpose pump perfect for topping up difficult to access points on motor vehicles, lawnmowers, chainsaws and other jobs around the workshop and home..
- Suitable for all engine oils, transmission fluids, brake fluids and general purpose cleaners.
- **Model No. TP6804**



ПНЕВМАТИЧНА ВАКУМ ПОМПА ЗА МАСЛО И ТЕЧНОСТИ, 9 ЛИТРА

AIR PUMP 9ltr

- 9ltr Capacity device constructed from composite materials.
- Uses compressed air supply to generate vacuum.
- Suitable for the extraction of all types of engine, transmission and lubricating oils from cars, motorcycles, marine engines, stationary engines and industrial machinery.
- Supplied with Ø6 and Ø10mm suction probes and 1100mm brake/clutch bleeding hose.
- **Model No. TP903**



ПРЕНОСИМА СЕРВИЗНА ЛАМПА, 21+5LED

LED



Rechargeable

- Two 360° swivel hanging hooks for hands-free applications allowing unit to be used horizontally or vertically.
- Lithium-ion polymer battery (3.7V/1200mAh) for longer life, no memory effect, a much slower discharge than typical Ni-MH batteries and can operate for up to four hours on a single charge.
- **Model No. LED2105EU**

ТОПЛОЗАЩИТНА РЪКАВИЦА



- Manufactured to CAT 2 BS EN 388 and BS EN 407 from 100% DuPont Kevlar®.
- Designed for use in engine bays to prevent cuts to forearms and burns from exhausts and other hot components.
- Thumb slot design ensures sleeve will stay in position.
- **Model No. SSP36**



ЧИФТ НАКОЛЕНКИ СРЕЩУ ПРИПЛЪЗВАНЕ



- Anti-compression gel foam gives maximum cushioning for added comfort.
- Hard-wearing composite front cover for extended life with an anti-slip grip design.
- Large hook-and-loop single strap for a comfortable fit.
- **Model No. SSP47**



ДИГИТАЛЕН ШУБЛЕР 0-150MM/ НЕРЪЖДАЕМА СТОМАНА

Premier



- Large LCD display with 11mm high figures for ease of reading.
- Metric and Imperial calibration with conversion between the two.
- Zero setting control allows comparative measurement.
- **Model No. AK9621EV**

MM & IMP



ПРОФЕСИОНАЛЕН УРЕД ЗА ЗАВАРЯВАНЕ, 180 АМПЕРА, 230V

- 180Amp Maximum performance.
- Excellent continuous performance on car panel thickness material.
- Forced-Air Cooling System allows high duty cycle.
- Binzel® non-live Euro torch reduces accidental arcing and is comfortable in the hand thus ensuring a steadier weld bead.
- Welds stainless and aluminium too.
- Includes industrial gas regulator, contact tips 0.6, 0.8mm and gas cup.
- **Model No. SUPERMIG180**

180Amp
Spot-Weld
Timer
Non Live
Torch



БОРЕСКОП, 8.5MM, WIRELESS ЕКРАН



- Versatile video borescope with Ø8.5mm x 1000mm semi-rigid probe.
- Detachable, wireless colour LCD display with crystal clear 90mm high resolution screen.
- Features on-screen horizontal/vertical flip features for use with side-view mirrors.
- CMOS camera with adjustable LED for fine control of light output and clear pictures.
- Supplied with AV cable for external viewing of image.
- **Model No. VS8198**

1000mm
Ø8.5mm

ЛЕБЕДКА, 2041КГ

RW4500/24 ILLUSTRATED



- Heavy-duty all-weather housing.
- High power DC motor gives first class pulling power.
- All steel, lubricated for life, gear-train for smooth and quiet operation.
- Includes dynamic and mechanical drum brake for safe and controlled operation.
- Remote control allows power in and power out of cable from a safe distance.
- Drum clutch allows free spooling of cable.
- High quality wire rope fed through 4-way roller fairlead for smooth and even distribution of cable onto drum.

Homep	Voltage	Line Pull
RW4500/24	12 Volt	2041 Kg
RW4500/12	24 Volt	2041 Kg

ЕЛЕКТРИЧЕСКИ ТЕЛФЕР, 250КГ, 230V



125kg

250kg

230V

- Approved to EU and UK Lifting Gear Regulations.
- This hoist is intended for use where a suitable support facility exists.
- Support brackets are included with the equipment.
- Maximum Capacity (Double Cable): 250kg.
- The support bar is not included.
- **Model No. PH250**

Single Line Pull

Double Line Pull

САНДЪК С 9 ЧЕКМЕДЖЕТА, 196 ИНСТРУМЕНТА

- Features drop down carry handles, smooth drawer slides, cylinder lock and, for additional security, steel bars that can be locked into place to keep drawers shut.
- Has built-in storage for locking bars when toolbox is in use.
- Overall Size (W x D x H): 600 x 260 x 380mm.
- Total Package
- **Model No. ZAP22509BBCOMB**



American PRO
Ball Bearing

Ball Bearing
Drawer Slides

НЕОБОРУДВАНА КОЛИЧКА С 3 МАЛКИ И 1 ГОЛЯМО ЧЕКМЕДЖЕ, 710X360X838MM

- Use as part of a complete professional garage storage system or an individual storage unit.
- Featuring four silver-grey drawers with 35mm ball bearing runners, two fixed and two locking castor wheels.
- Added security provided by cylinder lock and supplied with two keys.
- All steel construction with a graphite powder coat finish and moulded composite bumpers for light damage protection.
- Overall Size (W x D x H): 710 x 360 x 838mm.
- **Model No. AP04DFC**



Ball Bearing
Drawer Slides

СОЛАРНА МАСКА ЗА ЗАВАРЯВАНЕ



- Adjustable Shade: 9-13 Lens.
- Complies with BS EN 379, BS EN 175 and DIN standards.
- Adjustable headband with front pad for added comfort.
- Features sensitivity and delay controls.
- Light to Dark Time: 0.1ms @ -5°C to +55°C.
- **Model No. S0825**

SHADE 9-13 Variable

Solar Powered

КОМПЛЕКТ ЗА СКОБИ НА МАРКУЧИ, 9 ЧАСТИ



- All the hose clip tools you are likely to need in one case.
- Comprehensive set features heavy-duty construction with ratchet locking mechanism on most pliers.
- Vinyl dipped handles give additional comfort.
- **Model No. VS1662**

ДИГИТАЛНА ТОВАРНА ВИЛКА, 12V

12V



- 12Volt Battery tester with large, easy-to-read digital display and LEDs indicating battery condition.
- Can be set to specific battery CCA* rating.
- Applies appropriate load across terminals and reads voltage performance.
- Will also check charging voltage and starter motor circuit.
- *CCA - Cold Cranking Amps.
- **Model No. BT91D**



УРЕД ЗА ПРОВЕРКА НА ИСКРОВИ СВЕЦИ

- Probe type tester checks HT supply to spark plug.
- Suitable for all spark ignition engines.
- Quick and simple fault diagnosis.
- **Model No. VS5262**



КОМПЛЕКТ ЗА ПОЧИСТВАНЕ НА ДИЗЕЛОВИ ИНЖЕКТОРИ, 6 ЧАСТИ

- Set of four diesel injector seat cleaners, centring pilot and T-handle.
- Used to clean/decarbonise injector seats when changing injectors.
- Helps to avoid blow-back due to poorly seated injectors.
- Suitable for a wide range of vehicles.
- **Model No. VS2055**



КЛЕЦИ ЗА ИСКРОВИ СВЕЦИ, 300MM

- Suitable for removal of spark plug boot on deep-seated engine applications.
- Composite handles provide insulation from HT shock and give added comfort and control.
- **Model No. VS867**



КОМПЛЕКТ ЗА ДЕМОНТИРАНЕ НА ДИЗЕЛОВИ ИНЖЕКТОРИ, 14 ЧАСТИ

- Suitable for the fast and safe removal of Bosch, Delphi, Denso and Siemens diesel injectors.
- Ball joint allows hammer to be used in confined areas.
- Set includes keys and deep open profile sockets, used to dismantle injectors, plus adaptors for attaching the slide hammer securely to the body of the injector.
- Contents: Slide Hammer, 4pcs 1/2" Sockets, 25, 27, 29 and 30mm, Tamper Proof Key, 5pcs Adaptor (Bosch, Delphi, Denso, Siemens), Ball Joint.
- **Model No. VS2059**



ТЕСТЕР МАНОМЕТЪР ЗА ДИЗЕЛОВИ ИНЖЕКТОРИ

- Enables the testing of injectors under pressure.
- Fitted with Ø88mm gauge with rubber bumper reading both psi and Bar.
- Ideal for checking of atomisation pattern and opening pressure.
- Transparent reservoir fitted with fine filter and unit supplied with 2 injector connection pipes.
- **Model No. VS2058**



КОМПЛЕКТ ЗА ИЗМЕРВАНЕ НА КОМПРЕСИЯТА НА БЕНЗИНОВИ ДВИГАТЕЛИ, 6 ЧАСТИ



- Quick-coupling gauge fitted with Ø63mm gauge reading up to 300psi and 20kg/cm².
- Kit includes 130mm straight and angled push-on connectors, 400mm flexible extension with 10, 12, 14 and 18mm Deep thread adaptors.
- Supplied in carry-case.
- **Model No. CT955**



UPDATED

КОМПЛЕКТ С МАНОМЕТЪР ЗА ИЗМЕРВАНЕ НА КОМПРЕСИЯТА И ГМТ НА БЕНЗИНОВИ И ДИЗЕЛОВИ ДВИГАТЕЛИ

- A comprehensive kit for testing the compression and leakage on both petrol and diesel vehicles.
- Features 600psi gauge with large rubber bumper, straight and right angled quick connect fittings and an extensive range of spark/glow plug and injector adaptors.
- Includes TDC finder, ideal for use when the engine has no crankshaft timing marks.
- See Sealey website for concise vehicle applications.
- **Model No. VSE3156**




ГАЕЧЕН КЛЮЧ ЗА ПРОБКТА НА МАСЛОТО, 8 РАЗМЕРА

- The right size drain plug key always in your hand.
- 8 Popular sizes covered in one tool.
- Sizes: Hex; 10, 12, 14, 17mm, Square; 3/8", 1/2", 8, 10mm.
- Suitable for drain plugs on engine, gearbox and back axle.
- **Model No. VS650**



КОМПЛЕКТ ЗА ИЗМЕРВАНЕ КОЛИЧЕСТВОТО НА ИЗЛИШНОТО ГОРИВО НА ДИЗЕЛОВИ COMMON RAIL ИНЖЕКТОРИ

- Designed to measure return fuel flow on diesel vehicles up to 6 cylinders fitted with common rail injection system.
- Identifies, worn, blocked or inoperative injectors quickly and easily.
- Supplied with measurement tubes for short term tests and measurement bottles for long term, more accurate evaluation.
- Supplied in carry-case.
- **Model No. VS2046**



КОМПЛЕКТ ЗА ИЗМЕРВАНЕ КОЛИЧЕСТВОТО НА ИЗЛИШНОТО ГОРИВО НА ДИЗЕЛОВИ ИНЖЕКТОРИ: BOSCH, DELPHI, DENSO (common rail)

- Identifies worn, blocked or inoperative injectors quickly and easily.
- Contains measurement tubes for short term tests and measurement bottles for long term, more accurate evaluation.
- Master kit includes range of adaptors to suit Bosch, Delphi & Denso injectors for comprehensive coverage of common rail diesel vehicles.
- Supplied in carry-case.
- **Model No. VS2048**



ПОСТЕЛКА ЗА КОЛЕНА

28mm



- Quality 28mm EVA kneeling mat ideal for the busy mechanic.
- Suitable for use on workshop floor when working on wheels, brakes, tyres, exhausts, etc.
- Also ideal for roadside repairs.
- **Model No. VS8573**

ЕЛЕКТРИЧЕСКИ УРЕД ЗА ПРОВЕРКА НА ОПЪВАНЕТО НА АНГРЕНАЖНИЯ РЕМЪК

- The most accurate method of determining timing belt tension is by measuring the frequency with which the belt vibrates - the tighter the belt the higher the frequency reading (Hz).
- Simply place the sensor near the belt, then 'pluck' the belt between your finger and thumb and read off the tension on the LCD display.
- Applications: Alfa Romeo, Audi, Citroen, Dacia, Fiat, Ford, Honda, Lancia, Nissan, Opel, Peugeot, Renault, Seat, Skoda, Toyota, VW, Volvo.
- **Model No. VS099**



ИНСТРУМЕНТ ЗА СВАЛЯНЕ, ИНСТАЛИРАНЕ НА ШАРНИРИ

- Suitable for the removal and installation of various sizes of stud.
- Cam rotates to grip onto the stud for quick and easy use.
- Use with 1/2" Sq drive ratchet wrench.
- **Model No. VS7232**



КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ ДВИГАТЕЛИ- BMW

- Setting and locking set for BMW engines.
- Includes tools for setting and locking camshafts plus tools for setting timing chain tension.
- Applications: BMW M40, M42, M50, M60, M62, M70 engines.
- **Model No. VSE135**




КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ ДВИГАТЕЛИ BMW N42,N46

- Suitable for timing 1.8/2.0 Valvetronic chain drive petrol engines.
- Includes all the tools to align the twin vanos units.
- Supplied in carry-case.
- **Model No. VSE5911**



ПРОФЕСИОНАЛЕН КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ/ДИЗЕЛОВИ ДВИГАТЕЛИ- ФОРД

- Master kit of setting & locking tools suitable for a wide range of modern Ford vehicles.
- Also suitable for some Mazda vehicles.
- Kit consists of camshaft and flywheel locking tools, various timing pins plus a camshaft sprocket removal tool.
- Supplied in carry-case.
- **Model No. VSE5042**



КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА ДИЗЕЛОВИ CITROEN/PEUGEOT&LDV 1.9

- Specialised kit covering all Citroën/Peugeot DW8 code 1.9 diesel engines.
- Includes tools for locking flywheel, camshaft and injection pump and tensioner adjustment.
- Applications: Citroën: Berlingo, C15, Dispatch/Jumpy, Xsara, Peugeot: 206, 306, Expert, Partner. Engine Types: DW8, DW8/L3, DW8/L/W3, DW8B, DW8B/L4, DW8B/L/W3 (WJY/WJZ).
- Supplied with warning tag.
- **Model No. VS4822**



КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ ДВИГАТЕЛИ ФОРД,МАЗДА

- Includes revised design camshaft setting plate and tensioner locking pin.
- This kit covers the complete range of Ford Duratec engines 1.25 through to 2.0 16v in both belt and chain drive variants.
- Pins also suitable for some Mazda vehicles.
- **Model No. VSE5515**



КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ ДВИГАТЕЛИ-РЕНО 1.4, 1.6, 1.8, 2.0, 16V

- Suitable for timing belt replacement on petrol 1.4, 1.6, 1.8 & 2.0 engines fitted to Renault vehicles.
- Some 1.8 & 2.0 engines may require associated tool (VS4923 Camshaft Sprocket Locking Device) to loosen the camshaft sprocket bolts.
- Supplied in storage case.
- **Model No. VSE5071**




КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА ДИЗЕЛОВИ ДВИГАТЕЛИ REANULT, NISSAN DCI, OPEL 1,5, 1,9, 2,2, 2,5, DI,DTI,CDTI

- Essential tools for timing belt replacement on a wide range of Renault, Nissan & Vauxhall/Opel diesel engines.
- Supplied in carry-case.
- **Model No. VSE5871**



КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА ДИЗЕЛОВИ ДВИГАТЕЛИ, CHRYSLER, MERCEDES CDI

- Suitable for timing Mercedes CDI and Chrysler CRD chain drive diesel engines.
- Features flywheel locking plates with M6x90mm bolts and a camshaft locking pin set.
- Individual tools are also suitable for many other Mercedes petrol and diesel engines.
- Supplied in storage case.
- **Model No. VSE4800**



КОМПЛЕКТ ЗА ФИКСИРАНЕ НА ДИЗЕЛОВИ ДВИГАТЕЛИ VAG

- Timing tool kit for the VAG 2.0 TDi engines in Audi; A4/A6, Skoda; Octavia II, VW; Golf, Golf Plus, Jetta, Touran.
- Set provides essential tools for setting and locking the engine.
- **Model No. VSE2358**



BELT 

КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА ПОМПА ДЮЗА VAG 1.2, 1.4, 1.9

- Setting and locking kit for a range of VAG vehicles with Pumpe Duse TDi PD (1.9) and V6 engines.
- Contents: Injection pump locking pin, locking tensioner tool and crankshaft locking tool.
- **Model No. VSE2356**



BELT 

КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ ДВИГАТЕЛИ, VAG 1,2 3CYL(6V,12V)


- Kit contains locking pin and clamps for the camshaft, and crankshaft locking pin for timing 1.2 3-cylinder chain drive engines.
- These engines are found in Seat, Skoda and VW vehicles.
- Supplied in storage case.
- **Model No. VSE5921**



CHAIN 

КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА КОЛЯНОВ И РАЗПРЕДЕЛИТЕЛЕН ВАЛ, 8 ЧАСТИ


- Anodised aluminium chocks for locking camshaft pulleys on twin cam engines.
- Includes flywheel locking tools for selected PSA (Citroen/Peugeot) and Vauxhall/Opel petrol and diesel engines.
- **Model No. VSE170**



BELT  

КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА БЕНЗИНОВИ VAUXHALL/OPEL & SAAB 2.0, 2.2 DTI

- Two piece camshaft locking tool designed to fit between the camshaft pulleys to align the manufacturer's timing position.
- These engines have a lip on the camshaft pulley that make this tool design essential.
- Kit also contains a cam belt tensioner locking pin.
- **Model No. VSE131**



BELT 

КОМПЛЕКТ ЗА ЗАКОНТРЯНЕ НА ДИЗЕЛОВИ ДВИГАТЕЛИ, VAUXHALL, OPEL, SAAB 1,9 CDTI/TID

- Suitable for timing belt replacement on Vauxhall/Opel and Saab vehicles fitted with 1.9CDTI/TID engines.
- Kit contains camshaft alignment screws, crankshaft pulley alignment tool and tensioner pin.
- Supplied in storage case.
- **Model No. VSE5886**



BELT 

ИНСТРУМЕНТ ЗА ДЕМОНТИРАНЕ НА КОРМИЛЕН НАКРАЙНИК

- Suitable for the fast and easy removal of the steering knuckle.
- Fits racks with hex drive, two flats and round ends.
- Ideal for vehicles with limited access and avoids the need to remove the rack assembly.
- Suitable for steering rack knuckles with a diameter of 33 to 41mm.
- **Model No. VS4000**



КРИК ЗА ГУМИ, ДО 127КГ

- For commercial sized wheel and tyre removal/installation.
- Fork Centres: 535mm.
- **Model No. TH002**



МИНИ КОМПРЕСОР ЗА ГУМИ С ЛАМПА, 12V

- Stylish and compact composite case incorporating cable tidy on base.
- Powered by high power 12V motor and suitable for inflating tyres on cars, vans and 4x4s.
- Integral gauge reads up to 17bar/250psi.
- Compresses free air to 30psi at the rate of 35ft³/hr.
- **Model No. MAC23250**



12V

127kg

АВТОМОБИЛЕН ОСЦИЛОСКОП

- One of the most competitively priced, PC-based 'scopes around and suitable for professional applications.
- High sample rate, multiple memory function and 4-channel display make this unit ideal for in-depth analysis of a variety of automotive sensors and components and can be used with any compatible lap-top or PC.
- The 'scope also features a comprehensive collection of standard automotive diagnostic procedures turning an otherwise complex process into a click of a button.
- The system is loaded with specimen wave-forms allowing the operator to compare actual results with those expected.
- The 4-channel function allows multiple components to be compared simultaneously.
- The TA4000 can be connected using a LAN cable (supplied) to any PC running the appropriate software version.
- The scope is supplied with a wide selection of automotive type test leads, connectors and probes.
- Supplied in carry case.
- **Model No. TA4000**



КОМПРЕСОР, 50 ЛИТРА, 2.0 К.С.



- Air Displacement: 10cfm (283ltr/min).
- Maximum Free Air Delivery: 7.25cfm (205ltr/min).
- Maximum Pressure: 145psi/10bar.
- Suitable for the semi-professional workshop and serious enthusiast.
- Fitted with a 2hp motor this unit is ideal for use where a stable 13Amp power supply cannot be guaranteed.
- Pump features full cast cylinders, capped by alloy head for improved heat dissipation and long life.
- Heavy-duty drive guard protects belt and flywheel that is designed to force air over the pump to aid cooling.
- Supplied with full CE certification, test certificates and operation/maintenance manual.
- **Model No. SAC0502B**

10
cfm

50ltr

2hp

Made in Italy



СГЪВАЕМ ПОВДИГАЧ ЗА ДВИГАТЕЛИ, 1000КГ.

1tonne



- Super economy model delivered in knock-down form for reduced freight cost - requires some self-assembly.
- Fast folding design provides easy storage and transportation.
- Heavy-duty castors.
- Lifts 1tonne at 893mm jib extension.
- Weighs only 74kg and is perfect for mobile or workshop use.
- Side pump access with removable handle.
- **Model No. SC10**

Self
Assemble



Верига магазини:

Варна, бул. Сливница 189, тел.:052/ 504 903; 0885/ 999 664
 Варна, ул. Ал. Дякович 18, тел.: 052/ 613 530; 0889/ 500 995
 Варна, бул. Цар Освободител 124, тел.: 052/ 75 90 00, 0889/ 999685
 София, ул. Резбарска 9, 02/ 931 31 14, 832 61 35, 0886/ 262009,0885/ 888021,0882/ 600252
 София, ул. Цар Симеон 178, тел.:02/ 931 31 14; 02/ 931 11 26; 0888/ 323251
 София, ул. Г. С. Раковски 27, тел.:02/ 931 41 88; 0886/ 262010
 София, бул. Сливница 357, тел.: 02/ 927 40 10; 0886/ 26 20 11
 София, бул. Бели Дунав, бл. 330, тел.:02/ 936 03 86; 0885/ 999661
 София, кв. Горубляне, ул. П. Красов 30, тел.:02/ 9737393; 0884/ 888591
 Пловдив, бул. Копривщица 19, тел.:032/ 670 470; 0888 646 468
 Пловдив, бул. Източен 137, тел.:032/632 707; 0886/262003
 Пловдив, бул. Кукленско шосе 28, тел.:032/ 640 061; 0882 300 246
 Бургас, ул. Индустриална 9, тел.:056/817 009; 815 201; 0887/629990
 Бургас, к-с Изгрев, бл. 121 /с-у бл.8/, тел.: 056/52 17 47; 0888/789395
 Стара Загора, Индустриална зона, тел.:042/62 11 05; 0886/262015
 Велико Търново, бул. България 41, тел.:062/600 832; 0887/825057
 Ямбол, ул. Д. Благоев 8, тел.:046/66 39 33; 0889/510710
 Русе, ул. Николаевска 40А, тел.:082/835 642; 834 642; 0886/434852
 Шумен, ул. Велики Преслав 9, тел.:054/831 465; 0889/307411
 Хасково, бул. България 15, тел.:038/66 33 51; 0889/510810
 Благоевград, бул. Св. Димитър Солунски 12, тел.:073/887 280; 0884/888 585

Габрово, ул. Орловска 87, тел.: 066/80 32 33; 0886/434851
 Добрич, бул. Добричка епопея 10, тел.: 058/60 20 80; 0886/197083
 Смолян, ул. Пролет 5, тел.: 0301/659 95; 0888/150940
 Враца, ул. Река Лева 1а, тел.: 092/66 05 13; 0888/789 305
 Сливен, кв. Дружба 87, тел.: 044/66 29 91; 0888789321; 0886900660
 Плевен, ул. Гренадерска 32, тел.: 064/805 645; 0885/888 027
 Пазарджик, бул. Стефан Стамболов 8, тел.: 034/44 49 49; 0886/197084
 Севлиево, ул. Митрополит Климент 11, тел.: 0675/35 999; 0885/888023
 Кърджали, ул. Тракия 8, тел.: 0361/6 77 46; 0885/888 029
 Разград, ул. Васил Левски 8, тел.:084/660 189; 0888/788 692
 Асеновград,ул. Княз Борис I 19, тел.:0331/6 37 38; 0885/999 037
 Казанлък, ул. Шипченска Епопея 17, тел.: 0431/6 23 87; 0885/999 495
 Търговище, ул. Отец Паисий 16, тел.: 0601/6 21 23; 0885/999 496
 Силистра, ул. Тутракан 1, тел.: 086/823 174; 0885/999 662
 Ловеч, ул. Шипка 1, тел.: 068/602 886; 0887/999 282
 Монтана, бул. Трети март 89, тел.: 096/314 250; 0882/300 208
 Перник, ул. Софийско шосе 104, тел.:076/605 165; 0884/888 593
 Сандански, ул. Стефан Стамболов 35А, тел.: 0746/329 85; 0884/ 888 580
 Гоце Делчев, ул. П.Яворов 13, тел.:0751/ 607 21; 0884/888 582
 Троян, ул. Ген. Карцов 123, тел.: 0670/541 48; 0882/288 804
 Видин, ул. Княз Дондуков 19, тел.: 094/600 386; 0882123084; 0882300235

КОСЕР АД НЕ НОСИ ОТГОВОРНОСТ ЗА ТЕХНИЧЕСКИ ГРЕШКИ И ПРОПУСКИ В НАСТОЯЩЕТО ИЗДАНИЕ. ПОВЕЧЕ ИНФОРМАЦИЯ ЗА ПРОДУКТИТЕ МОЖЕ ДА ПОЛУЧИТЕ В МАГАЗИНИТЕ ОТ ТЪРГОВСКАТА МРЕЖА НА КОСЕР АД