BU3HO U00

Борескоп, 8.5мм

- Versatile video borescope with Ø8.5mm x 1000mm
- semi-rigid probe.

 Quickest and most cost effective solution, ideal for the inspection of engines, machinery, buildings and infrastructure.
- Image displayed on a crystal clear, 60mm high resolution colour LCD display with on-screen horizontal/vertical flip features for use with side-view mirrors.
- Suitable for internal inspection of cylinder head bores and vehicle compartments/components.

 • Supplied with AV cable for external viewing of image.

 • Model No. VS8196





Количка с 8 чекмеджета, с 386 инструмента

- Heavy gauge steel with double wall construction for extra strength and durability
 Ball bearing drawer runners provide superior
- performance and carry heavier loads.

 Overall Size (W x D x H):
- 766 x 465 x 958mm. Model No. ZAP2408EXP10



Аварийно захранване, 12 V, 1000 ампера

- Delivers up to 1000 Peak Amps of initial starting power.
- Cable and Clamp Length: 0.5mtr.
 Starts up to 30 cars before recharging, depending on the length of crank time needed to start
- Monitor power pack condition using TEST function.

 • Display via 5 LED indicators.

 • Use as a 12V power supply

- too includes a lighter type socket.

 Supplied with mains charger and double plug adaptor for in-car
- charging.
 Model No. RS1



Пневматичен гайковерт 1/2

- Powerful impact wrench with twin hammer mechanism for increased torque.
- Air motor features quality bearings. ductile steel end plates and carefully finished components to ensure smooth running and maximum power.
- Working/Maximum Torque: 400/480lb.ft.
- Ultimate Torque: 500lb.ft.Model No. SA602





SEALEY

PRODUCTS PRODUCTS

Инструмент за разширяване на спирачни тръби

- Produces accurate automotive double flares on most common sizes of brake pipe.
 Cam-action body mounts in bench vice for ease of use.
 Supplied with 4.75mm, 3/16", 1/4", 5/16" and 3/8" dies and 4.75mm, 3/16", 1/4", 5/16" clamp blocks for forming most popular flares.
 Ontingal 3/8" clamps block and 1/8".
- Optional 3/8" clamp block available
- · Supplied in carry-case.





Лост за отваряне кутии, вадене на пирони от дървени конструкции, 610мм

- Manufactured from drop-forged, heat treated steel.
- Includes chisel end and swan neck.
- Ideal for opening packing cases, removing nails and taking apart wooden constructions.
- Model No. AK2061

Кръстат ключ за гуми 17,

- Forged construction with polished mirror finish.
- Features three popular size wheel nut sockets and 1/2"Sa drive adaptor for standard sockets.
- Model No. AK2093



Комплект клещи-3 бр.



- Manufactured from Chrome Vanadium steel
- Drop-forged, hardened and tempered, with phosphate black finish for corrosion resistance.
- PVC Super grip handles
- Comprises: 6" Diagonal Cutting Nipper, 6" Long Nose Pliers, 7" Linesman's



Накрайници, комплект 42 бр, 3/8 и 1/2

- Manufactured from Chrome Vanadium steel.
 Contents: Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), XZN Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors; 3/8"Sq x 10mm Hex 1/2"Sq x 10mm Hex.



Накрайници (security bit), комплект 56бр, 3/8 и 1/2, дължина: 3-75мм


- Long and short ribe, spline, hex and
- 3/8" and 1/2"Sq drive to 10mm hex adaptors.
- Model No. AK21956

Premier



Комбиниран комплект накрайници

- Manufactured from Chrome Vanadium 6150 steel.
- Long and short ribe, spline, hex, TRX-Star* and security TRX-Star* bits.
- Set includes 3/8" and 1/2"Sq drive to 10mm hex
- Chrome Vanadium steel bit adaptors





Клещи за водна помпа 400мм

- Chrome variabilities.
 Drop-forged, heat treated.
 Groove joint, adjustable head.
- Length: 400mm
- Model No. AK370

Тава с 2 малки магнитни чинийки вътре, 240/140мм

- Stainless steel tray with Ø85mm magnets in non-marking
- Measures 240 x 140mm.
 Powerful enough to retain spanners, sockets and pliers.
 Works upside-down.
- Model No. AK2312



Premier

Необорудвана количка с 2 рафта и заключващо се чекмедже

- Garage or workshop trolley with each shelf having a capacity of 80kg.
- Deep-walled shelves which may be installed base down or base up to give either tool and component security or
- unobstructed access.
- Size (W x D x H): 760 x 410 x 900mm
- Capacity:
- 80kg/Level. Model No. CX101D



Комплект гаечни ключове, 11 броя


- Sizes: 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm.
 Unique WallDrive® ring that grips the wall, not the
- corners, giving up to 30% more torque.
- Long, slim style spanners,
- Fully polished mirror finish, triple chromed.
- · Supplied with wall hanging rack.
- Model No. AK630/S



Комплект гаечни ключове с гъвкава глава 16 бр

- Chrome Vanadium steel ratchet spanners with WallDrive® ratchet rings.

 • 72-tooth ratchet ring and gear in hinged head
- Content: Spanners; 8-19mm, Socket Drive Adaptors, 1/4", 3/8", 1/2"Sq, Bit Holder; 1/4"Hex.
- Ideal for use where space is at a premium.












Вилица за ябълковидни болтове

- Forged steel body with satin
- Suitable for most small cars and light vans
- · Model No. AK382



Hardened carbon steel lead screws and cast iaws

- Wrap-over coil claws for
- extra safety. Suitable for use where space under wheel arch is limited.
- Use with 1/2"Sq drive wrench.
- 230mm Maximum jaw
- opening.
 Model No.
 AK3841



Уред за свиване на пружини

- Features spring loaded safety jaws for easy location of the jaws on assembly
- Prevents accidental release of spring under load.
- Use with 24mm hex socket or spanner.
- Model No. AK3844



Тестер за антифриз

- Tests ethylene glycol strength with engine
- hot or cold.

 Composite body and rubber bulb for workshop durability.
- Model No. AK409

Тестер за електролит

- Tests 6, 12 and 24Volt batteries.
- Composite body and rubber bulb for workshop durability.


 • Model No. AK410



Тестер за електролит, тип" спринцовка"

- Professional battery hydrometer.
 Float gauge and thermometer built-in.
 Model No. AK414

Комплект тресчотка и накрайници, 24 броя, 1/4 (гедоре)



Variadium Sockets.
Flip reverse, 48 tooth, comfort grip, ratchet handle with push-button quick release.
Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm,
Deep Sockets; 8, 10, 11, 12, 13mm, Extension Bars; 100, 150mm, Sliding T-Bar, 1/4"Sq Drive Single Pawl Pear-Head Flip Reverse Ratchet Wrench with 48 Teeth, Spinner Handle,

Universal Joint. Model No. AK851





Premier

Комплект тресчотка и накрайници, 39 броя, 3/8 (гедоре)

Contents: Standard Sockets; 6-9, 21, 22, 24mm,
Deep Sockets; 8, 10, 13, 17, 19mm, Extension
Bars; 75, 100, 150mm, Universal Joint,
Sliding T-Bar, Adaptor 3/8"(M) x 1/2"(M),
3/8"Sq Drive Single Pawl Pear-Head
Flip Reverse Ratchet Wrench with
48 Teeth, TRX-Star* Bits 10mm x 30mm; T20, T25, T27, T30, T40, T45, T50, T55, Coupler 3/8" x 10mm, Spark Plug














• Flip reverse, 48 tooth, comfort grip, ratchet handle with push-button quick release and 1/2" breaker bar.

Contents: Sockets; 8-30, 32, 34, 35, 36mm, Extension Bars; 125, 250mm, Universal Joint, 1/2"Sq Drive Pear-Head Flip Reverse Ratche Wrench with 48 Teeth, 380mm Breaker Bar, Sliding T-Bar Adaptor

1/2"(M) x 3/8"(F). **Model No. AK858**







Комплект отверки, 7 броя POWER MAX

- High quality Chrome Vanadium polished shafts
- with shot blasted and magnetized tips. Contents: Slotted; 3 x 75, 5 x 100, 6 x 150, 8 x 150mm, Phillips; #0 x 75, #1 x 75, #2 x 100mm.
- Model No. AK5040



Power**MAX**

Клещи за маслени филтри, тип "челюст", 57-120мм за трудно достълни места

- Jaws swivel up to 90° to give access to awkwardly positioned oil and fuel filter.
- Chemically blackened finish to prevent corrosion and non-slip grip for added comfort and control
- Capacity: Ø57-120mm.
- Model No. AK6417

Комплект 8 отверки, **POWERMAX**

- High quality Chrome Vanadium polished shafts with
- shot blasted and magnetized tips Contents: Slotted; 3 x 75, 5 x 100, 6 x 150, 8 x 150mm, Phillips: #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm
- Model No. AK5042

Комплект отверки в куфарче, 21 броя POWER MAX

• Contents; Slotted; 6 x 150, 8 x 150mm, Phillips; #1 x 75, #2 x 100mm, Pozi: #1 x 75, #2 x 100mm, Bit Holder, Bits; Hex - 2, 2.5, 3, 4, 5, 5.5, 6mm, Slotted - 4, 5mm, Pozi - #3; Phillips - #3, TRX-Star* T15, T20, T25.

Model No. AK5043




Premier

Power**MAX**

Клещи за маслен филтър 54-108мм

- Forged pliers with chemically blackened finish.
 Serrated jaws and long handles for extra grip on oily filters
- Features angled jaws, for use in confined engine bays. Dipped non-slip rubber grip handles for added comfort
- · Model No. AK6411



- Tubing kit suitable for cutting and flaring copper, brass or thin walled aluminium pipe
- Includes screw-type tube cutter with die-cast frame and integral de-burring tool
- Dies: 3/16", 1/4" 5/16", 3/8", 7/16' 1/2", 5/8".
- Model



Ключ за маслен филтър, 63-103мм

- Satin finished carbon steel construction with 3/8" & 1/2"Sq drive, Suitable also for
- use with a 21mm spanner.

 Claws grip filter tighter as more torque is applied.
- Model No. AK642

Ключ за маслен филтър, 63-120мм

- Satin chrome finish steel construction with 1/2" & 3/8"Sq drives.
- Also suitable for use with a 21mm spanner.
- Claws grip filter tighter as
- more torque is applied.

 Model No. AK643

Ключ за маслен филтър, 65-110мм, тип "примка"

- · Band type filter wrenches. Steel strap with heavy-duty cast body and control knob.
- · Removes filters with minimal risk of damage.
- Ideal for servicing newer vehicles or when the filter needs to be refitted.
 Model No. AK644



3/8" & 1/2" Drive

Магнитен прихващач, 1300-650мм, повдига до 1,5кг, 130-650мм

- Telescopes to less than pen size for convenient pocket storage.
- 1.5kg Pick-up capacity from Ø10mm magnet.
- Minimum/Maximum Extended Length: 130/650mm.
- Model No. AK6511



3/8" & 1/2" Drive

Огледалце за оглед на колата, 360 градуса на въртене, 125-690мм

- Chromed metal body with pocket-clip for safe
- Ø40mm inspection mirror mounted on ball joint
- permitting full 360° rotation.

 Minimum/Maximum Extended Length 125/690mm
- Model No. AK652



Гъвкав магнитен прихващач, до 1,5кг

- Flexible chromed shaft with classic styled
- Use with or without magnetic protection
- 1.5kg Pick-up capacity from Ø10mm magnet









1.5kg











Накрайници за пробката на маслото, комплект 6 броя, 2 края

- Fits 90% of today's vehicles
- Chrome Vanadium steel.
 Contains: Hex: 5/16", 3/8", 1/2", 8, 10, 12, 14, 17mm.



Лупа, 75мм, увеличава 5 пъти

- Lightweight composite handle housing a glass lens
- with x5 magnification.

 Ideal for enlarging small work areas for detailed inspection.
- Includes hanging hole for storage.
- Model No. AK9647

Ключ и накрайници за пробката на маслото, комплект звездообразни ключове, 19 броя, 3/8

- Comprehensive set of Chrome Vanadium steel keys with tommy bar.
- Suitable for sump plugs on engine, gearbox and back axle.
 Contents: Square Male; 7, 8, 10, 11, 12, 13, 14mm, 5/16", 3/8", Square Female; 10mm, Hex; 8, 9, 10, 12, 14, 17, Triangle; 10mm, TRX-Star*; T45, Tommy Bar 3/8"Sq Drive Silder.
- Supplied in storage case.



Ролетка extra-long 7,5м

- Composite case with rubber cover, wrist strap and
- Steel blade with Metric and Imperial scales and magnetic tip.
- Strong rewind mechanism with slide-button lock plus side and base mounted push-button locks for added versatility
- Model No. AK990

Комплект шестограмни и 18 броя



- Manufactured from heat treated and hardened Chrome
- Vanadium steel with a fully polished finish.

 Ball-end hex from 1.5-10mm with hex short element and TRX-Star* from T10 to T50 with security short element.
- Keys range in length from 75-180mm and feature a rubber anti-slip coating for comfort and control.



Цифров мултицет, 24 функции

- Quality tradesman's multimeter with 26mm high easy-to-read LCD display.
- Features protective boot, probe storage and integral stand.
 Measures: AC/DC Voltage & Current & Resistance.

- Diode/Transistor Verification Mode.
 Supplied with probe test leads.



Ø75mm



Метелен куфар, разгъваем

- Traditional cantilever design with four tool trays and central tool storage area.
 Top flaps accept podlock for extra security.
 Size (W x D x H): 550 x 210 x 220mm.

Метална секция с 16 чекмеджета

- Professional quality steel construction for use in workshop.
- Freestanding, with 16 drawers (8 with two fixed dividers).
- Overall Size (W x D x H): 435 x 170 x 290mm
- Model No. APDC16



Метална секция с 44 чекмеджета

- Professional quality steel frame cabinet for
- use in the workshop. Supplied with 44 tough polypropylene drawers which can be subdivided into smaller
- compartments with dividers (not supplied).
- Can be wall mounted or used free
- standing.
 Overall Size (W x D x H): 307 x 147 x
- 510mm. Model No. APDC45



Стоманено менгеме, 150мм, **Ouick Action ALL STEEL**

- Bench mounting, all steel heavy-duty vice with serrated jaws
- Features patented cam action lock/release system and quick-slide action for fast jaw opening and closing before
- Includes anvil and swivel base
- Jaw Size x Opening: 150 x 150mm.
 Weight: 10kg.
- Model No. SQAV150



Маски за еднократна употреба против прах и дребни частици, 50 броя

- Lightweight cup style comfort mask for general use
- Metal band forms top of mask securely around nose for comfortable fit.
- N.B. Should not be used for any applications requiring mandatory respiratory protection against fine particles gases, vapour or paint
- SSP58. Model No.

sprays - See Model No.

Нитрилни ръкавици, 100 броя

- Offers a high degree of protection against a variety of chemicals.

 • More durable than standard latex gloves.
- Provides excellent protection whilst being light and flexible.Nitrile material, ideal for
- people with latex protein allergies



Предпазни очила с безцветни стъкла

- BS EN 166/F Lightweight spectacles.
- Ideal as jobber's or visitor's spectacles.
 Side arms with built-in ventilated shields.
- Model No. SSP29

Пистолет за горещ въздух със светодиоден дисплей



- Double insulated and fitted with BS approved 3 pin safety plug.
- Model No. HS104K

5 LED алуминиево фенерче с магнитен прихващач

- Aluminium bodied torcl
- Telescopic Ø6mm, 0.5kg magnetic pick-up.
- Min./Max. Extended Length: 148/528mm
 5 Ultra bright LEDs have up to 100,000hr life.
- Knurled handle for extra grip.
 Powered by 4 x LR44 Cells (supplied).
- Model No. LED005P



Помпа за гуми с два цилиндъра (крачна)

- High power, steel framed foot pump with two Ø50 x 120mm steel barrels.
- Gauge calibrated in psi and bar and ranging from 0-100psi and 0-7bar.
- Fitted with 610mm flexible pressure hose with locking connector.

Model No. FP2



Шейна, 6 колела, american

- Heavy steel framework with powder coat paint finish.
- Easy rolling Ø60mm composite castor wheels with ball bearing swivels.



Комплект за сваляне на шайбата на алтернатора, 6 броя

- Easy removal of freewheel pulley from alternator either on or off the vehicle.
- Applications: Audi, BMW, Citroen, Ford, Mercedes, Peugeot, Porsche, Renault, Skoda, Vauxhall/Opel. Model No. SX400

Челник с 3 светодиодни крушки - 3 ААА батерии (включени)

- Hands-free LED spotlight.
- Not white LEDs spoilight.
 Two white LEDs for general use and one red LED, which can be used at night to help maintain night vision.
 Adjustable inclination to direct light source as required.
 Powered by 3 AAA cells (supplied).
 Model No. HT03LED



Бастун за заключване на


- Hardened steel lock that is quick and easy to fit to steering wheel.
- Highly visible deterrent to the vehicle thief
- Vinyl coated to protect steering wheel.Supplied with two keys.
- Model No. PB393

Камък за изпиляване

- For fast, efficient use when removing burrs on a workpiece or sharpening a blade.
- Four colour coded grits allow easy choice for application
- requirements.
 Colour/Grit: Yellow/#200, Red/#300, Green/#400
- Supplied in a tough composite storage/work box with anti-slip base for added
- stability.


 Model No. DSS4





Цифров тестер за акумулатори и алтернатори

- Compact design digital tester suitable for professional use.
- Utilises low current draw technology to evaluate condition of SLI, VRLA, AGM and Gel batteries.
- Results displayed on LED control panel.
 No internal battery and will test batteries with a residual charge of just 7Volts.
- Suitable also for the evaluation of the alternator and charging circuitry of the vehicle - the results displayed simply and clearly on the LED panel.
- Model No. BT102



- Reads up to 32Volts/100Amps.
- Tests battery voltage, feed voltage, earth contact, alternator current, equalization, alternator drop, electric system and rundown current.
- Steel housing with carry strap.2 Large meter read-out display.
- Supplied with two pairs of leads with crocodile clips and full operating instructions.
- · Model No. BT91/5

24V

Товарна вилка (тестер за акумулатори)

- American style drop tester.
 Load applied by internal switchgear no sparking!
- Suitable for 6 and 12Volt batterie
- Applies load across cells and measures output on meter.
- Accurate indication of battery voltage, faulty cell and short circuited cell.
- Model No. BT91/7





Леген за масло и течности- 17 литра, черен

- Made from high density Polyethylene with UV stabiliser.
- Heavy wall construction stays rigid, even with hot oil.Suitable for multiple oil changes.
- Features anti-splash lip that contains fluid when carrying or pouring.
- Large handles and enclosed pouring spout make easy work of returning oil/fluid to recycling container.

· Model No. DRP03

Стробоскоп (уред за замерване Кабели за мултицет с на позицията на буталото в момента на подаване на искра) бушона-малък

- Large LED digital display.
 Reads dwell, advance, voltage and rpm
- · Mode for two-stroke and distributorless, 'lost spark', four-stroke engines.
- Detachable clamp-on inductive pick-up.
- Model No. TL93

накрайник за гнездата на

- Break into the vehicle's fuse panel quickly and easily.
- Keeps your hands free for handling the wiring loom and switching components.
- Fused adaptor lead.
- Ideal for use on car and commercial vehicles.
 Fitted with regular Ø4mm banana
- adaptors found on most scopes and multimeters.
- Maximum Current/Voltage 20A/48V.





Кабели за мултицет с накрайник за гнездата на бушона-стандартен

- Break into the vehicle's fuse panel quickly and easily.
 Keeps your hands free for handling the wiring loom and switching components.
 Fused adaptor lead.
 Ideal for use on car and commercial vehicles.
 Fitted with regular Ø

- scopes and multimeters.

 Maximum Current/Voltage: 20A/48V.



Пясъкоструйка 0.33 см3

- Heavy-duty steel cabinet, composite doors, toughened glass
- viewing screen and integral low voltage illumination. Two side doors provide easy access for bulkier items.
- Ø64mm Dust extraction port
- · Heavy gauntlets provide hand protection and cabinet is supplied with sand blasting gun and four ceramic nozzles
- Includes pack of 10 visor covers




Греда за двигател, 300кг

- 300kg Capacity.
- Min./Max. Width: 660/1420mm.
- Designed to support and accurately position engines during maintenance operations.
- Ideal for supporting the engine whilst replacing anti-vibration mountings and certain body panels.
- Aids with the removal of gearboxes and transmissions.
 Model No. ES300



Секция с 4 чекмеджета, с 142 инструмента

- PREMIER ::
- Topchest Model No: AP2401
- Heavy gauge steel with double wall construction for extra strength and durability.
 Overall Size (W x D x H): 690 x 465 x 400mm.
 Model No. ZAP2401EXP10



Количка с 7 чекмеджета, с 249 инструмента

 All heavy gauged steel construction and manufactured with steel inner walls for extra strength and durability.

Overall Size: (W x D x H) 685 x 465 x 995mm

Model No. ZAP26479EXP10

Includes Tool

Trays: TBT01, TBT02, TBT03, TBT04, TBT06, TBT07, TBT08, TBT10, TBT29, TBT29, TBT33, TBT34, TBT35

7 Drawer
























- Contents: T9, T10, T15, T20, T25, T27, T30, T40,
- Tray Size (W x D x H): 176.5 x 397 x 55mm.
- Model No. TBT05





Комплект пили

- Contents: Half-Round, Square, Round,
- Square, Round,
 Three-Square, Flat
 Tray Size (W x D x H):
 176.5 x 397 x 55mm
 Model No. TBT09

Premier





Includes Tool Trays: TBT01, TBT02, TBT03, TBT04, TBT05, TBT06,

TBT07, TBT08, TBT09, TBT01, TBT07, TBT08, TBT09, TBT11, TBT12, TBT13, TBT29, TBT15, TBT16, TBT17, TBT18, TBT33, TBT23, TBT24, TBT25, TBT26, TBT27, TBT28, TBT30, TBT34, TBT32, TBTB, TBT35, TBT22

Количка с 6 чекмеджета, с 544 инструмента (Всичко за вашия сервиз)

Model No. ZAPTTC02EXP10


EXTRA DEEP TOPCHEST

Superline PRO

Ball Bearing

Premier Line Tools for the Professional

Sall Searing



Drawer Slides






































инструмент за маншони на карета

- Innovative tool saves time, money and frustration.
- Installs CVJ boots without removing drive shafts from the vehicle or the CV joint from the drive shaft.
- While fitting boot the tool can be removed from the air line when pressurized (arms open) and will maintain pressure until the release button is pressed.





 Set includes seat, steering wheel, floor and gear lever covers. • Ideal for protecting the vehicle's interior from dirt, grease and oil in a busy workshop environment.

• Suitable for most cars and light commercial vehicles



манометър за

- Composite body and dial type jumbo gauge with rubber
- Calibrated in bar and psi.Fitted with 400mm rubber hose and single clip-on connector.



Винтоверт 1/2



- reduced noise and added operator comfort
- Working/Maximum Torque: 295/325lb.ft.
 Ultimate Torque: 450lb.ft.
- Rocking-dog clutch assembly.

Пневматична тресчотка (3/8)

- Soft grip handle for comfort and control.
- Adjustable exhaust outlet for control on exhaust direction.
- Integral air regulator with four-speed
- Supplied with WallDrive® impact sockets, extension bars and driver bits.



Пневматична тресчотка (1/2)

- Soft grip handle for comfort and control.
 Adjustable exhaust outlet for control of exhaust direction.
- Supplied with air regulator for four-speed control.
 Supplied with WallDrive® impact sockets, extension
- bars and driver bits
- Model No. GSA21KIT



Високооборотна шлайф машина на въздух

- Soft handle grip for comfort and control.
 Adjustable exhaust outlet for control on exhaust direction.
- Trigger with safety catch to prevent accidental operation.



Уред за смяна на спирачна и съединителна течност

One-man brake and clutch bleeding the professional way.

Requires no external power

Regretion For Tools

- Requires no external power source simply fill and pump.
 Holds 2.5th of hydraulic fluid flush the entire system with one fill without the risk of running the reservoir dry.
- Pressure range makes unit suitable for use with ABS
- Fitted with Ø42mm cap and suitable for most European models
- Model No. V\$820





Тестер за диагностика и чистене на грешки за Нопова

Mazda, Mitsubishi, Nissan, Toyota (японски коли)

- Applications: Honda, Mazda tsubishi, Nissan, Toyota (1996-2006) with EOBD based engines.
- Reads and clears airbag, ABS and transmission DTCs
- Powered by 4 x AA batteries.
 Model No. VS865



Уред за нулиране на маслени сервизни интервали

- Designed for resetting the oil service and oil inspection lights, and for adjusting service interval data on a wide range of common
- Intuitive controls and easy
- Supplied with EOBD connector, USB cable and adaptors for older BMW, VW and Mercedes vehicles.



Тестер за диагностика и чистене на грешки за VW, Audi, Seat, BMW/Mini, Mercedes, Volvo & Vauxhall/Opel (след 1996г) с EOBD

двигатели

- Applications: VW/Audi, Seat, BMW/Mini, Mercedes, Volvo and Vauxhall/Opel (from 1996on) with EOBD based engine
- Reads and clears airbag, ABS and transmission DTCs.
- Requires 4 x AA batteries (supplied).
 Model No. VS8650

LIVE











Електронен четец на емисии (за коли след 1996г)

 Applications: All 1996 and later EOBD compliant vehicles.

 Retrieves generic (PO, P2, P3 and U0) and manufacturer specific (P1, P3 and U1) codes

- Retrieves vehicle information (VIN, CID and CVN). Built-in DTC library.
- Model No. VS8700







Професионален мултицет- 8 функции

- High precision auto-ranging multimeter
- Conforms with EN 61010-1 CATIII 600V safety requirements for electrical equipment for measurement, control and laboratory
- Probe and lead storage and integral upright stand for use on the workbench.
- Supplied in zipped pouch with carry strap.


 • Model No. TM102



Комплект за измерване на налягането на охладителната система

Cooling system pressure testing kit with an updated selection of adaptors to fit popular European and Japanese vehicles including Alfa, Audi, BMW, Chrysler, Citroen, Daewoo, Fiat, Ford, Honda, Hyundai, Kia, Lancia, Mazda, Mercedes, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab,

Seat, Skoda, Suzuki, Toyota, Vauxhall/Opel, Volvo, VW



Рефрактометър- мери антифриз, електролит, течност за чистачки

- Accurately measures the strength of battery fluid, screenwash and antifreeze by measuring the refractive index of light passing through the mixture
- Temperature corrected prism ensures accuracy.
- Supplied with pipette and carry-case.
- Model No. VS005



Универсален инструмент за фиксиране на съединител

- Nylon components with steel main shaft.
- Fits 90% of cars and light vans up to 5tonne gross (not suitable for Minis (A Series) or vehicles with double plate clutches)
- Suitable for front wheel
- drive vehicles. Supplied with 2 different sized expanding collets

 Model No. VS010

Тестер за спирачната течност

- Comparative electrolytic type tester.
- Check moisture content of fluid by resistance to electric
- Easily calibrated using virgin brake fluid.
- Model No. VS027



Комплект за вкарване и завинтване на спирачните бутала, 18 броя

- Suitable for push-back and wind-back brake pistons
- Includes left-handed and right-handed thrust bolt assemblies.
- **Applications** Alfa Romeo. Audi, BMW, Citroen, Fiat, Ford, Honda, Jaguar, Mazda, Mercedes, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab, Seat, Skoda, Subaru, Toyota,
- Vauxhall/Opel, VW, Volvo Model No. VS0282

Пластмасови клещи, средни

- Smooth rounded jaw edges prevent damage to internal hose reinforcement.
- Quick and simple one handed use.
 Made from durable glass reinforced nylon.

Пластмасови клещи за спирачни и горивни маркучи

- Smooth rounded jaw edges prevent damage to internal hose reinforcement. Quick and simple - one handed use. Made from durable glass reinforced nylon.



Комплект за вкарване и завинтване на спирачните бутала, 30 броя

1

(0)

- Kit helps prevent damage to
- pistons and seals
- Romeo, Audi, BMW, Citroen. Fiat, Ford, Honda
- Jaguar, Lancia, Lincoln, Mazda, Mitsubishi
- Nissan, Peugeot, Proton, Renault, Rover, Saab, Seat, Subaru, Toyota, Vauxhall/Opel, VW,
- Model No. VS0285

Комплект гаечени ключове за свързване на тръби, 4 броя



• Four flexi-end spanners cover eight sizes from 8-15mm.

which rely on the points of the hex being in good condition

· Model No. VS0343

Инструмент за свиване на пружините на клапаните

- Permits valve springs and valve stem oil seals to be replaced without the need to remove the cylinder head when used in conjunction with V\$1601 Compressed Air Adaptor.
- Reversible jaw adaptor and automatic cam action lock to pre-set spring tension.
- Suitable for use on a wide range of OHV, OHC and CVH




Куки за ауспух

- Invaluable when installing exhaust systems
- T-handled tools allow easy fitting of exhaust mounts.
 One straight and one hooked to suit block and ring mounts respectively
- Model No. V\$1641

Инструмент за скоби на маркучи с жило за труднодостъпни места

- Long reach tool designed for awkwardly positioned tag-type hose clips
- Flexible cable and compact head help operation in confined spaces
- Model No. VS1663



- Heavy-duty Chrome Vanadium construction.

 • Long-reach arms compress
- higher proportion of new coil spring.
- Allows even and safe compression of spring prior to installation of regular coil spring compressor

 Model No. AK3842





Комплект вакуум тестер и уред за проверка на течове в спирачната система

Multi-function diagnostic tool used to test a variety of essential engine and associated functions.

• Contents: Vacuum Pump, Fluid Container, Transfer Cap, Vacuum Hoses; 2 x 580mm, 2 x 80mm, Assorted Vacuum Hose Fittings x 5, Bleed Nipple Adaptors x 3.

Model No.



уред за измерване ъгъла на завинтване

- Designed to be used with any 1/2"Sq drive torque wrench.
- Tough composite dial and rotating index line allow operator to accurately tighten fixing to manufacturer's
- exact specification
 Supplied with fully adjustable reaction arm.
- measuring tool for the busy workshop
- Model No. VS530

Premier Driv

30 броя

85lb.ft torque

Adaptor allow:

drive

wrenches.

• Adjustable oil filter wrench Ø65-120mm.

• Model No.

7 and 16 gauge steel, will withstand up to

Комплект капачки за

отвиване маслени филтри,


Extensive set designed for a wide range of vehicles.Cap type filter wrenches, made from

00000

00000



210



- Superb for repairing sump, gearbox and differential drain plug threads.
- Used to tap the damaged thread slightly oversize, then fit a new drain plug and washer supplied.
- Tap Sizes: M13, M15, M17,M20.



Комплект за демонтаж на лагери за главина

- Comprehensive kit of tools for the fast and effective removal and installation of wheel bearings on front-wheel drive vehicles
- Heavyweight drive screw for use
 The increase tools



Комплект капачки за отвиване маслени филтри, 15 броя

- Cap type filter wrenches, made from 7 and 16 gauge steel and can withstand up to 85lb.ft of torque.
- Designed to grip like sockets, thereby minimising the possibility of crushing filters.
- Electro-black oxide finish for rust protection
- Use with 3/8" or wrenches.
- Model No.





- Reduces chances of damage to hub and bearing.

Комплект за вадене на лагери на предните гуми



- assembly. Fast and
- simple to use May be used
- with impact wrench. Model No. VS7021



Универсален уред за законтряне на ангренажен ремък

- Unique time-saving device suitable for locking the position of camshafts to retain engine timing positions.

 Bar allows reach of between 28 and 92mm.



Скоба за вадене на рамена на чистачки

 Heavy-duty construction with locking feature allowing secure fastening to the wiper arm before commencing



Уред за сваляне/поставяне на капачетата на болтовете на гумите, поема до 6 броя

Removes the plastic wheel nut caps fitted to Audi, Seat, Skoda, VW and Vauxhall/Opel



Инфрачервен лазерен цифров термометър 8:1(-35С до +365С)

 Fast and simple way to find engine and vehicle faults.



temperature. Features laser pointer to indicate area being

- sampled. Temperature is displayed
- on large LCD panel. Temperature can be
- shown in either °C or °F. Powered by two AAA cells (supplied).
- Model No. VS904



Sight €



Варна, бул. Сливница 189, тел.:052/504 903; 0885/999 664 Варна, ул. Битоля 23, тел.:052/601 976; 0888/681154 Варна, ул. Ал. Дякович 18, тел.: 052/613 530; 0889/500 995 Варна, бул. Цар Освободител 124, тел.: 052/75 90 00, 0889/999685 София, ул. Цар Симеон 178, тел.:02/931 31 14; 0888/323251 София, ул. Г. С. Раковски 27, теп.:02/931 41 88; 0886/262010 София, бул. Сливница 357, тел.: 02/927 40 10; 0886/26 20 11 София, бул. Бели Дунав, бл. 330, тел.:02/936 03 86; 0884/888591 София, кв. Горубляне, ул. П. Красов 30, тел.:02/9737393;0884/888584 Пловдив, бул. Копривщица 19, тел.:032/ 670 470; 0888 646 468 Пловдив, бул. Източен 137, тел.:032/ 632 707; 0886/262003 Пловдив, бул. Кукленско шосе 28, тел.:032/ 640 061; 0882/300 246 Бургас, ул. Индустриална 9, тел.:056/817 009; 816 780; 0887/629990 Бургас, к-кс Изгрев, бп. 121 /с-у бп.8/, тел.: 056/52 17 47; 0888/789395 Стара Загора, ул. Хан Аспарух 25, тел.:042/62 11 05; 0886/262015 Велико Търново, бул. България 41, тел.:062/600 832; 0887/825057 Ямбол, ул. Д. Благоев 8, тел.:046/66 39 33; 0889/510710 Русе, ул. Николаевска 36, тел.:082/835 642; 834 642; 0886/434852 Шумен, ул. Велики Преслав 9, тел.:054/831 465; 0889/307411 Хасково, бул. България 15, тел.:038/66 33 51; 0889/510810 Благоевград, бул. Св. Димитър Солунски 12, тел.:073/887 280; 0888/1509410 Габрово, ул. Орповска 61, теп.: 066/80 32 33; 0886/434851 Добрич, бул. Добричка епопея 10, тел.: 058/60 20 80; 0886/197083 Смолян, ул. Пролет 5, тел.: 0301/659 95; 0888/150940 Враца, ул. Река Лева 1а, тел.: 092/66 05 13; 0888/789 305 Сливен, кв. Дружба 87, тел.: 044/66 29 91; 0888/789321 Плевен, ул. Гренадерска 32, тел.: 064/805 645; 0885/888 027 Пазарджик, бул. Стефан Стамболов 8, тел.: 034/44 49 49; 0886/197084 Севлиево, ул. Митрополит Климент 11, тел.: 0675/35 999; 0885/888023 Кърджали, ул. Тракия 8, тел.: 0361/6 77 46; 0885/888 029 Разград, ул. Васил Левски 8, тел.:084/660 189;0888/788 692 Асеновград,ул. Княз Борис I 19, тел.:0331/6 37 38; 0885/999 037 Казанлък, ул. Ген. Радецки 42, тел.: 0431/6 23 87; 0885/999 495 Търговище, ул. Отец Паисий 16, тел.: 0601/6 21 23; 0885/999 496 Силистра, ул. Тутракан 1, тел.: 086/823 174; 0885/999 662 Ловеч, ул. Шипка 1, тел.: 068/602 886; 0887/999 282 Монтана, бул. Трети март 89, тел.: 096/314 250; 0882/300 208 Перник, ул. Софийско шосе 104, тел.:076/605 165; 0884/888 593 Сандански, ул Стефан Стамболов 35 А, тел.: 0746/329 85; 0884/ 888 580 Гоце Делчев, ул. Т. Александров 26, тел.:0751/ 607 21; 0884/888 582 Троян, ул. Ген. Карцов 123, тел.: 0670/541 48; 0882/288 804 Видин, ул. Княз Дондуков 19, тел.: 094/600 386; 0886/900 660

Комплект за вкарване и завинтване на спирачните бутала, с въздух, 26бр

- Air operated wind-back tool suitable for left or right hand wind-back operations
- Kit helps prevent damage to pistons and seals.
 Applications; Alfa Romeo, Audi, BMW, Citroen, Fiat, Ford, Honda, Jaguar, Lancia, Lincoln, Mazda, Mini, Mitsubishi, Nissan, Opel, Peugeot, Proton, Renault, Rover, Saab, Seat, Subaru, Toyota, Vauxhall/Opel, VW, Volvo.



Мултифункционален инструмент 15:1

- Manufactured from top grade, high carbon stainless steel
- Fully hardened and tempered for lona life.
- · Zytel handle cheeks allow a firm and comfortable grip.
 Supplied with belt pouch



Въздушен компресор за свиване на пружини

- Fast and safe compression of road springs.
- 1000kg Air operated unit with safety locking
- Supplied with two interchangeable plastic coated lower yokes and a suspension strut
- · Fits a wide range of spring configurations
- Also features a strut locating platform for easy movement of the suspension strut to avoid
- unnecessary lifting.

 Model No. RE300








Три тонен крик стандартен


- Min./Max. Saddle Height: 145/490mm.
- Chassis Length: 685mm.
- Integral American cog-type release mechanism with two-piece handle.



Fitted with safety overload valve and 'pump-through' valve to prevent handle locking once at maximum lift height.

Model No. 3000CXD





20kW, 230V

- Infrared heater suitable for well
- ventilated indoor applications.

 70,000Btu/hr Heat output.
- Heats objects, not the surrounding air.
- Proven pump system can operate with either kerosene or diesel
- 12ltr Tank allows approximately 7hrs running time, making this unit extremely economical
- Fuel gauge and large heavy-duty fuel cap.
- Model No. IR20





70k Btu/Hr

КОСЕР АД НЕ НОСИ ОТГОВОРНОСТ ЗА ТЕХНИЧЕСКИ ГРЕШКИ И ПРОПУСКИ В НАСТОЯЩОТО ИЗДАНИЕ. ПОВЕЧЕ ИНФОРМАЦИЯ ЗА ПРОДУКТИТЕ МОЖЕ ДА ПОЛУЧИТЕ В МАГАЗИНИТЕ ОТ ТЪРГОВСКАТА МРЕЖА НА КОСЕР АД