



СЕРВИЗНО ОБОРУДВАНЕ КОСЕР, ДЕВЕТО ИЗДАНИЕ, ЛЯТО 2016

#### ЛЕД ЛАМПА 360 ГРАДУСОВА









- · Unique and innovative 360° swivel and tilt function enables the light source to be positioned in any direction.
- Exclusive patented design owned and registered to Sealey.
- 7 Super bright SMD LEDs providing up to 300 lumens output with 120° spread of light.
- · High power 3W LED in the end for use as a directional torch.
- · Features two swivel hooks and three rubber covered magnets for hands free operation.
- High quality 2.2Ah Lithium-ion battery.
- Micro USB charging port.
- · Supplied with mains charger and USB cable.
- · Operating Time Side/Top: 4/8hr.
- · Charging Time: 4hr.
- Min./Max. Length: 255/270mm.



00 лв

#### ЛЕД ЛАМПА 360 ГРАДУСОВА, З ВАТА







- Unique and innovative 360° swivel and tilt function enables the light source to be positioned in any direction.
- Exclusive patented design owned and registered to Sealey.
- State of the art COB LED providing up to 240 lumens output with a CRI-80 rating.
- High power 3W LED end torch.
- · Features two swivel hooks and three rubber covered magnets for hands free operation.
- High quality 2.2Ah Lithium-ion battery.
- Micro USB charging port.
- Supplied with mains and in-car charger.
- Operating Time Side/Top: 3/8hr.
- · Charging Time: 5hr.
- Min./Max. Length: 260/280mm.



LED3603 149.00 лв.





- Min./Max. Saddle Height: 1075/1895mm.
- High speed lift to gearbox just lift piston.
- Foot pedal operation keeps hands free.
- Spring loaded dead man's safety release control reduces the risk of inadvertent lowering.
- Highly manoeuvrable on castors.

500ETJ 489.00 ле

## КОМПРЕСОМЕР ЗА ДИЗЕЛОВИ И БЕНЗИНОВИ ДВИГАТЕЛИ И ИНЖЕКТОРИ И ОПРЕДЕЛЯНЕ НА ГМТ

- A comprehensive kit for testing the compression and leakage on both diesel and petrol vehicles.
- Features 600psi gauge with large rubber bumper, straight and right angled quick connect fittings and an extensive range of spark/glow plug and injector adaptors.
- Includes TDC finder, ideal for use when the engine has no crankshaft timing marks.
- Supplied in tough carry-case.
- See Sealey website for complete vehicle applications.



699.00 лв



<u>₽</u> ₽



БИТОВЕ, 74 ЧАСТИ, 1/2, 3/8 TRX-STAR/ SECURITY TRX-STAR/HEX/SPLINE/RIBE



TRX-Star\* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each

30 & 75mm), Security TRX-Star\* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm),

Drive Adaptors: 3/8"Sa x 10mm Hex. 1/2"Sq x 10mm Hex.

3/8"

AK21974





**150MM** 

Prem

High powered Ø80mm magnet with non-marking cover.

МАГНИТНА ЧИНИЙКА, ДИАМЕТЪР

Attach to any ferrous metal surface.

**AK231** |4.00 лв.



30 & 75mm), Spline Bits; M5, M6, M8, M10, M12

(1 each 30 & 75mm),

3/8"Sq x 10mm Hex,

Drive Adaptors;



**AK219** 

· Polished mirror finish with knurled ring for extra grip with oily fingers.

Model No.	Size	SPECIAL PRICE
AK2720	1/4"Sq Drive	<b>39.00</b> лв.
AK2723	3/8"Sq Drive	<b>39.00</b> лв.



 Contents: Slotted; 6 x 150, 8 x 150mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm, Bit Driver, Bits;

Slotted - 4, 5mm, Phillips - #3, Pozi - #3, TRX-Star\* - T15, T20, T25, Hex - 2, 2.5, 3, 4, 5. 5.5. 6mm.

AK5043 .00 лв





- Feature hexagonal bolsters for use with a wrench.
- · Contoured, textured handles with hammer caps.
- · Shot blasted and blackened tips
- Contents: Slotted; 8 x 450mm, Phillips; #2 x 450, #3 x 450mm.

**AK4935** 47.00 лв.



15.00 лв.



with pocket clip for safe storage.

1kg Pick-up capacity from Ø10mm magnet. Minimum/Maximum Length: 130/650mm

**AK651** 19.00 лв.

# ЗВЕЗДОГАЕЧНИ МЕТРИЧНИ КЛЮЧОВЕ



Open end and WallDrive® ring combination with long slim shaft. Sizes: 8 -19mm.

99.00 лв.

AK63012

· Contents:

Slotted: 6 x 100mm.

Phillips; #2 x 100mm.





МЕТРИЧНИ КЛЮЧОВЕ. 12 БРОЯ












· Scales graduated in both Nm and lb.ft.

· Wrenches are individually tested to standards with ±4% accuracy and each wrench is issued



torque reading in either direction.

STW309 27.00 лв

different shaft lengths.

· Reversible Chrome Vanadium 72-tooth ratchet allows



- · Chromed metal body with pocket-clip for safe storage.
- Ø40mm inspection mirror mounted on ball joint permitting
- · Minimum/Maximum Length: 125/690mm.





STW702









· Manufactured to German DIN standards.

S0402 89.00 лв



- Wall or toolbox mounting magnetic rack.
- Size: 600 x 25mm. · Supplied with fixing
- screws



S0703

28.00 лв.

#### ЛЕГЕН ЗА МАСЛО 17Л ЧЕРЕН



- High density
- Polyethylene with UV stabiliser.
- Heavy wall construction stays rigid, even with hot oil.
- Suitable for multiple oil changes.
- Features anti-splash lip that contains fluid when carrying or pouring.
- Large handles and enclosed pouring spout make easy work of returning oil/fluid to recycling container.

DRP03 5.00 лв.

#### **МЕРИТЕЛНА** KAHA



- · Translucent polypropylene.
- Easy-to-read scale for accurate measurement (±1%).

Model No.	CAPACITY	SPECIAL PRICE
JT1000	1Ltr	<b>18.00</b> лв.
JT2000	2Ltr	<b>23.00</b> лв.





Square design and tapered spout fits into most engine filling holes.

Rectangular aperture (180 x 100 x 145mm) to accommodate up-ended containers.

79.00 лв.

OIL1F 11.00 лв.




Supplied with 300mm flexible suction hose

00 лв

#### З ТОНЕН КРИК. ТИП КРОКОДИЛ

- · Min./Max. Saddle Height: 130/435mm.
- or recovery vehicle use.





#### 2 ТОНЕН КРИК В КОМПЛЕКТ СЪС СТОЙКИ

- · Jack features steel chassis with welded castor supports and one-piece hydraulic unit.
- Min./Max. Saddle Height: 130/330mm
- Max. Chassis Height: 140mm.
- Fitted with overload valve and finger cover for extra safety.
- Suitable for the hobby user or as an emergency mobile jack.
- Includes one-piece pumping handle and carry handle.
- Axle stands are constructed entirely from steel and fold flat for ease of storage.
- Fitted with double locking safety pin.
- Min./Max. Height: 275/365mm.
- Max. Capacity: 2tonne each, 4tonne pair.
















VARIABLE SPEED



- Forward/reverse switch and variable speed trigger for added control.
- Balanced tool with detachable side handle, vibration reducing grip and aluminium alloy impact housing.
- Features replaceable motor brushes.
- Supplied with two 19.2V Ni-Cd battery packs and 1 hour mains charger.



695.00 лв.



· Fast folding design.

· Heavy-duty castors.

· Weighs only 75kg.

· Side pump access with

· Delivered in knock-down form.

· Requires some self-assembly.

removable handle.



 Visible bright colour acts as a reminder that the unit is attached to the bike.

Pin Ø: 10mm.
 Throat Donth from Core

Throat Depth from Centre of Pin: 67mm.

DL503

39.00 лв.



- Water/oil resistant full tank cover ideal for protection while working on motorcycle.
- Double layer cover for extra protection.
   Inner layer is made from
- Inner layer is made from soft non-slip material.

**SC10** 

630.00 лв

 Features anti-scratch material to protect tank paintwork.

# MTC1

56.00 лв.



 Directional, low noise air exhaust can be rotated 360° giving operator added protection.

Supplied with adjustment spanners.

GSA674 99.00 лв

## 90 ГРАДУСОВ МУЛТИШЛАЙФ С АКСЕСОАРИ

- · Generation Series 90° air angle die arinder
- Model No. GSA674). Safety trigger prevents
- inadvertent operation. · 360° Rotating exhaust.
- · Includes a range of die grinding points, sanding rolls and Ø50/75mm preparation pads.
- Replacement components readily available.



# ПНЕВМАТИЧЕН **FANKOBEPT 1/2. MAX.**

- Working/Maximum Torque: 650lb. ft(880Nm)/700lb.ft(950Nm).
- Ultimate Torque: 900lb.ft(1220Nm).
- Specially designed motor works on low air consumption.
- Lightweight composite casing.
- · One hand operation.
- · Three speed selector switch. Handle exhaust lowers noise level.

SA6002

512.00 лв



#### ПНЕВМАТИЧЕН ГАЙКОВЕРТ 1/2 **VMAПЕН**

- Working/Maximum Torque: 380lb.ft(515Nm)/400lb.ft(542Nm).
- Ultimate Torque: 450lb.ft(610Nm).
- Stubby length of 122mm allows access into tight areas.
- Specially designed motor works on low air consumption.
- Three speed selector switch.
- · Handle exhaust lowers noise level.

SA6002S 670.00 лв.



#### ПНЕВМАТИЧЕН ГАЙКОВЕРТ 1/2, МАХ. 653 NM



- · Working/Maximum Torque: 400lb ft(544Nm)/480lb.ft(653Nm).
- Ultimate Torque: 500lb.ft(680Nm). Powerful impact wrench with twin hammer mechanism for
- Combination forward/reverse and speed selector

increased torque.

**SA602** 

189.00 лв



## ПРОФЕСИОНАЛЕН УРЕД ЗА ЗАВАРЯВАНЕ. 180 АМПЕРА. 230V







- 180Amp Maximum performance.
- · Excellent continuous performance on car panel thickness material.
- · Forced-Air Cooling System allows high duty cycle.
- Welds stainless and aluminium too.
- · Includes industrial gas regulator, contact tips 0.6, 0.8mm and gas cup



SUPERMIG180

690.00 лв.

#### СОЛАРНА МАСКА ЗА ЗАВАРЯВАНЕ

- Complies with BS EN 379. BS EN 175 and DIN standards.
- Grinding function enables user to grind without removing mask.
- Solar panel power supply no batteries required.
- Features sensitivity and delay
- controls for switching light to dark. Suitable for MIG, TIG and arc welding.

S01001

149.00 лв.



Solar Powered

#### НИТРИЛНИ РЪКАВИЦИ, РАЗМЕР

- · Offers a high degree of protection against a variety of chemicals.
- · More durable than standard latex gloves.
- · Provides excellent protection whilst being light and flexible.
- · Nitrile material, ideal for people with latex protein allergies

Model No.	Size
SSP55L	големи
SSP55M	средни
SSP55S	малки

# Manufactured to EN455 Parts 1 2 & 3 SPECIAL PRICE **21.00** лв. **21.00** лв. **21.00** лв.

# ПРЕДПАЗНИ ОЧИЛА С МАСКА

- · BS EN 166/B Manufactured from polycarbonate for superior durability and resistance.
- Offers full face protection with an increased range of mobility compared to a standard face protector.



36.00 лв.



#### СТОЛЧЕ ЗА ПИКНИК

- Folding tripod stool supplied with carry bag.
- · Lightweight, compact and portable.
- Provides versatile seating for outdoor events, without inconvenience of carrying a chair.
- · Height: 460mm.
- · Weight: 0.76kg.

**GL88** 16.00 лв.



#### МАСИЧКА ЗА ПИКНИК СГЪВАЕМА С 2 ПОСТАВКИ ЗА ЧАША

- · Lightweight folding table.
- · Manufactured from weather resistant fabric.
- Quick release tension straps and built in drink holders.
- Supplied with storage bag.
- Dimensions Open (W x D x H) 450 x 450 x 430mm

GL94







 $\begin{array}{c} 10 \times 1 \ (x20), \ 10 \times 13.5 \times 1 \ (x20), \ 10 \times 20 \times 1 \ (x20), \ 12 \times 16 \\ \times 1.5 \ (x20), \ 14 \times 18 \times 1.5 \ (x20), \ 16 \times 20 \times 1.5 \ (x15), \ 21 \times 25 \\ \times 1 \ (x10), \ 8 \times 11.5 \times 1 \ (x20), \ 10 \times 14 \times 1 \ (x20), \ 10 \times 20 \times 2 \end{array}$ (x20), 12 x 18 x 1.5 (x20),

14 x 20 x 1.5 (x20), 17 x 21 x 1.5 (x15), 22 x 27 x 1mm (x10).

**AB027CW** 63.00 лв.

#### КОМПЛЕКТ ГАЙКИ. 300 БРОЯ



Contents (Approximate Quantity): M6 x 1 (x130), M8 x 1.25 (x100), M10 x 1.5 (x50),

M12 x 1.75mm (x20)

AB032LN 37.00 лв.

**BTRW** 



garages and plumbing.

Supplied in partitioned interspaced box.

2.00 лв



· Red/white hazard warning barrier tape.

· Non-adhesive.

<u>8.00 лв.</u> · PE film.

## КОЛИЧКА С 7 ЧЕКМЕДЖЕТА, С 249 ИНСТРУМЕНТА



Ball Bearing

HEAVY DUTY



(W x D x H): 685x465x995mm; łożyska kulowe

TBT01 - Zestaw kluczy płasko-oczkowych, rozmiar: 7-19mm - 13szt.

• TBT02 - Zestaw szczypiec uniwersalnych – 4szt.

TBT03 - Zestaw szczypiec do pierścieni osadczych Segera – 4szt.
 TBT04 - Zestaw szczypce zaciskowych – 4szt.

TBT06 - Zestaw kluczy kątowych ampulowych HEX z rączką – 8szt.

• TBT07 - Zestaw kluczy trzpieniowych ampulowych HEX - 29szt. • TBT08 - Zestaw kluczy trzpieniowych TORX zewn. i wewn. - 35szt.

• TBT10 - Zestaw bitów – 42szt.

TBT29 - Zestaw wkrętaków płaskich i krzyżowych do pobijania – 6szt.

 TBT33 - Zestaw kluczy nasadowych z akcesoriami 1/4"- 43szt. TBT34 - Zestaw kluczy nasadowych z akcesoriami 3/8"- 35szt.

TBT35 - Zestaw kluczy nasadowych z akcesoriami 1/2"- 26szt.

7 Drawer



ZAP26479EXP10 1950.00 лв



#### СКОБА ЗА ЯБЪЛКОВИДНИ БОЛТОВЕ

- · Forged steel body with chemically blackened thrust and adjustment screws for corrosion resistance.
- Fully adjustable.
- · Jaw Capacity: 20mm.

**AK3811** 

53.00 лв

#### **TECTEP 3A** АКУМУЛАТОР/ **АЛТЕРНАТОР**

- LCD display verifies the condition of battery and alternator output.
- Suitable for 12V DC systems and connects to vehicle via the vehicle accessory power socket.
- Fitted with 250mm cable and powered by connection to vehicle.

**AK500** 

54.00 лв




- · Four short (165mm) picks with knurled, satin finish steel shafts.
- Four long (260mm) picks and one scraper with black finished steel shafts.
- Suitable for pin/clip picking, hose removal and gasket scraping.
- Ergonomically styled handles for comfort, grip

AK5209

75.00 лв





- black finished steel shafts.
- · Contents: Straight, Right Angle, Half-Round, Swan Neck, 45°/ 90° Tip, 40°/45° Tip.
- · Suitable for pin/clip picking and the removal of O-rings and seals.

AK5215

OO





- · Jaws swivel up to 90° to give access to awkwardly positioned oil and fuel filters.
- Chemically blackened finish to prevent corrosion and non-slip grip for added comfort and control.
- Capacity: Ø57-120mm.

Ø57-120mm AK6417 96.00 лв





- · Carbon steel body with spring loaded centring pin.
- · Suitable for cutting gasket material or cork, leather etc.

**AK709** 

CSC1

26.00 лв

ТОВАРНА ВИЛКА 6/12V

6V

12V

- American style drop tester. · Load applied by internal
- switchgear no sparking!
- Suitable for 6 and 12V batteries.
- Applies load across cells and measures output on meter
- Accurate indication of battery voltage and faulty or short circuited cell.



ПОКРИВАЛО ЗА СЕДАЛКА

HEAVY DUTY

- · Heavy-duty water resistant seat cover.
- · Hook-and-loop straps fasten together behind headrest to secure in place.
- · Ideal for protection against dirty overalls.



- Set includes seat. steering wheel, floor and gear lever covers.
- Ideal for protecting the vehicle's interior from dirt, grease and oil in a busy workshop environment.
- Suitable for most cars and light commercial vehicles.





# К-Т ЗА СВАЛЯНЕ НА ПОВРЕДЕНИ ПОДГРЕВНИ СВЕЩИ **8 H 10MM**

- Designed to remove damaged/broken glow plugs from cylinder heads
- Suitable for glow plugs with an M8 x 1mm and M10 x 1mm thread
- Set includes all required adaptors for drilling, centring and pulling for the safe removal of glow plug.



#### СКОБА ЗА ПРИБИРАНЕ НА СПИРАЧНИ БУТАЛА

- · Double end tool.
- · Enables retraction of the piston on rear brake callipers allowing new brake pads to be installed.

VS024

55.00 лв

149.00 лв.



### ПОРТАТИВЕН ТЕСТЕР ЗА СПИРАЧНА ТЕЧНОСТ

- · Integrated circuitry checks moisture content of fluid by measuring the electrical resistance and comparing it with acceptable limits.
- Easy calibration check using water.
- Five LED read-out. · Just switch on and insert
- probe for immediate result. · Works on all grades of brake fluid.
- · Powered by 1.5V AAA battery (supplied).



69.00 лв.

## К-Т ЗА ПРИБИРАНЕ НА СПИРАЧНИ БУТАЛА, 18 БР. ,ДЯСНА И ЛЯВА РЕЗБА

- Updated kit suitable for push-back and wind-back brake pistons.
- Includes left and righthanded thrust bolt assemblies, reaction plate, hex bits and adaptors.
- Now includes the three pin VAG adaptor.

VS0282

168.00 лв.

# 21pc

#### СКОБИ ЗА СТИСКАНЕ НА МАРКУЧИ 4 БРОЯ

- · Light and compact steel alloy construction allows easy use where space is limited.
- · Rounded jaw edges prevent damage to internal hose reinforcements.
- Suitable for use on fuel, vacuum and brake hoses

VS0301

2.00 лв



#### КЛЕЩИ ЗА ГОРИВНИ СКОБИ, VAG

Suitable for fuel lines on VAG group vehicles with sprung hose clips.

Rotating jaws for easy access to hose clips in confined spaces.

Spring loaded jaws



#### КУПЛУНГИ ЗА СВЪРЗВАНЕ НА МАРКУЧИТЕ НА КЛИМАТИКА: 3/8, 1/2, 5/8, 3/4

- · Spring type coupling connectors for air conditioning lines.
- Locking action prevents spray when disconnecting lines.
- · Suitable for most Chrysler, Ford and Vauxhall/Opel vehicles.



## СКОБА ЗА СВИВАНЕ НА КЛАПАНИТЕ

- · Suitable for use on multi-valve petrol and diesel engines with deep-seated valves.
- Suitable also for general use on OHC, OHV and CVH engines.
- Universal jaw with 55-175mm capacity and 165mm throat
- Reversible jaw and adaptor.
- Twin cam action permits use from above or below valve.

VS154





#### **UV ЛАМПА ЗА** ОТКРИВАНЕ НА ТЕЧОВЕ

- · Ideal for detecting leaks in air conditioning and cooling systems with the use of fluorescent dye (not included).
- Suitable for use in most lighting conditions.
- · For best results and protection we suggest this product is used with SSP46 Light Enhancing Safety Spectacles



КЛЮЧ-КАПАЧКА ЗА МАСЛЕН ФИЛТЪР **076MM X 14** 



- Extensive set designed for a wide range of vehicles.
- Cap type filter wrenches, made from 7 and 16 gauge steel, will withstand up to 115Nm (85lb.ft) of torque.
- Designed to grip like sockets, thereby minimising the possibility of crushed filters.
- Adaptor allows use with 3/8" or 1/2"Sq drive wrenches.
- Adjustable oil filter wrench Ø65-120mm

VS7006

8.00 лв



· Designed to remove and install fan clutch and rotate or restrain the camshaft pulley.

Adjustable jaw spread and interchangeable pins.

**VS783** 86.00 лв



the arm at a right angle to the shaft for maximum torque, and strike the top of the tool with a hammer to shock the nut or bolt loose

**VS786** 81.00 лв СКОБА ЗА ВАДЕНЕ РАМЕНАТА НА ЧИСТАЧКИТЕ

- Heavy-duty construction with locking feature allowing secure fastening to the wiper arm before commencing pull.
- With swivel mounted thrust bearing and tommy bar, the tool releases the most stubborn wiper arms.
- Also suitable for battery terminal and alternator bearing removal.
- Maximum Opening: 28mm.
- Maximum Collar Size: 43mm



**VS807** 

44.00 лв



· Suitable for removal of spark plug boot on deep-seated engine applications.

Composite handles provide insulation from HT shock and give added comfort and control.

Tensioner Adjuster Set

**VS867** 29.00 лв

49.00 лв

МАНОМЕТРИЧЕН БЛОК ЗА НИСКО И ВИСОКО НАЛЯГАНЕ С МАРКУЧИ И ПРЕХОДНИ ВРЪЗКИ ЗА R134A

- Test for variations in high and low pressure sides of vehicle air conditioning systems.
- Suitable for R134a and R12 applications.
- Lightweight, aluminium block design with sight glass.
- Easy-to-read large anti-flutter gauges.
- Professional service couplers (colour-coded and labelled).
- Three colour-coded charging hoses and a hanging hook to allow hands-free use.



VSAC002

299.00 лв

gears), plus camshaft and tensioner locking pins

Use with Associated Tool - Model No. VSE5752

Tensioner Adjuster Set.

ДИЗЕЛОВИ ДВИГАТЕЛИ С РЕМЪК ПОМПА BELT ДЮЗА VAG 1.2D/1.4D/1.9D TDIPD PUMPE DUSE B • For VAG 1.2D, 1.4D & 1.9D TDiPD (Pumpe Duse) engines with Hydraulic Belt Tensioner. Kit includes crankshaft locking tool (round gears), plus camshaft and tensioner locking pins. Use with Associated Tool
- Model No. VSE5752 VSE2356

КОМПЛЕКТ ЗА АНГРЕНАЖ VAG 14D, 2.0D BELT TDIPD(PUMPE DUSE), M1.2D, 1.6D, 20D **CR(COMMON RAIL)** B For VAG 1.4D, 1.9D, 2.0D TDiPD (Pumpe Duse) and 1.2D, 1.6D, 2.0D CR (Common Rail) engines with Mechanical (Friction Dampened) Belt Tensioner VSE2358 Kit includes crankshaft locking tools (oval and round

#### АКУМУЛАТОРЕН ГАЙКОВЕРТ 26V. ½ 450NM



#### VARIABLE SPEED

- Remove the most stubborn wheel nuts in the workshop or on roadside with no compressor or mains source required.
- Powerful and compact producing torque in excess of 450Nm(335lb.ft). No trailing cables, causing
- hazards · Superbly balanced tool with side handle
- and vibration reducing grip · Powered by a 26V Lithium battery, which retains its charge over long periods of time, so always ready to use.
- Supplied with 2 hour mains



**CP2600** 5.00 лв З ТОНЕН ПРОФЕСИОНАЛЕН КРИК С ДВОЙНА ПОМПА



ВЕРИГА МАГАЗИНИ КОСЕР:

Single-piece hydraulic unit with heavy base design and large jacking saddle.

Twin piston Super Rocket Lift feature brings lifting arm straight into contact

Universal joint release mechanism allows safer, more controlled

Fitted with safety overload valve and pump-through valve to prevent

- ВАРНА, БУЛ. СЛИВНИЦА 189 ТЕЛ.: 052/504 903; 0882 300 264, 0885 555 390
- ВАРНА, УЛ. ЦАРИБРОД 67, ТЕЛ.: 052/613 530; 0886 262 019, 0889 500 995 ВАРНА, БУЛ. ЦАР ОСВОБОДИТЕЛ 124, ТЕЛ.:
- 052/759 000, 0887 55 88 01; 0889 500 990
- ВАРНА, БУЛ. СВ. СВ. КИРИЛ И МЕТОДИ 59, **ТЕЛ.** 052/800 582; 0885 800 877
- СОФИЯ, УЛ. РЕЗБАРСКА 9, ТЕЛ.: 02/931 31 14, 832 61 35, 0885 888 021, 0882 300 233
- СОФИЯ, УЛ. ЦАР СИМЕОН 178, ТЕЛ.: 02/931 11 26, 831 01 51, 0882 300 222, 0884 888 545
- СОФИЯ, УЛ. Г. С. РАКОВСКИ 27, ТЕЛ.: 02/931 41 88, 931 12 37; 0886 262 010
- СОФИЯ, УЛ. СРЕБЪРНА 21, ТЕЛ.: 02/42 77 790, 0883 53 11 53, 0883 54 11 54
- СОФИЯ, БУЛ, СЛИВНИЦА 357, ТЕЛ.: 02/927 40 10, 0886 262 011, 0885 888 024
- СОФИЯ, БУЛ. ПРЕЗИДЕНТ ЛИНКЪЛН 16, ТЕЛ.: 02/444 94 00, 0886 26 20 09
- СОФИЯ. БУЛ. ЛОМСКО ШОСЕ 86, ТЕЛ.: 02/936 03 86; 0885 999 661; 0884 888 584 СОФИЯ, КВ. ГОРУБЛЯНЕ, УЛ. П. КРАСОВ 30,
- ТЕЛ.: 02/973 73 93, 0882 300 215; 0882 300 213 пловдив, бул. копривщица 19, тел.:
- 032/670 470, 0888 646 468;0885 888 020 пловдив, бул. източен 137, тел.: 032/632
- 707, 0886 262 003 пловдив, бул. кукленско шосе 28, тел.:
- 032/640 061, 032/640 761, 0886 900 662 АСЕНОВГРАД. УЛ. КНЯЗ БОРИС І 19. ТЕЛ.:
- 0331/637 38, 0885 999 037, 0882 300 224
- БЛАГОЕВГРАД, БУЛ. СВ. ДИМИТЪР СОЛУНСКИ 12, ТЕЛ.: 073/887 280, 887 771; 0884 888 585

• БУРГАС, УЛ. ИНДУСТРИАЛНА 7, ТЕЛ.: 056/83 03 03, 84 84 10, 0882 300 262, 0884 888 590

Chassis Length: 670mm.

lowering of the jack

with the jacking point in 1-2 strokes

handle locking at maximum ram extension Suitable for loaded vans up to 3.5tonne GVW.

- БУРГАС, Ж.К. СЛАВЕЙКОВ, БЛ.72, ТЕЛ.: 056/521 747, 81 52 01, 0882 300 229, 0882 300 205
- БОТЕВГРАД, БУЛ. ЦАР ОСВОБОДИТЕЛ 30, ТЕЛ.: 0723/955 555; 0886 588 554; 0882 444
- ВЕЛИКО ТЪРНОВО, БУЛ. БЪЛГАРИЯ 41, ТЕЛ.: 062/600 832, 0887 825 057; 0886 262 006
- видин, ул. антон страшимиров 8, тел.: 094/600 386: 0882 123 084, 0882 300 235
- ВРАЦА, УЛ. РЕКА ЛЕВА 1А, ТЕЛ.: 092/660 513, 0888 789 305; 0886 551 160
- ГАБРОВО, УЛ. ОРЛОВСКА 87, ТЕЛ.: 066/803 233, 0886 434 851; 0882 434 949
- ГОЦЕ ДЕЛЧЕВ. УЛ. П. ЯВОРОВ 13. ТЕЛ.: 0884 888 582; 0882 300 237 ДОБРИЧ, БУЛ. РУСИЯ 19, ТЕЛ.:058/602 080,
- 0886 666 318; 0886 197 083 КАЗАНЛЪК, УЛ, ШИПЧЕНСКА ЕПОПЕЯ 17.
- ТЕЛ.: 0431/623 87, 0886 900 660; 0885 999 495 КЪРДЖАЛИ, УЛ.ТРАКИЯ 8, ТЕЛ.: 0361/677 46,
- 0885 888 029; 0882 300 239
- КЮСТЕНДИЛ, Ж.К. РУМЯНА ВОЙВОДА, БЛ. 3, ПАРТЕР, ТЕЛ.:0889 755 288; 0882 744 299 • ЛОВЕЧ, УЛ. ШИПКА 1, ТЕЛ.: 068/602 886, 0887
- 999 282; 0882 288 807 МОНТАНА, БУЛ. ПАРТА 15, ТЕЛ.: 096/314 250,
- 0882 300 208; 0882 300 231 НОВА ЗАГОРА. УЛ. ЦАР ОСВОБОДИТЕЛ. ТЕЛ.: 0887 062 624
- ПАЗАРДЖИК, БУЛ. СТЕФАН СТАМБОЛОВ 8, ТЕЛ.: 034/444 949, 0885 888 028, 0882 300 242

ПЕРНИК, УЛ. СОФИЙСКО ШОСЕ 104, ТЕЛ.: 076/605 165, 0884 888 593; 0882 535 379

3012CXD

- ПЛЕВЕН, УЛ. ГРЕНАДЕРСКА 32, ТЕЛ.: 064/805 645, 0885 888 027, 0884 888 546 ПЛЕВЕН, УЛ.ГЕОРГИ КОЧЕВ 84, ТЕЛ.: 064/803
- 523, 0882 123 086
- РАЗГРАД, УЛ. ВАСИЛ ЛЕВСКИ 8, ТЕЛ.: 084/660 189, 0888 788 692, 0885 999 498
- · РУСЕ, БУЛ. ЛИПНИК 135, ТЕЛ.: 082/835 642, 082/834 642, 0888 574 204
- РУСЕ, УЛ. НИКОЛАЕВСКА 42, ТЕЛ.: 0884 984
- САНДАНСКИ, УЛ. СТЕФАН СТАМБОЛОВ 35А. ТЕЛ.: 0746/329 85, 0884 888 580; 0884 888 598
- СЕВЛИЕВО, УЛ. МИТРОПОЛИТ КЛИМЕНТ 11, ТЕЛ.: 0675/35 999, 0885 888 023
- СИЛИСТРА, БУЛ. МАКЕДОНИЯ 106, ТЕЛ.: 086/823 174, 0885 999 662; 0886 666 319
- СЛИВЕН, КВ. БЪЛГАРКА 71, ОБЕКТ 30, ТЕЛ.: 044/662 991, 0888 789 321, 0888 53 58 85
- СМОЛЯН, УЛ. ПРОЛЕТ 5, ТЕЛ.: 0301/659 95,
- 0888 150 940, 0885 999 497 СТАРА ЗАГОРА, ИНДУСТРИАЛНА ЗОНА, ТЕЛ.: 042/621 105, 0887 623 817, 0885 999 079
- **ТРОЯН, УЛ. ГЕН. КАРЦОВ 123, ТЕЛ.: 0670/541** 48, 0882 288 804; 0882 300 220
- ТЪРГОВИЩЕ, УЛ. ОТЕЦ ПАИСИЙ 16, ТЕЛ.: 0601/621 23, 0885 552 366; 0885 999 496
- ХАСКОВО, УЛ. КОМ 23, ТЕЛ.: 038/663 351, 62 96 46; 0889 510 810, 0886 262 007 ШУМЕН, БУЛ. ПЛИСКА 4, ТЕЛ.: 054/830 838,
- 0889 307 411; 0886 262 016
- ЯМБОЛ, УЛ. Д. БЛАГОЕВ 8, ТЕЛ.:046/663 933, 0889 510 710; 0882 300 214