



No.	PUCHEN ITEM	PICTURE	English description
1	PC008-1-BENZ		PC008-1-BENZ L=93 mm with diode Suitable for : DENSO 5SEU/6SEU/7SEU Application : Mercedes Benz .
2	PC008-1-BMW		PC008-1-BMW L=93mm without diode Suitable for : DENSO 5SEU/6SEU/7SEU Application : Bmw ,Audi
3	PC008-2		PC008-2 L=93mm Suitable for :DENSO 6SEU/7SEU Application :Audi, Seat,Skoda, VW, Polo
4	PC008-3		PC008-3 L=101 mm Suitable for : SANDEN PXE13/PXE16 Application :VW Polo, Audi, Seat
5	PC008-3A		PC008-3A L=101 mm Suitable for : DELPHI CVC
6	PC008-4		PC008-4 L=96mm Suitable for :DENSO 6SEU/7SEU Application :Toyota VIOS
7	PC008-4A		PC008-4A L=96mm Suitable for :DENSO 5SER09 Application :Toyota
8	PC008-5		PC008-5 L=97mm 5 o-ring Suitable for : DENSO 5SE09C/ 5SEU12C, 6SEU16C/7SEU16 Application:Toyota Camry
9	PC008-5A		PC008-5A L=93mm Suitable for DENSO 5SE09C/5SEU12C,6SEU16C Application:Toyota Crown, Reiz, Yaris, Hiace , Lexus, Benz
10	PC008-6		PC008-6 L=72mm Suitable for : SANDEN PXE16/PXE13 Application : Audi A3 , Seat, VW Golf Skoda, Jetta, Sagitar,Tiguan,Touran

11	PC008-7		PC008-7 L=72mm Suitable for : SANDEN PXE16/PXE13 Application : Audi A3, Seat, VW, Fabia, POLO
12	PC008-8		PC008-8 L=97mm Suitable for : ZEXEL DCS17E/ DCW17F /VALEO Application :VW Golf, PQ35, Jetta, Touran, Passat, Audi, Seat
13	PC008-8A		PC008-8A L=97mm Suitable for : ZEXEL DCS17E / DCW17F / VALEO/KC88 Application :Benz
14	PC008-8B		PC008-8B L=86mm Suitable for : ZEXEL DCS17E Application : BENZ,Volvo , Ford
15	PC008-9		PC008-9 L=92mm Suitable for : DENSO 6SEU12/16 /7SEU16 Application : Audi, VW Golf, Magotan, Skoda
16	PC008-10		PC008-10 L=96mm Suitable for : DENSO 6SEU/7SEU Application : Toyota
17	PC008-11		PC008-11 L=94mm Suitable for : SANDEN 6C12/ 7C16 Application :Citroen-Triomphe /Peugeot
18	PC008-12		PC008-12 L=102mm Suitable for : SANDEN PXE13/ PXE16 Application :Audi A3, VW Golf, Touran, Seat , Skoda
19	PC008-13		PC008-13 L=93mm Suitable for : Calsonic CSE613 Application :BMW E90, 320, X5 E46
20	PC008-14		PC008-14 L=87mm Suitable for : DELPHI CVC Application:Opel
21	PC008-15		PC008-15 L=92mm Suitable for : Calsonic CWE618/CWE615 Application :Infiniti
22	PC008-16		PC008-16 L=86mm Suitable for : Delphi V5 /CVC-7 Application : Renault



23	PC008-17		PC008-17 L=72mm Suitable for : DENSO 5SL12C Application :Fiat, Opel
24	PC008-18		PC008-18 L=102mm Suitable for : SANDEN 7C161302F/7C16 Application :Peugeot 407, Citroen C5
25	PC008-19		PC008-19 L=87mm Suitable for : DELPHI 6CVC14 Application :VW Touran , Golf , Audi, Skoda
26	PC008-20		PC008-20 L=78mm Suitable for : SANDEN PXE14/16 Application :VW Touran , Audi, Skoda Octavia
27	PC008-21		PC008-21 L=85mm Suitable for : SANDEN Application :BMW
28	PC008-22		PC008-22 L=87mm (with stopper) Suitable for : SANDEN PXE14/ PXE16 Application : Kia,GM ,Delta,Opel
29	PC008-22B		PC008-22B L=87mm (without stopper) Suitable for : DVE14 Application :Hyundai Tuson, Opel
30	PC008-23		PC008-23 L=85mm Suitable for : DENSO 7SE/6SE/5SE Application :VW, Audi, Skoda
31	PC008-23A		PC008-23A L=81mm Application :VW,SKODA
32	PC008-24		PC008-24 L=99mm Suitable for : DENSO 5SE09C/5SE12C/6SEU16 Application : Toyota Camry, Highlander
33	PC008-25		PC008-25 L=123 mm Suitable for : DENSO 6SEU16C/ 6SEU12C Application : Toyota, Camry, Corolla
34	PC008-25A		PC008-25A L=119 mm Suitable for : DENSO 6SEU16C Application :Toyota Yaris, Hiace, Reiz, Crown
35	PC008-25B		PC008-25B L= 119 mm Suitable for : DENSO 7SES 17C Application :Toyota camry, Lexus



36	PC008-25C		PC008-25C L=115 mm Suitable for : DENSO Application :Toyota
37	PC008-26		PC008-26 L=96 mm Suitable for : DENSO 6SEU16 Application : Toyota
38	PC008-27		PC008-27 L=99 mm Suitable for : DENSO Application :Toyota Crown, Reiz
39	PC008-28		PC008-28 L=88 mm with stopper Suitable for : DELPHI CVC14/ CVC16 Application : GM , Delta/Opel
40	PC008-28A		PC008-28A L=88 mm without stopper Suitable for : DELPHI CVC14/ CVC16 Application : GM , Delta/Opel
41	PC008-29		PC008-29 L=95 mm without diode Suitable for: DENSO 5SE09C /5SE12C/ 6SEU16/ 7SEU17C Application :BMW
42	PC008-29A		PC008-29A L=95 mm with diode Suitable for : DENSO 5SE09C/5SE12C/6SEU16 /7SEU17C Application :BENZ
43	PC008-30		PC008-30 L=98 mm Suitable for : DENSO 7SBH17C Application :Toyota ,Buick, Park Avenue
44	PC008-31		PC008-31 L=96 mm Suitable for : DENSO 5SE09C/5SE12C/6SEU16 Application :Toyota Yaris
45	PC008-32		PC008-32 L=86 mm (bigger pin size :2-1.6 mm) Suitable for : DELPHI CVC14/16 Application :BMW
46	PC008-32A		PC008-32A L=86 mm (smaller pin size :0.7-0.7 mm) advised to buy some . Suitable for : DELPHI CVC14/16 Application :BMW
47	PC008-33		PC008-33 L=87 mm Suitable for : DENSO 7SE/6SE Application : Benz, BMW, Audi
















48	PC008-34		PC008-34 L=89 mm Suitable for : DENSO 6SE/7SE Application : BMW
49	PC008-35		PC008-35 L=92 mm Suitable for : DENSO Application : Peugeot, Citroen
50	PC008-36		PC008-36 L=101mm Suitable for : ZEXEL DCS17 Application : Nissan, Opel, Renault
51	PC008-37		PC008-37 L=80 mm Suitable for : DELPHI CVC/L80 Application : BMW, AUDI
52	PC008-38		PC008-38 L=87 mm Suitable for : HCC VS16/VISTEON Application : Ford Focus, Ford Kuga, Ford Escape
53	PC008-39		PC008-39 L=93 mm Suitable for : VS16E/VS18E Application : Hyundai sonata, Genesis, Equus, KIA optima, Sportage
54	PC008-39A		PC008-39A L=93 mm Suitable for : VS16E/VS18E Application : Hyundai sonata
55	PC008-39B		PC008-39B L= 86mm Suitable for : VISTEON HCC, VS18E Application : HYUNDAI SANTA FE SONATA KIA SORENTO OPTIMA SPORTAGE
56	PC008-40		PC008-40 L=99 mm Suitable for : DENSO 6SE16C Application : Peugeot Citroen
57	PC008-41		PC008-41 L=94 mm Suitable for : VALEO DCS17E Application : BENZ
58	PC008-41A		PC008-41A L=102mm Suitable for : Application : PEUGEOT
59	PC008-42		PC008-42 L= 86 mm Suitable for : VALEO DCS17EC/VCS14EC Application : Hyundai, VW santana, Nissan Altima 2013-2014



60	PC008-42A		PC008-42A L=82 mm Suitable for : VS16E Application :hyundai
61	PC008-43		PC008-43 L=88 mm (with stopper) Suitable for : SANDEN PXE14/DELPHI CVC Application :Nissan sentra,VW CVC
62	PC008-43B		PC008-43B L=88 mm (without stopper) Suitable for : SANDEN PXE14/DELPHI CVC Application :Nissan sentra,VW CVC,DVE16N – Hyundai Tucson
63	PC008-43A		PC008-43A L= 78.5mm Suitable for : Application :BUICK
64	PC008-44		PC008-44 L=103 mm Suitable for : DENSO 7C16 Application :citroen, Peugeot
65	PC008-45		PC008-45 L=92 mm Suitable for : Hyundai
66	PC008-46		PC008-46 L=78 mm Suitable for : SANDEN PXE14-1721P/PXE14- 1748F/PXE16 Application :VW AG ,Skoda Octavia
67	PC008-47		PC008-47 L= 97 mm Suitable for : DENSO 6SE.7SE. Application : BMW, Ford
68	PC008-48		PC008-48 L=79.6 Suitable for :DELPHI OEM:5QO820803B Application : VW AG,OCTAVIA
69	PC008-49		PC008-49 L=97mm
70	PC008-50		PC008-50 L=97mm
71	PC008-51		PC008-51 L=97mm
72	PC008-52		PC008-52 L=98mm



73	PC008-53		PC008-53 L=103mm	
74	PC008-54		PC008-54 L=91mm	
75	PC008-55		PC008-55 L= 79 mm Suitable for : SANDEN Application : peugeot C3/C3 picasso /208 /C4/C4	
76	PC008-57		PC008-57 L= 99.5mm Suitable for : Application : Jeep and Morris Garages	
77	PC008-58		PC008-58 L= 85mm Suitable for : OEM number is 97674-D3000 Application : BMW	
78	PC009-1		PC009-1 L=48 mm Suitable for : SANDEN SD7V16/SD7V12/ SD6V12 Application :Ford, Fiat, Peugeot, Renault, Lander Rover, SEAT, Skoda, VW, VOLVO, Citroen	
79	PC009-3		PC009-3 L=53 mm Suitable for : SANDEN SD7V16/SD7V12/ SD6V12 Application :Ford, Fiat, Peugeot, Renault, Lander Rover, SEAT, Skoda, VW, VOLVO, Citroen	
80	PC009-4		PC009-4 L=51 mm Suitable for : SANDEN SD7V16/SD7V12/ SD6V12 Application :Ford, Fiat, Peugeot, Renault, Lander Rover, SEAT, Skoda, VW, VOLVO, Citroen	
81	PC009-5		PC009-5 L=44 mm Suitable for : SANDEN SD7V16/SD7V12/ SD6V12 Application :Ford, Chery, Changchen, VW, Lavida, Bora, Pol o	
82	PC010		PC010 L=66 mm Suitable for : Domestic 5SL/5SA/7SB refitting compressor	
83	PC011		PC011 L=34 mm Suitable for : SCROLL Application :Ford, Jaguar, Mazda	

84	PC011-full-sets		PC011-full-sets L=34 mm (spring and strainer, o-ring) Suitable for : SCROLL Application :Ford, Jaguar, Mazda	
85	PC012-1		PC012-1 L=51 mm Suitable for : DENSO 5SL12/ 5SA12/ 5SA09/6SB16/7SBU16 Application :Hyundai ,Kia Fiat, BENZ, Opel, Land Rover, Saab, Skoda, VW, VOLVO, Citroen	
86	PC012-2		PC012-2 L=46 mm (valve body is different from PC012-1) Suitable for : DENSO 5SL12/5SA12/5SA09/6SB16/7SBU16 Application :Hyundai ,Kia Fiat, BENZ, Opel, Land Rover, Saab, Skoda, VW, VOLVO, Citroen	
87	PC013		PC013 L=58 mm Suitable for : DENSO 7SB16C/6C17/6CA17C Application :VW, Skoda, SAAB, Land Rover, Opel	
88	PC014-1		PC014-1 L=55 mm (valve head :4.6 mm) Suitable for : VISTEON VS16/VS18/ford HCC Application :Volvo, Ford,Hyundai, Land Rover	
89	PC014-2		PC014-2 L=55 mm (valve head :4.6 mm) Suitable for : VISTEON VS16/VS18/ford HCC Application :Volvo, Ford,Hyundai, Land Rover	
90	PC014-3		PC014-3 L=55 mm (thress houles, valve head 4.6 mm) Suitable for : VISTEON VS16/VS18/ford HCC Application :Volvo, Ford,Hyundai, Land Rover	
91	PC014-4		PC014-4 L=55 mm (thinnest valve head :3.5mm) Suitable for : VISTEON VS16/VS18/ford HCC Application :Volvo, Ford,Hyundai, Land Rover	
92	PC022		PC022 L=69 mm Suitable for :Calsonic CWV616/CWV618 Application :Nissan	
93	PC023		PC023 L=63 mm Suitable for : DENSO 7SB16/7SB16H/7SBU16H/7SBU16 Application :Lexus GS300	
94	PC025		PC025 L=51 mm Suitable for : DELPHI CVC Application :Renault	

95	PC026		PC026 L=37 mm Suitable for : DELPHI 7S607	
96	V5-green (37.5 psi)		V5-green (37.5 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat . (black o-ring is available)	
97	V5-yellow (40 psi)		V5-yellow (40 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat . (black o-ring is available)	
98	V5-purple (41 psi)		V5-purple (41 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat.(black o-ring is available)	
99	V5-blue (42 psi)		V5-blue (42 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat.(black o-ring is available)	
100	V5-brown (43 spi)		V5-brown (43 spi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat.(black o-ring is available)	
101	V5-red (44 psi)		V5-red (44 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat.(black o-ring is available)	
102	V5-orange (45 psi)		V5-orange (45 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat. (black o-ring is available)	
103	V5-black (51 psi)		V5-black (51 psi) L=68 mm Suitable for : GM V5 Application :GM Buick, VW Jetta, Daewoo, Opel, Peugeot, Fiat.(black o-ring is available)	
104	PC040		PC040 Air flow sensor Suitable for : DENSO Application :Toyota camry	
105	PC-BMW-1		Suitable for : BMW,AUDI (for PC008-1-BMW)	
106	PC-BENZ-1		Suitable for : BENZ(for PC008-1-BENZ)	
107	PC-POLO-1		Suitable for : POLO,VW.AUDI(for PC008-1-BMW)	
108	PC-FIAT-1		Suitable for :FIAT	
109	PC-BMW-2		Suitable for : BMW	
110	PC-BMW-3		Suitable for : BMW	

111	PC-LAND ROVER-1		Suitable for : LAND ROVER
112	PC-YX-01		Suitable for : BMW(for PC008-1-BMW)
113	PC019		SPEED SENSOR
114	PC-S		
115	116-03-00GD1	 116 03 00GD1	

high pressure relief valve (screw thread: 3/8 UNF , M:10*1.0, M:10*1.25,M:10*1.5)



PC015-1



PC015-2



PC016-1



PC016-2



PC016-3



PC016-4



PC017-1-1



PC017-1-2



PC017-1-3



PC017-2-1



PC017-2-2



PC017-4-1



PC017-4-2



PC018



PC019



PC003-1



PC003-2



PC003-3



P003-3A



PC0003-4



PC003-4A



PC003-4B



PC003-4C



PC003-4D



PC003-5



PC003-5A



PC003-6



PC003-7



PC003-10



PC003-12



PC004-1



PC004-2



PC004-3



PC004-4



PC004-5



PC004-6



PC004-7



PC004-8



PC004-8A