



Сервизно оборудване КОСЕР, трето издание

ПОВДИГАЧ НА СКОРОСТНИ КУТИИ ,500КГ. YANKEE



ПНЕВМАТИЧЕН ГАЙКОВЕРТ 1/2, МАКС.ВЪРТЯЩ ОБЕМ,:652NM









- Min./Max. Saddle Height: <mark>11</mark>38/1965mm
- High speed lift to gearbox just lift piston.
 Foot pedal operation keeps hands free.
 Spring loaded dead man's safety release
 control reduces the risk of inadvertent
- Highly manoeuvrable on castors.


- Ideal for the garage or bodyshop where space is limited. Fitted with aiming screen used in our VOSA approved units, this beam setter is suitable for pre-MOT inspection and fulfils the legal obligation of the garageor bodyshop to return vehicles to the customer in roadworthy condition. Compact design includes shortened mast and view-through
- aiming device.
 Suitable for all types of cars and light commercial vehicles

- Working/Maximum Torque: 400lb.ft(544Nm)/480lb.ft(653Nm). Ultimate Torque: 500lb.ft(680Nm). Powerful impact wrench with twin

- hammer mechanism for increased torque.

 Air motor features quality bearings, ductile steel end plates and carefully finished components to ensure smooth running and maximum power
- Combination forward/reverse and speed selector

нитрилни ръкавици, 100бр. В КУТИЯ(50 ЧИФТА)











- a high degree of protection against a variety of chemicals.

 More durable than standard latex gloves.

 Provides excellent protection whilst being light and flexible.

 Nitrile material, ideal for people with latex protein allergies.

 Approved to BS EN 455 & BS EN 374.

- All heavy gauged steel construction and manufactured
- with steel inner walls for extra strength and durability.

 Heavy-duty 45mm ball bearing drawer runners provide superior performance and carry heavier loads.

 Full height rear locking mechanism, locks full-length drawers in multiple locations.

- Added security provided by cylinder locks. Supplied with two keys.
 Rust and solvent resistant powder coat paint finish.
 Each drawer features stainless steel drawer pulls and non-slip liners.
 AP26479T 7 Drawer Rollcab with Ball Bearing Runner Red
 Specification: Width x Depth x Height

- Overall Size (W x D x H): 685 x 465 x 995mm. Medium Drawer (x5): 532 x 398 x 60mm.
- - Large Drawer (x2):532 x 398 x 160mm.
 Includes 249pc Tool Kit arranged in 12 Modular Tools Trays.





- Heavy-duty impact screwdriver with composite
- handle and integral knuckle guard. Supplied with 13pc Chrome Vanadium steel driver bit set and 1/2"Sq drive adaptor
- Model No. AK2081

GRIPMAX® 6 БРОЯ ОТВЕРКИ







- Extra strong Chrome Molybdenum shafts with satin finish.
- Shot blasted and magnetized tips
- Hexagonal profile design with ribbed grips for maximum power transfer from hand to fixing.
- Impact resistant handles with hanging hole. Contents: Slotted; 3 x 75, 4 x 100, 5.5 x 125, 6.5 x 150mm, Philips; #1 x 80, #2 x 100mm. Model No. AK4311



- 2mm Ultra stiff, hardened, stainless steel blades. Suitable for numerous workshop and bodyshop applications
- including gasket scraping and windscreen preparation.
- Caps permit careful use with hammer
- Soft grip handles and broad hilt design give maximum control.
- Scrapers 13 x 53, 16 x 100, 20 x 50mm. Model No. AK524

КОМПЛЕКТ КАМЪНИ TOTAL DRIVE® 1/2: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24MM





- Hardened and tempered Chrome Vanadium steel Total Drive® sockets with chrome/satin finish and knurled finger Grip ring.
 Supplied on storage rail.
 Sizes: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm.
 Model No. AK70612

КОМБИНИРАН КОМПЛЕКТ НАКРАЙНИЦИ,74 ЧАСТИ, 1/2, 3/8








- Contents: Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm), Drive Adaptors;
- 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex.



- Chrome Vanadium steel shafts with blackened finish.
- Suitable for gasket scraping, pin/clip picking, hose removal.
- Sizes range from 170 to 260mm



- Heavy-duty rubber grip and strong, spring steel flexible shaft. Ø60mm Mirror.
- Suitable for use in confined areas.

КОМПЛЕКТ КЪСИ 'SECURITY TRX-STAR КЛЮЧОВЕ, 9 БРОЯ



- Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish.
- Kevs range in length from 50 to 105mm and in size from T10H to T50H.
- Contents: T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H. Model No. AK7161



 Stainless steel tray with Ø85mm magnets in non-marking covers. Measures 240 x 140mm.

- Powerful enough to retain spanners, sockets and pliers.
- Works upside-down.



- Chrome finish shafts with knurling for fingertip precision.
- Suitable for removal of bushings, cotter-pins, O-rings and seals.
- Classic style handle.
- Overall Length: 125mm.Model No. AK521

КОМПЛЕКТ **ТРЕСЧОТКА** С НАКРАЙНИЦИ 1/2, 42 ЧАСТИ







- Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm, 10mm Hex Bits; TRX-Star* T20, T25, T27, T30, T40, T45, T50, T55, Spline M5, M6, M8, M10, M12, Hex 5, 6, 7, 8, 10, 12mm, 1/2"Sq Drive(F)-10mm Hex(F) Bit Adaptor, Extension Bars; 125, 250mm, 3/8"(F)-1/2"(M)Sq Drive T-Bar Adaptor, Universal Joint, 1/2"Sq Drive Quick Release



- VDE Approved.
- Induction hardened cutting edges.
 Soft grip handles for comfort and control.
- Cutting Capacity: Ø1.6mm.
 Meets DIN 5236/ISO 5748 Standards

Model No.	Туре
AK83562	криви
AK83512	прави

DVE



- Aluminium sliding rail with composite back panel
- Holds up to fourteen spanners
- Rail Length: 438mm.
- Supplied with fixing kit.


СКОБА ЗА СВИВАНЕ НА ПРУЖИНИ

- Heavy-duty Chrome Vanadium construction.
- Long-reach arms compress a higher proportion of the coil spring.
- Allows even and safe compression of spring prior to installation.
- Model No. AK3842





- Particularly useful for removal of oil from gearboxes and differentials
- Supplied with 200mm flexible suction hose.



КОМПЛЕКТ ГАЕЧНИ КЛЮЧОВЕ,

- Drop-forged Chrome Vanadium steel spanners with S-profile.
- Heat treated and chrome plated with fully polished mirror finish.
- 12-Point, WallDrive® rings. Sizes: 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm.

КОМПЛЕКТ ИЗБИВАЧИ НА ЧОПОВЕ, 6 БРОЯ



- Chrome Vanadium steel punches
- Supplied with composite retainer.
- Sizes: 2, 3, 4, 5, 6, 8mm. Model No. AK9128

ИНСТРУМЕНТ ЗА ЯБЪЛКОВИДНИ БОЛТОВЕ



- · Forged steel body with chemically blackened thrust and adjustment screws for corrosion resistance.
- Fully adjustable.
 Jaw Capacity: 18-22mm.
 Model No. AK3811

ДОЗАТОР ТИП СПРИНЦОВКА



- Chromed steel suction tube with T-Bar type plunger

КОМПЛЕКТ ЗВЕЗДОГАЕЧНИ КЛЮЧОВЕ, 14 БРОЯ





- Chrome Vanadium steel, heat treated and hardened for
- durability.

 Unique WallDrive® ring that grips the wall, not the corners, giving up to 30% more torque.
- Fully polished mirror finish for corrosion resistance. Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm.
- Supplied in storage/hanging pouch.

 Model No. AK6320

МАГНИТНА ВЛОЖКА ЗА ИСКРОВИ СВЕЩИ, 1/2











- Magnetic spark plug socket. Chrome Vanadium steel with chrome and satin finish.
- **Socket Size Model No** AK6543 16mm AK6544

ВИЛИЦА ЗА ЯБЪЛКОВИДНИ БОЛТОВЕ ЗА ТРУДНО ДОСТЪПНИ МЕСТА, 400ММ



- Drop-forged and heat treated alloy steel.
- Suitable for applications with awkward or
- limited access.
- Model No. AK3821





- Drop-forged Chrome Vanadium steel with flexible flare type jaw heads.
- Fully hardened, tempered, chrome plated and fully polished for resistance to corrosion.
- Suitable for most common sizes of compression joint fittings.
- Four spanners covering eight sizes. Sizes: 8 x 11, 10 x 12, 13 x 17, 14 x 19mm.



- · Chrome Molybdenum steel blades, forged high carbon steel body.
- Hardened, tempered and chrome plated for rust resistance. 12-16mm and 16-22mm.

ВЛОЖКА ЗА ИСКРОВИ СВЕЩИ, 250ММ, 3/8



- · Designed for use with deep-seated spark plugs.
- 250mm Long, 3/8"Sq drive, 12-point socket


Model No.	Length
AK6551	14mm
AK6552	16mm

ВЕРИЖЕН КЛЮЧ ЗА МАСЛЕН ФИЛТЪР, 60-140MM

ВЕРИЖЕН КЛЮЧ ЗА МАСЛЕНИ ФИЛТРИ, 1/2 ДО 135 ММ

ВЕРИЖЕН КЛЮЧ ЗА МАСЛЕН ФИЛТЪР, 60-106MM

КЛЕЩИ ЗА МАСЛЕН ФИЛТЪР 54-108ММ



- Drop-forged Chrome Vanadium steel body with satin finish and hanging hole.

 Model No. AK6409
- Satin finished carbon steel body with
- 1/2"Sq drive for use with ratchet wrench. May also be used with a 20mm spanner.
- Heavy-duty chain.
- Model No. AK641
- Extended-pin chain and twin-claw body for positive and reliable chain retention.
- Drop-forged steel body with hanging hole.


 Model No. AK6410
- Serrated jaws and long handles for extra grip on oily filters.
- Features angled jaws, for use in confined
- engine bays.
 Dipped non-slip rubber grip handles for added comfort and control.

 Model No. AK6411

КЛЕЩИ ЗА МАСЛЕНИ ФИЛТРИ, ТИП "ЧЕЛЮСТ", 57-120ММ ЗА ТРУДНО ДОСТЪПНИ МЕСТА

КОМПЛЕКТ ГАЕЧНИ КЛЮЧОВЕ, 15БР-8, 9, 10, 11, 12, 13, 14, 17,19, 22, 24, 27, 30, 32





- positioned oil and fuel filters.
 Chemically blackened finish to prevent corrosion and non-slip grip for added comfort and control. Capacity: Ø57-120mm.

- Chrome Vanadium steel.
- Fully polished heads. Size clearly marked.
- Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32mm. Manufactured to German DIN standards.

КЛЮЧ ЗА ДЖАНТИ С ОДЪЛЖЕНО РАМО, З ЧАСТИ



- Made from high quality steel with rubber handle. Collapsed Length: 355mm.
- Outer sleeve extends to 520mm to give greater leverage. Supplied with double end sockets 17-19mm and 21-23mm.



Contents: Bits; Security TRX-Star*(9pc), TRX-Star*(9pc), Hex - Metric(9pc), Hex - Imperial(9pc), Flat Screwdriver(9pc), Pozi Screwdriver(8pc), Phillips Screwdriver(8pc), Security Hex - Metric(6pc), Security Hex - Imperial(6pc), Tri-Wing(4pc), Square(4pc), Spanner(4pc), Torq(3pc), Spline(3pc), Butterfly(3pc). Special Hook Bit, Magnetic Extension/Bit Holder, 1/4"Sq Drive Extension, 1/4"Sq Drive Socket Adaptor(2pc).

Model No. S0473



- Deeply serrated, adjustable grip jaws with lever release.
- Comprises: S0485, S0486, S0487. Lengths: 125, 175, 215mm.
- Maximum Jaw Capacities: 30, 40, 45mm.
- Drop-forged steel jaws. Bright nickel plate finish.
- Model No. S0463

КОМПЛЕКТ ГАЕЧНИ КЛЮЧОВЕ, EXTRA-LONG, 10-19MM, 190/310ММ, 10 БРОЯ



- Drop-forged Chrome Vanadium steel combination spanners.
- · Hardened, tempered and nickel chrome plated for corrosion resistance with a fully polished mirror finish
- Extra-long shaft with open end and twelve point WallDrive® ring combination.
 Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm.
- · Model No. S0832

КОМПЛЕКТ НАКРАЙНИЦИ ЗА ИСКРОВИ И ПОДГРЕВНИ СВЕЩИ, EXTRA-LONG, 3/8, 6 ЧАСТИ



- Forged Chrome Vanadium steel deep universal glow/spark plug
- Heat treated with a satin finish
- Double-pin type universal joint.
- Rubber socket insert grips ceramic insulation and assists in extraction of plug.
- Socket Sizes: 8, 9, 10, 12, 14, 16mm
- Model No. SX0404



- Large LED digital display.

 Reads dwell, advance, voltage and rpm.
- Mode for two-stroke and distributorless, 'lost spark', four-stroke engines
- Detachable clamp-on inductive pick-up.
- Model No. TL93





- · Designed to remove damaged/broken glow plugs from cylinder heads.

 Suitable for glow plugs with an M8 x 1mm thread.
- Set includes all required adaptors, centring and cleaning tools to safely remove the glow plug without damaging the engine.
 Model No. SX0407







- Works on most direct injection diesel engines fitted with 6mm 1/4" to 10mm 3/8" external fuel pipes.
- Suitable for use with most timing lights, engine analysers



and multi-meters that have an inductive pick-up.








- For use with oils and other non-corrosive fluids with similar viscosity.
- Delivery: 0.2ltr/revolution
 Model No. TP55



- paint flow, which allows for a professional finish.

 Model No. AB933



СПИРАЛОВИДНА БЪРЗА ВРЪЗКА ЗА ПНЕВМАТИЧНА СИСТЕМА, 5ММ





- Polyurethane recoil type hose helps to keep working area tidy and free of hoses.
- Fitted with quick coupling and coupling body.
- lel No. SA305

- Carbon steel tyre lever with hook ends.
- Suitable for use on commercial vehicle tyres. Model No. VSTL940

СПИРАЛОВИДНА БЪРЗА ВРЪЗКА ЗА ПНЕВМАТИЧНА СИСТЕМА, 1/4,



- Polyurethane recoil type hose helps to keep working
- area tidy and free of hoses when not in use.
 Fitted with 1/4"BSP swivel unions on both ends and
- metal hose end guards.

ТРИРАМЕННИ СКОБИ 150-220ММ, 8 ЧАСТИ

150 & 220mm

- Drop-forged, Chrome Molybdenum steel reversible legs and body
- Suitable for pulling hubs, flanges, gears and bearings.
- Features ratcheting mechanism to locate and hold the legs in the correct position, making the tool faster and easier to operate than conventional pullers
- Two sizes of legs give a choice of reach to increase applications.

 Model No. VS83

КОМПЛЕКТ ИНСТРУМЕНТИ ЗА МАСЛЕН ФИЛТЪР, 21 БР







- Contents: Strap Wrench 3/8" & 1/2"Sq Drive, Pliers 54-Contents: Strap virenci 3/8 & 1/2 Sq Drive, Pilers 54-108mm Capacity, 3/8"Sq Drive Drain Keys; Square Male; 7, 8, 10, 11, 12, 13, 14mm, 5/16", 3/8", Square Female; 10mm, Hex; 8, 9, 10, 12, 14, 17, Triangle; 10mm, TRX-Star*; T45, Tommy Bar 3/8"Sq Drive Slider. Tray Size (W x D x H): 176.5 x 397 x 55mm.

МАСЛЬОНКА, 1000МЛ



ИНСТРУМЕНТ ЗА ДЕМОНТИРАНЕ НА АВТОМОБИЛНИ СТЪКЛА



- Vinyl covered handle and grip for extra comfort.
- Accepts both regular urethane and optional flat scraper replacement blades.

ПИСТОЛЕТ ЗА БОЯДИСВАНЕ, 1.3MM

- High quality professional gravity feed spray gun, ideal for automotive refinishing.
- 2-Stage trigger control and 600ml plastic gravity feed pot.
- Adjustable spray width and fluid flow.
- Suitable for use with water based paints




Gravity Feed

ΑΠΑΡΑΤ 3Α ΤΟΥΚΟΒΟ ЗАВАРЯВАНЕ С ДИГИТАЛЕН ТАЙМЕР








- Also features pulse mode for use on high stress steels
- commonly found in modern vehicle construction. Die-cast aluminium head and chassis reduces overall
- weight for improved handling. Fully adjustable jaw pressure from 40kg to 120kg enables close control of weld quality
- Model No. SR123

МЕТАЛНА ВАНА, 16 ЛИТРА ЧУК ТЕГЛО 0,5КГ



- Zinc plated pan, ideal for oil changes, cleaning and storing vehicle components
- May also be used as a drip tray under vehicles
- Capacity: 16ltr Overall Size (W x D x H):
- 432 x 331 x 143mm
- Model No. DRPM3
- High quality forged steel hammer head with blackened finish.
 Highly polished face with rounded edges.
- Curved hardwood handle with painted finish.
- Model No. MCH500



НЕОНОВА ЛАМПА С

КУКА, 11W, 230V, 5

МЕТРА КАБЕЛ

- Swivel hook for easy positioning.
- High output energy saving tube with enhanced light output while retaining a compact size and low power consumption.

 Model No. ML11

Fits across to protect against voltage

surges

12V

Ideal when welding, cutting and jump starting.

ПРОФЕСИОНАЛЕН

ПРЕДПАЗИТЕЛ ЗА **АВТОМОБИЛНА**

ДИАГНОСТИКА,

- Protects coded radios, alarms, ECUs, fuel tank senders plus much more
- Fitted with heavy-duty, fully insulated battery clips.

 Model No. PROSAF/12

НЕОБОРУДВАНА КОЛИЧКА, 2 КРИЛА, 2 ЧЕКМЕДЖЕТА

Bull Bearing

Druwer Slides

- Use as part of a complete professional garage storage system or an individual
- Featuring two silver-grey drawers with 35mm ball bearing runners, two doors,
- two fixed and two locking castor wheels.

 Added security provided by cylinder lock and supplied with two keys
- All steel construction with a graphite powder coat finish and moulded composite bumpers for light damage
- Overall Size (W x D x H): 710 x 360 x 838mm.
- Model No. AP22DFC



МЕТАЛНА СЕКЦИЯ С 44 ЧЕКМЕДЖЕТА(ШИРИНА/ ДЪЛЖИНА/ВИСОЧИНА: 307/147/510MM)



- Professional quality steel frame cabinet for use in the workshop.
- Supplied with 44 tough polypropylene drawers which can be subdivided into smaller compartments with dividers (not supplied).
- Can be wall mounted or used free standing.
- Overall Size (W x D x H): 307 x 147 x 510mm.



СТОЙКА ЗА ДВИГАТЕЛИ, 550KF

- · Accepts wide variety of engines and transmissions
- Head swivels through 360° Swivel castors for easy
- manoeuvrability. Fully adjustable mounting
- Model No. FS550



ЗАРЯДНО ЗА АКУМУЛАТОРИ, 12AMΠ, 6/12V, 230V

6V / 12V

 Intelligent charge control, selectable 6V or 12V and slow or fast output are perfect for long-term maintenance of batteries on

irregularly or seasonally-used vehicles.
Suitable for lead acid or low maintenance batteries.

Reverse polarity protection prevents inadvertent damage to charger. Can be connected to a battery for an indefinite period - the intelligent circuitry

constantly monitoring the voltage and maintaining the charge level at optimum. Model No. AUTOCHARGE12

ВЕЛОСТОЙКА, ПОЦИНКОВАНА И МЕТАЛНА СРЕЩУ КОРОЗИЯ, ЗА З ГУМИ

Heavy-duty cycle rack with three cycle capacity. Manufactured from steel

with zinc plating for extra corrosion resistance.

Model No. BS11



ТОВАРНА КОЛИЧКА, РАЗГЛОБЯЕМА 3 В 1 MAKC. HATOBAPBAHE: 250











- Tubular steel framework with heavy-duty pneumatic tyres allows transport of load over rough terrain.
- Suitable for use as a traditional sack truck or at 45° with support castors in position.
 Features fold out load restrainer
- for use when truck is in horizontal position.
- Adapts between configurations without need for tools in seconds
- Model No. CST989



УРЕД ЗА ПОЛИРАНЕ,12V ПРЕЗ ЗАПАЛКАТА

Random orbital polisher with Ø150mm 3-ply foam pad and two polishing bonnets

Supplied with 5mtr cable and 12V cigarette plug.

Smooth operation provides even buffing/polishing with no hot spots

Impact resistant ABS

housing.
Model No. ER1512P



ДЕТЕКТОР НА ИЗГОРЕЛИ ГАЗОВЕ В ОХЛАДИТЕЛНАТА СИСТЕМА, 250ML


- · Diagnose blown gaskets and cracked blocks and cylinder heads easily and quickly.
- Checks for CO₂ in cooling system and indicates its presence by test fluid
- colour change.
 Use with cone adaptor or in conjunction with radiator caps from the VS006 set.
- For Test Fluid Refill order Model No. VS0061F.





- Kit for replacing damaged brake calliper
- threads with a new threaded insert. Features three alignment plates for correct alignment of the insert.
- Kit includes 7mm hex key, stepped drill, M9 tap and ten inserts in storage case

 Model No. VS0462



- Detector fluid refill for VS0061.
- VS0061F




КОМПЛЕКТ ЗА ВКАРВАНЕ И ЗАВИНТВАНЕ НА СПИРАЧНИТЕ БУТАЛА, 30 БРОЯ

- Suitable for push-back and wind-back brake pistons
- Includes left and right-handed thrust holt assemblie
- Left-handed thrust bolt required for
- Ford, Citroen and Renault applications Applications: Alfa Romeo, Audi, BMW, Citroen, Fiat, Ford, Honda, Jaguar, Lancia, Lincoln, Mazda, Mitsubishi, Nissan, Peugeot, Proton, Renault Rover, Saab, Seat, Subaru, Toyota, Vauxhall/Opel, Volvo, VW.
- Model No. VS0285





- Kit includes: VS101, VS102, VS103, VS104, VS105 & VS106, VS107, VS108, VS109, VS110, AK9634M.



- Suitable for new Di and twin cam engines.
 Includes tools for camshaft, injection pump, crank lock, tensioner adjustment, twin cam setting and RAM/PSA EPIC injection timing adjustment.



- Set of two valve grinders with wooden shafts
- Suitable for grinding-in most engine valves.
- Features four sizes of rubber suction cup.
- Model No. VS1653





- Heavy-duty construction with non-slip handles. 'V' Slot and cross slot jaws for installation and
- Pliers with ratchet locking mechanism for use



- removal of tag and wire type hose clips
- on lower radiator hoses.
 - Swivel jaws allow use where access is confined.

 Model No. VS1665





- Serrated tips aid grip.
 Especially suited to stubborn seals

TECTEP 3A АКУМУЛАТОР **C MEMORY SAVER**



- Memory Master attaches to a 12V slave battery and provides power via the cigarette lighter socket to on-board electronics whilst vehicle's own battery is disconnected.
- Also provides a quick check of the battery's condition with a digital voltage display.
- Supplied with 1.3mtr cable and crocodile clips Model No. VS207



- Brass-bodied vacuum pump with easy-to-read vacuum gauge. Contents: Vacuum Pump, Fluid Container, Transfer Cap, Vacuum Hoses; 2 x 580mm, 2 x 80mm, Assorted Vacuum
- Hose Fittings x 5, Bleed Nipple Adaptors x 3. Model No. VS402

КОМПЛЕКТ ЗА ОТКРИВАНЕ НА ТЕЧОВЕ НА КЛИМАТИЧНАТА СИСТЕМА





- Supplied with rugged 12V ultraviolet lamp and dye injector system for use in conjunction with any air conditioning
- recharge/recycle station.
 Includes ten single doses of fluorescing dye and UV enhancing spectacles for use in normal workshop lighting conditions.



- Quickly removes the CV joint from the drive shaft without damaging the joint, and keeps hands free for releasing retaining circlip.
 Reduces risk of damage to transmission.
- Saves on labour time and suitable for most vehicles.
- Model No. VS710



- Designed to remove and install fan clutch and rotate
- or restrain the camshaft pulley.

 Adjustable jaw spread and interchangeable pins.
- Model no. VS783



- Ratchet wrench with multi-position extension handle for improved access to tensioner
- Contents: Ratchet Wrench, Multi-positional Extension Handle, Sockets; 8, 12, 13, 14, 17, 18, 24mm, 5/8", Hex Bits; 6, 8, 10mm, Square Drives; 3/8", 1/2".
- Covers a wide range of spring-loaded tensioner applications Model No. VS784



ПНЕВМАТИЧЕН РЕВЕРСИВЕН УДАРЕН ГАЙКОВЕРТ '1







- Working/Maximum Torque: 1100lb.ft (1496Nm)/1200lb.ft(1632Nm). Ultimate Torque: 1500lb.ft(2040Nm)
- Features twist control at back of tool for simple choice of speed and direction.
- Composite housing with soft grip and side handle helps reduce vibration and chill.
- Handle exhaust reduces noise level.
- Powerful twin hammer mechanism gives high torque output suitable for commercial and agricultural use. Model No. SA6005


КОМПЛЕКТ ЗА ТЕСТВАНЕ НА НАЛЯГАНЕ НА МАСЛОТО



- Tests oil pump pressure and also low oil warning devices.
- Fitted with quick coupling adaptors and 1200mm of hose. Includes 90° coupling adaptor

for limited access applications.

Model No. VSE203





- Suitable for bench mounting or portable use
- One-piece tank with triple baked finish and fully sealed magnetic drive pump unit with replaceable
- Fitted with flexible, metal delivery nozzle
- Tank includes removable shelf.



ВЪЗДУШЕН/ПНЕВМАТИЧЕН КОМПРЕСОР ЗА СВИВАНЕ НА ПРУЖИНИ

- 1500kg Capacity air actuated hydraulic unit with alternative foot operation
- Quicker and easier than using ratchet driven spring compressor
- Plastic coated yokes reduce the risk of spring slippage/ damage
- Suitable for springs from Ø102mm to Ø160mm.
- del No. RE232

Air Hydraulic 1500kg



ПОДВИЖНА СТОЙКА ЗА ВАРЕЛИ.



- Transport drums quickly and safely on large diameter castor wheels
- Wheels are strategically positioned for even weight distribution enabling easier manoeuvrability. Suitable for 205ltr drums.
- odel No. TP205





Верига магазини:

Варна, бул. Сливница 189, тел.:052/ 504 903; 0885/ 999 664 Варна, ул. Ал. Дякович 18, тел.: 052/ 613 530; 0889/ 500 995 Варна, бул. Цар Освободител 124, тел.: 052/ 75 90 00, 0889/ 999685 София, ул Резбарска 9, 02/ 931 31 14, 832 61 35, 0886/ 262009,0885/ 888021,0882/ 600252 София, ул. Цар Симеон 178, тел.:02/ 931 31 14; 02/ 931 11 26; 0888/ 323251 София, ул. Г. С. Раковски 27, тел.:02/ 931 41 88; 0886/ 262010 София, бул. Сливница 357, тел.: 02/ 927 40 10; 0886/ 26 20 11 София, бул. Бели Дунав, бл. 330, тел.:02/ 936 03 86; 0885/ 999661 София, кв. Горубляне, ул. П. Красов 30, тел.:02/ 9737393; 0884/ 888591 Пловдив, бул. Копривщица 19, тел.:032/ 670 470; 0888 646 468 Пловдив, бул. Източен 137, тел.:032/632 707; 0886/262003 Пловдив, бул. Кукленско шосе 28, тел.:032/ 640 061; 0882 300 246 Тиговдив, оул. Индустриална 9, тел.:056/817 009; 815 201; 0887/62990 Бургас, ул. Индустриална 9, тел.:056/817 009; 815 201; 0887/62990 Бургас, к-кс Изгрев, бл. 121 /с-у бл. 8/, тел.: 056/52 17 47; 0888/789395 Стара Загора, Индустриална зона, тел.:042/62 11 05; 0886/262015 Велико Търново, бул. България 41, тел.:062/600 832; 0887/825057 Ямбол, ул. Д. Благоев 8, тел.:046/66 39 33; 0889/510710 Русе, ул. Николаевска 40А, тел.:082/835 642; 834 642; 0886/434852 Шумен, ул. Велики Преслав 9, тел.:054/831 465; 0889/307411 Хасково, бул. България 15, тел.:038/66 33 51; 0889/510810 Благоевград, бул. Св. Димитър Солунски 12, тел.:073/887 280; 0884/888 585

Габрово, ул. Орловска 87, тел.: 066/80 32 33; 0886/434851 Добрич, бул. Добричка епопея 10, тел.: 058/60 20 80; 0886/197083 Смолян, ул. Пролет 5, тел.: 0301/659 95; 0888/150940 Враца, ул. Река Лева 1a, тел.: 092/66 05 13; 0888/789 305 Сливен, кв. Дружба 87, тел.: 044/66 29 91; 0888789321; 0886900660 Плевен, ул. Гренадерска 32, тел.: 064/805 645; 0885/888 027 Пазарджик, бул. Стефан Стамболов 8, тел.: 034/44 49 49; 0886/197084 Севлиево, ул. Митрополит Климент 11, тел.: 0675/35 999; 0885/888023 Кърджали, ул. Тракия 8, тел.: 0361/6 77 46; 0885/888 029 Разград, ул. Васил Левски 8, тел.:084/660 189; 0888/788 692 Асеновград, ул. Княз Борис I 19, тел.:0331/6 37 38; 0885/999 037 Казанлък, ул. Шипченска Епопея 17, тел.: 0431/6 23 87; 0885/999 495 Търговище, ул. Отец Паисий 16, тел.: 0601/6 21 23; 0885/999 496 Силистра, ул. Тутракан 1, тел.: 086/823 174; 0885/999 662 Силистра, ул. Путракан 1, тел.: 068/602 886; 0887/999 282 Монтана, бул. Трети март 89, тел.: 096/314 250; 0882/300 208 Перник, ул. Софийско шосе 104, тел.:076/605 165; 0884/888 593 Сандански, ул. Стефан Стамболов 35A, тел.: 0746/329 85; 0884/ 888 580 Гоце Делчев, ул. П.Яворов 13, тел.:0751/ 607 21; 0884/888 582 Троян, ул. Ген. Карцов 123, тел.: 0670/541 48; 0882/288 804 Видин, ул. Княз Дондуков 19, тел.: 094/600 386; 0882123084; 0882300235

КОСЕР АД НЕ НОСИ ОТГОВОРНОСТ ЗА ТЕХНИЧЕСКИ ГРЕШКИ И ПРОПУСКИ В НАСТОЯЩЕТО ИЗДАНИЕ. ПОВЕЧЕ ИНФОРМАЦИЯ ЗА ПРОДУКТИТЕ МОЖЕ ДА ПОЛУЧИТЕ В МАГАЗИНИТЕ ОТ ТЪРГОВСКАТА МРЕЖА НА КОСЕР АД.