Safe on any terrain.

4x4 tyres from Continental.







Arrive safely and comfortably.


Founded in 1871 in Hanover, Continental is today a leading global automobile supplier with comprehensive know-how and an edge in tyre and brake technology, automotive electronics, undercarriage components and technical elastomers.

With around 150,000 employees around the world, research and development centres spread across the globe and the highest quality demands, we see ourselves as an innovative partner of the automotive industry. This is the reason why we pioneer progress supported by thousands of engineers and researchers from nearly every nation in the world.

Result: with our innovative developments such as DISTRONIC and ESC II, as well as with some of the highest-braking-performance tyres in the world, we contribute to increased safety, to the development of environmentally sound engines and to the maximising of comfort in road traffic.

And you stop that potentially crucial extra metre sooner.

The Continental-Vision is a highly networked, intelligent vehicle, which helps to avoid accidents, decreases the risk of injury, and quickly provides help in an emergency. The networking of active and passive safety systems takes place with the help of a danger control module, which collects information by means of environmental sensors from the surroundings in front of, beside and behind the car.



All roads lead to 4x4 tyres from Continental.

Road surfaces	Tarmac	Loose stones/gravel	Sand
			計劃
Tread pattern			トストので
ContiCrossContact UHP	+++	+	+++
Conti4x4SportContact	+++	+	+++
Conti4x4Contact	++	+	++
ContiCrossContact LX	++	++	++
ContiTrac SUV	++	++	++
ContiCrossContact AT	+	+++	+
ContiCrossContact Winter	++++	+	+
Conti4x4WinterContact	+ + +	+	+

Grass	Mud	Snow	Ice
	No.		
+	+	0	0
+	+	0	0
++	++	++	+
++	++	++	+
++	++	+	+
++	+++	+	+
+	+	+++	++
+	+	+++	++

On or off-road: all-terrain, all under control.



The ContiCrossContact AT

- High-performance all-terrain tyre, superb on and off-road performance
- Excellent traction
- Outstanding mileage performance
- Quiet ride
- Self-cleaning for longer tyre life



For high-performance four-wheel drive vehicles.



The ContiCrossContact UHP

- Short braking distances through bionic contour
- High cornering stability and large safety reserves
- Outstanding handling and driving enjoyment
- For high-performance road use
- Excellent protection against aquaplaning

5 %	95 %
Off-road	On-road



Issue 09/2007 235/60 R 18 V/W "Highly recommended"



The Conti4x4SportContact

- Good cornering stability through asymmetric tread pattern
- Good protection against aquaplaning
- Suitable for high-speed road use
- Excellent comfort and noise levels

0 %	100 %
Off-road	On-road




Issue 11/2005 255/55 R 18 Y "Highly recommended" test winner

For four-wheel comfort.



The Conti4x4Contact

- Excellent noise levels and comfort in on-road use
- Good protection against aquaplaning
- Superb traction both on the road and in general off-road usage through high sipe density





Issue 11/2005 255/55 R 18 V "Recommended"

For medium to heavy 4x4 vehicles.



The ContiCrossContact LX

- A high-performance tyre for on-road and general off-road use
- Excellent handling and braking performance
- Good protection against aquaplaning
- Precise steering response and superb straight-line tracking






Issue 04/2006 235/65 R 17 H "Exemplary"



The ContiTrac SUV

- Suitable for on-road and general off-road use
- o Outstanding handling and braking performance
- Good protection against aquaplaning and minimal stone retention
- Excellent traction and high ride comfort



For winter use on 4x4 vehicles.



The ContiCrossContact Winter

- Excellent traction and braking performance on snow
- Outstanding handling on snow-covered and dry roads
- High protection against aquaplaning
- Quiet and low rolling resistance



The Conti4x4WinterContact

- Exceptional traction and braking performance
- Outstanding driving stability even on snow-covered roads
- Excellent driving comfort and quiet ride
- Excellent resistance to aquaplaning



Issue 11/2005 255/55 R 18 H "Exemplary"

Tips for off-road driving.

To maximise your off-road motoring pleasure you not only need the right tyres, but also the right driving technique. We have compiled some basic tips on the following pages. Now nothing can get in the way of you and your 4x4.



General rules:

Check your wheels and spare tyre before you set off. Remember to take heavy-duty leather gloves, recovery straps, a shackle and a spade. Other useful bits of equipment include an air pump with a pressure gauge, a hi-lift jack and sand ladders. Tyre pressure

should be no lower than 1.2 bar and should be increased back to normal as soon as possible and do not drive faster than 80 km/h. Longer trips with low air pressure in your tyres can cause irreparable damage to your tyres. Before you go off-road engage the four-wheel drive.



Driving on rocky ground with loose stones and gravel:

Tall tyres are best in this kind of environment because they give greater ground clearance. Reducing the tyre pressure gives the vehicle more ground contact, thus increasing the flexibility of the tyres and decreasing the likelihood of puncturing a tyre on a sharp ob-

ject. To avoid damaging the underbody, you should always drive over large stones with the wheels, as opposed to between the wheels.

Tips for off-road driving.



Driving on sand and loose ground:

This is the ideal environment for wide tyres. Low tyre pressure increases the vehicle's footprint and improves traction. Use four-wheel drive to keep your vehicle in motion, as setting off on sand can be difficult. If you must set off on sand then try to avoid wheel-

spin; either reverse slowly back along your own tracks, or use sand ladders, mats or something similar. On dunes, always park facing down the slope.



Driving over obstacles:

Where possible, you should drive over obstacles with the wheels to avoid damage to the underbody. Approach ditches and ridges at a diagonal angle to avoid the bumper touching or digging into the ground. Drive parallel to deep, high-walled tracks. If

you find yourself in existing wheel tracks, do not attempt to get out by force; instead keep a light hold on the steering wheel.



Driving on slopes:

Always drive directly up the slope to prevent the vehicle from lateral overturning. On steep declines, use the engine to brake and lock the differentials. Use the brake pedal only if absolutely necessary and only in short jabs, as the wheels may lock, making it impos-

sible to steer the vehicle. If the vehicle does slip, release the brake immediately.



Driving in mud:

Reduce tyre pressure to allow the tread to self-clean more efficiently. Prevent wheelspin by accelerating with caution. To avoid getting stuck, keep your vehicle moving in low gear and at moderate speed. Always drive parallel to deep tracks to avoid getting stuck in

them. Do not attempt to get out of a track by force; keep a light hold on the steering wheel. Clean the wheel housings when you get back to enable the tyres to self-clean again.



Driving through water:

Walk along and check for shallow places to drive in and out. Ensure that the electrical wiring of your vehicle is well protected. Important: the air-intake fitting must be kept out of the water to avoid engine damage. Using normal tyre pressure and drive through the water in a

slow gear and at a slow and constant speed to avoid creating a strong bow wake or excessive spray. This also helps to prevent the hot drive assembly from developing stress cracks upon contact with the cold water. Tread on the brakes several times after coming out of the water to dry them, and check for any damage to the tyres.



Driving on snow:

Tyres will grip on a thin layer of snow that has not yet iced up. Nonetheless, it is advisable to accelerate and brake with caution. In deep snow you should keep the engine speed constant and not change gear so that your vehicle stays in motion and does not lose traction.

Tyre types and sizes.

ContiCro	ssCon	itact LX				
LT235/85		120/116Q				**
215/75	R15	100T		FR	OWL	
225/75	R15	102T		FR	OWL	
235/75	R15	109T	XL	FR	OWL	
265/75	R15	112T		FR	OWL	**
LT225/75		115/112S				**
225/75	R16	104T		FR	OWL	
225/75 235/75	R16 R16	104H 108T		FR FR	OWL	
LT245/75		120/116S		In	OWL	**
245/75	R16	111T		FR	OWL	
265/75	R16	116T		FR	OWL	
LT265/75	R16	123/120Q			OWL	**
235/75	R17	109T		FR		**
255/75	R17	115T		FR	014//	
225/70 235/70	R15 R15	100T 103T		FR FR	OWL	
255/70	R15	108T		FR	OWL	**
265/70	R15	112T		FR	OWL	
265/70	R15	112H			0	
215/70	R16	100T		FR	OWL	
225/70	R16	102H				
235/70	R16	106T		FR	OWL	
235/70	R16	106H			014/1	
245/70 245/70	R16 R16	107T 107H		FR	OWL	
255/70	R16	111T		FR	OWL	
265/70	R16	112T		FR	OWL	
265/70	R16	112H				
275/70	R16	114T		FR		
275/70	R16	114H		FR		**
235/70 LT245/70	R17	111T 119/116S	XL	FR	OWL	**
245/70	R17	110T		FR	OWL	
LT265/70		121/118S			OWL	**
265/70	R17	115T		FR	OWL	
255/70	R18	113T		FR		
265/70	R18	116T		FR	OWL	**
LT275/70		125/122S			OWL	**
235/65 255/65	R16 R16	103T 109T		FR FR	OWL	
255/65	R16	1091 109H		ГN	OWL	
235/65	R17	108T	XL	FR	OWL	
235/65	R17	108H	XL	FR		
245/65	R17	107T		FR	OWL	**
245/65	R17	107H		FR		
255/65	R17	110T		FR	OWL	
265/65 265/65	R17	112T 112H		FR FR	OWL	
LT275/65		123/120S		FN	OWL	**
LT275/65		126/123S			OWL	**
195/60	R16	89T		FR		**
255/60	R17	106H				
275/60	R17	110T		FR	OWL	
265/60	R18	110T		FR	OWL	**
275/60 285/60	R18 R18	113H		FR FR	OWL	
275/60	R20	116T 119T	XL	FR		
275/55	R17	109V	/\L	FR		
255/55	R18	109H	XL	FR		
275/55	R20	117T	XL	FR		
275/45	R20	110T	XL	FR		
ContiTra	c SUV					
P265/70	R17	113S				
225/65	R17	102T				**
225/60	R17	99H				**
235/60	R17	102H)(:		ML	M0 **
235/55	R19 R19	105H	XL XL	FR FR		**
255/55	R19	111V	XL	FK		MO **

XL FR

M0 **

285/45 R19 111V

ContiCro						
235/65	R17	104V		FR		
235/65	R17	108V	XL			N0
235/60 275/60	R16 R17	100H 110V				**
235/60	R18	103V		FR		
235/60	R18	107V	XL	FR		
235/60	R18	107W	XL	FR		
255/60	R18	112V	XL			
225/55	R17	97W		FR		
235/55	R17	99H		FR		
275/55	R17	109V		FR		**
235/55	R18	100V		FR		**
255/55	R18	105W			ML	
255/55	R18	105W 109H SSR	XL		ML	M0 *
255/55 255/55	R18 R18	109H SSR 109V	XL			
255/55	R18	109Y	XL	FR		
255/55	R18	109Y	XL			N1
255/55	R18	109V SSR	XL			*
255/55	R18	116/114T				
235/55	R19	105V	XL	FR		
235/55	R20	102W				**
275/55	ZR20	117W	XL	FR		
235/50	R18	97V		FR		
285/50	R18	109W		FR		M0 **
235/50 255/50	R19 R19	99V 107V SSR	XL			M0 **
255/50	R19	107V 33N	ΛL	FR	ML	M0
255/50	R19	107W SSR	XL			*
255/50	R19	107Y	XL	FR		
265/50	R19	110Y	XL	FR		
255/50	R20	109Y	XL	FR		
265/50	R20	111V	XL	FR		**
275/50	R20	109W			ML	M0
285/50	ZR20	116W	XL	FR		
235/45	R19	95W		FR		M0 **
255/45 285/45	R19 R19	100V 111V SSR	XL			*
285/45	R19	107W	ΛL	FR	ML	M0
285/45	R19	111W SSR	XL			*
295/45	ZR19	109Y		FR		M0
235/45	R20	100W	XL	FR		M0 **
255/45	R20	105W	XL	FR		**
275/45	R20	110Y	XL	FR		
295/45	ZR20	114W	XL	FR		
305/45	ZR22	118W	XL	FR		
255/40	R19	96W	VI	FR		MO **
255/40 295/40	R20 R20	101W 110Y	XL XL	FR FR		M0 **
295/40	ZR20	1101	XL	FR		
295/40	ZR20	106Y	/\L	FR		M0
295/40	R21	111W	XL	FR		M0
265/40	R22	106W	XL	FR		**
305/40	ZR22	114W	XL			
305/40	ZR22	114W	XL	FR		
305/40	ZR23	115W	XL	FR		
285/40	R24	112V	XL	FR		**
295/35	R21	107Y	XL			N0
295/35	ZR21	107Y	XL	ED		M0
285/35 275/35	R22 ZR22	106W	XL	FR FR		^
315/35	ZR24	114W	XL	FR		
315/30	R22	107Y	XL	FR		
295/30	ZR22		XL	FR		
305/30	R23	105W	XL	FR		
335/25	ZR22		XL	FR		
315/25	R23	102Y	XL	FR		

Q = up to 160 km/h W = up to 270 km/hR = up to 170 km/h Y = up to 300 km/hS = up to 180 km/h ZR = over 240 km/h

T = up to 190 km/h LT = Light Truck
H = up to 210 km/h P = Passenger

V = up to 240 km/h XL = extra load

ML = with rim-protection

OWL = Outline white letters

M0 = Mercedes version N0/N1 = Porsche version

SSR = Self Supporting Runflat Tyre

275/40 R20 106Y

275/40 R20 106Y

315/35 ZR20

	= BMW version	
*	= in preperation	

Conti4x4	Contac	t				
205	R16C	110/108S				
195/80	R15	96H				
205/80	R16	104T	XL			
215/75	R16	107H	XL			
205/70	R15	96T	AL.			
225/70	R16	102H				
235/70	R17	111H	XL			
185/65	R15	88T	AL.			
215/65	R16	98H				**
215/65	R16	102V	XL			
255/65	R16	109H	7.2			
225/65	R17	102T				
235/65	R17	104H		FR	ML	M0
235/65	R17	104V		FR	ML	M0
235/65	R17	108V	XL			IVIO
235/65	R17	108V	XL	FR		N1
225/60	R17	99H	/\L			
235/60	R17	102H			ML	M0 **
235/60	R17	102V			ML	M0 **
235/60	R18	103H		FR		**
235/60	R18	107H	XL	FR		**
255/60	R17	106H	AL.			
265/60	R18	110H		FR	ML	M0
265/60	R18	110V		FR	ML	M0
235/55	R17	99V		FR	IVIL	IVIO
255/55	R17	104H			ML	M0 **
255/55	R17	104V			ML	M0 **
275/55	R17	109V			IVIL	IVIO
235/55	R19	101H				**
235/55	R19	105H	XL	FR		
255/55	R18	105H	AL	FR	ML	M0
255/55	R18	109H	XL	FR	IVIL	IVIO
255/55	R18	109H SSR	XL			*/**
255/55	R18	105V	AL.	FR	ML	M0
255/55	R18	109V	XL	FR	IVIL	N1
275/55	R19	111H	AL.	FR	ML	M0
235/50	R18	101H	XL	FR	IVIL	IVIO
235/50	R19	99H	AL.	- I N	ML	M0 **
255/50	R19	107H	XL		ML	M0
255/50	R19	107H SSR	XL		IVIL	*/**
265/50	R19	110H	XL	FR		
255/45	R19	100V	ΛL	- I N	ML	M0 **
255/45	R20	101H		FR	IVIL	**
265/45	R20	101H	XL	гn	ML	M0
275/45	R19	108V	XL	FR	IVIL	N0
			ΛL	In		140
ContiCro						
LT235/8		120/116S				**
205/80	R16	104T	XL	FR		
205/75	R15	97T			OWL	
225/75	R15	102S			OWL	
235/75	R15	109T	XL	FR	OWL	
265/75	R15	112S		FR	OWL	
LT245/7		120/116S		FR	OWL	
205/70	R15	96T		FR		
225/70	R15	100T		FR	OWL	**
255/70	R15	108T		FR	OWL	**
235/70	R16	106T		FR	OWL	
245/70	D16	107T		ED	OVACI	

245/70 R16 107T 265/70 R16

275/70 R16 114S 215/65 R16 98T 255/65 R16 109T

235/65 R17 108H 255/60 R18 112T

31X10.50 R15LT 109S

33X12.50 R15LT 108S 30X9.50 R15LT 104S FR OWL

FR OWL FR OWL

FR OWL

FR OWL

FR OWL

FR

XL FR XL FR

	Winter	Contact				
195/80	R15	96T				
205/80	R16	104T	XL			
235/75	R15	109T	XL			
265/70	R15	112T				
175/65	R15	84T				
235/65	R17	104H				*
235/65	R17	104H			ML	M0
235/65	R17	108H	XL	FR		N0
265/65	R17	112T				
235/60	R16	100T				
215/60	R17	96H		FR		*
255/60	R17	106H				
235/60	R18	107H	XL	FR		
265/60	R18	110H			ML	M0
235/55	R17	99H		FR		*
275/55	R17	109H				
255/55	R18	105H		FR		*
255/55	R18	105H		FR	ML	M0
255/55	R18	109H SSR	XL	FR		*
255/55	R18	109V	XL	FR		
255/50	R19	107V SSR	XL	FR		*
255/50	R19	107V	XL	FR		
ContiCro	secCon	tact Winter				
LT215/85		115/112Q				
225/75	R16	104T				
LT245/75		120/116Q				
205/70	R15	96T				
215/70	R16	100T				
225/70	R16	102H				
	1110					
235/70	R16	106T				
235/70	R16	106T				
245/70	R16	107T				
245/70 265/70	R16 R16	107T 112T	ΧI			
245/70 265/70 235/70	R16 R16 R17	107T 112T 111T	XL			
245/70 265/70 235/70 215/65	R16 R16 R17 R16	107T 112T 111T 98T	XL			
245/70 265/70 235/70 215/65 215/65	R16 R16 R17 R16 R16	107T 112T 111T 98T 98H	XL			
245/70 265/70 235/70 215/65 215/65 255/65	R16 R16 R17 R16 R16 R16	107T 112T 111T 98T 98H 109H		FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65	R16 R16 R17 R16 R16 R16 R17	107T 112T 111T 98T 98H 109H 108H	XL	FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/60	R16 R16 R17 R16 R16 R16 R17	107T 112T 111T 98T 98H 109H 108H 112H				
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/60 225/55	R16 R17 R16 R16 R16 R17 R18 R17	107T 112T 111T 98T 98H 109H 108H 112H 97H	XL XL	FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/60 225/55 255/55	R16 R17 R16 R16 R16 R16 R17 R18 R17	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V	XL	FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/60 225/55 255/55 235/50	R16 R17 R16 R16 R16 R17 R18 R17 R18 R17	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H	XL XL	FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 225/55 255/50 255/55 235/50	R16 R16 R17 R16 R16 R16 R17 R18 R17 R18 R17 R18 R18	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H	XL XL XL	FR FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/50 225/55 255/55 235/50 255/50 275/45	R16 R17 R16 R16 R16 R16 R17 R18 R17 R18 R17 R18 R18 R20 R20	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H 109V 1109V	XL XL	FR FR FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/60 225/55 255/50 255/50 255/50 275/45	R16 R17 R16 R16 R16 R16 R17 R18 R17 R18 R18 R20 R20 R20	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H 109V 110V	XL XL XL XL XL	FR FR FR FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/50 225/55 235/50 255/50 275/45 275/40	R16 R17 R16 R17 R16 R16 R17 R18 R17 R18 R17 R18 R18 R20 R20 R20 R20	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H 109V 110V 110V	XL XL XL XL XL XL	FR FR FR FR FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/55 255/55 255/55 255/50 275/40 295/40	R16 R16 R17 R16 R16 R16 R17 R18 R17 R18 R18 R20 R20 R20 R20 R21	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H 109V 110V 110V 110V	XL XL XL XL XL	FR FR FR FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/50 225/55 255/50 255/50 255/50 275/45 275/40 295/35 Conti4x4	R16 R16 R17 R16 R16 R16 R17 R18 R17 R18 R17 R18 R20 R20 R20 R20 R21	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H 109V 110V 106V 110V	XL XL XL XL XL XL XL XL	FR FR FR FR FR FR		
245/70 265/70 235/70 215/65 215/65 255/65 235/65 255/55 255/55 255/55 235/50 275/45 275/40 295/40	R16 R16 R17 R16 R16 R16 R17 R18 R17 R18 R18 R20 R20 R20 R20 R21	107T 112T 111T 98T 98H 109H 108H 112H 97H 109V 97H 109V 110V 110V 110V	XL XL XL XL XL XL	FR FR FR FR FR FR		NO

N0

XL FR

XL FR

XL FR

Continental – Official Sponsor of UEFA EURO 2008™.

High performance, innovative technology and perfect teamwork – everything that makes Continental tyres so special will also be on display at an event set to make the hearts of millions beat a little faster: UEFA EURO 2008™. That's why we are proud to be an Official Sponsor of UEFA EURO 2008™ in Austria and Switzerland.



Visit the ContiFanWorld at www.contifanworld.com and win tickets to UEFA EURO 2008™!

Your local dealer.

Find out more at www.continental-tyres.com.

