

Extremely safe – extremely versatile.

Vanco tyres for vans, small commercial vehicles and camper vans.

New!



Continental 
Tyres – Engineered in Germany.

Vanco™ 2 – robust, safe and extremely durable.

Extremely economical: through its 20% higher mileage.



The new Vanco™ 2 is the made-to-measure van tyre for predominantly commercial utilization. With its newly developed long life rubber compound, the flat tyre contour for an even footprint and the high tread pattern depth, its mileage is increased by up to 20% compared with its predecessor – making it even more cost-effective.

Extremely dynamic: thanks to car-orientated handling.



The high centre of gravity found in vans and light commercial vehicles causes high lateral forces when driven dynamically. This doubles the force on the outer tyres in curves. This enormous force is safely overcome by the Vanco™ 2 due to its high material rigidity and its firm tread pattern with a solid tyre shoulder. This low deformability enables the optimal transfer of lateral forces – and gives the vehicle more perceptible car-orientated handling.

Extremely safe: due to excellent wet-braking performance.



Due to the high loading capabilities of light commercial vehicles, high demands are placed on the braking performance of van tyres, especially in wet conditions. The new Vanco™ 2 overcomes these extreme situations with a newly designed lattice structure comprising longitudinal and lateral sipes. The tyre always interlocks optimally with the road surface and therefore ensures excellent wet braking performance.

For small commercial vehicles and vans.



New!

The Vanco™ 2

- Up to 20% greater mileage
- Perceptible car-orientated handling
- Excellent wet braking performance
- Outstanding protection against aquaplaning
- Especially robust construction



The Vanco™

- High mileage potential
- Superior service life
- Improved grip in wet conditions
- Minimised risk of aquaplaning



Issue 05/2007
215/70 R 15 C

"Very Good" – Best C tyre in the test

For family vans and small commercial vehicles.



The VancoContact™ 2

- Outstanding handling
- Precise braking reaction and reduced stopping distance
- Excellent protection against aquaplaning
- Ride comfort, even at high speeds



The VancoContact™

- Optimised braking performance in wet conditions
- High protection against aquaplaning
- Reduced tread wear for increased product life
- Improved rolling characteristics for reduced fuel consumption
- Precise steering characteristics

For camper vans.



The VancoCamper™

- High safety reserves for camper van application
- Robust construction for improved durability in rough camping environments
- Reduced stopping distance on wet surfaces
- Extra driving stability for rear-heavy camper vans
- Long service intervals, as the tyres' air pressure is held permanently above the minimum pressure



Issue 05/2007
215/70 R 15 CP
"Very good" – "Test winner"

VancoWinter™ 2 – robust and safe with excellent grip.

Especially versatile: thanks to an intelligent sipe concept.



With its intelligent sipe concept, the new VancoWinter™ 2 overcomes the varied challenges of winter driving. The sinusoidal sipes in the tyre shoulder optimise the braking effect and handling on snow. The scale sipes in the tread also achieve an 'ice scraper effect', which noticeably increases ice and wet braking performance. Working in combination with the special winter-grip rubber compound, the intelligent sipe concept of the VancoWinter™ 2 achieves extremely high safety potential with maximum versatility throughout the winter months.

Especially safe: due to 3-grooved tread with drainage channels.



Aquaplaning is a serious matter even in winter. With 10% more grooves and its 3-grooved tread with wide drainage channels, the VancoWinter™ 2 is best equipped to deal with these demands.

The new tread pattern also ensures efficient removal of slush and water and therefore offers excellent protection against aquaplaning and safe wet handling.

Especially robust: thanks to its firm sidewall construction.



The robust sidewall design of the new VancoWinter™ 2 increases the service life of the tyre. A wide and resistant scuff rib defies problems caused by kerbstones and offers effective impact protection. A special traction shoulder provides extra grip even where there is a build-up of snow and slush.

For winter use on small commercial vehicles and vans.



New!

The VancoWinter™ 2

- Optimised braking effect on snow and ice
- Car-orientated handling on snow
- Cost-effective even in winter
- Excellent protection against aquaplaning and safe wet handling
- Robust construction



The VancoWinter™

- Excellent grip
- Reduced stopping distance on icy, snowy and wet surfaces
- Maximum protection against aquaplaning
- Long service life



Issue 11/2006
215/75 R 16 C
"Very good"

For family vans and small commercial vehicles on wintry roads.



The VancoWinterContact™

- Excellent grip and optimal braking performance in wintry conditions
- Economical thanks to long service life
- Outstanding protection against aquaplaning
- High ride comfort, low tyre noise



Issue 11/2004
215/65 R 16 C
"Very good"

5 important points for your safety.

1. Air pressure

Check the air pressure every 14 days in cold tyres and adjust when necessary. You can find the air pressure recommendations issued by the vehicle manufacturer either in the owner's manual or on the vehicle itself.

2. Tread depth

Continental recommends replacing summer tyres at 3.0 mm and winter tyres at 4.0 mm (the legally prescribed tread depth is 1.6 mm).

3. Service life

We recommend replacing all small commercial vehicle and van tyres (including spare tyres) more than 10 years old with new tyres.

4. Valves

Regular snap-in rubber valves are permitted up to an inflation pressure of 4.5 bar. Special snap-in high-pressure valves should be used at 4.5 - 5.5 bar. Over 5.5 bar: only metal valves are permitted.

5. To avoid damage

Avoid driving over kerbstones and similar obstacles. When obstacles such as these cannot be avoided, it is recommended to drive over them carefully at walking speed and at a right angle.

You can find more tyre safety tips in the brochure "Everything you need to know about tyres." Copies are available free of charge from your tyre dealer or at www.conti-online.com!

Tyre sizes and specifications¹.

VancoContact™ 2		
Size	PR	Service descr. ²
165R13 C	6	91/89R
165/70R13 C	6	88/86R
165/70R14 C	6	89/87R
165/70R14 RF		85S *
175/65R14 C	6	90/88R *
175/65R14 RF		86T *
195/70R15 RF		97T
195/65R15 RF		95T
205/65R15 RF		99T
215/65R15 RF		100H
215/65R15 RF		100T
195/60R16 C	6	99/97H
215/60R16 RF		99H

VancoContact™		
Size	PR	Service descr. ²
165/70R14 C	6	89/87R
175/65R14 C	6	90/88T
185/60R15 C	6	94/92T
195/55R15 RF		89H
205/65R16 C	6	103/101T (99H)
205/65R16 C	8	107/105T
215/65R16 C	4	102/100H
215/65R16 C	6	106/104T
225/60R16 RF		102H
235/60R16 RF		104H
185/60R17 C	6	96/94R
225/55R17 RF		101H
225/55R17 RF		101V
235/55R17 RF		103W

VancoCamper™		
Size	PR	Service descr. ²
215/70R15 CP	8	109R
215/75R16 C	10	116/114R
225/75R16 CP	8	116R
225/65R16 CP	8	112R *

Vanco™-6		
Size	PR	Service descr. ²
185R14 C	6	99/97Q
195/70R15 C	6	100/98R (97T)
205/65R15 C	6	102/100T
195/65R16 C	6	100/98T
215/65R16 C	6	106/104T

Vanco™-8		
Size	PR	Service descr. ²
185R14 C	8	102/100Q
195R14 C	8	106/104Q
165/75R14 C	8	97/95R
195R15 C	8	106/104R
195R15 C	8	106/104S *
195/70R15 C	8	104/102R
205/70R15 C	8	106/104R
215/70R15 C	8	109/107S
225/70R15 C	8	112/110R (115N)
185/75R16 C	8	104/102R
195/75R16 C	8	107/105R
195/75R16 C	8	107/105T
205/75R16 C	8	110/108R
215/75R16 C	8	113/111R
225/75R16 C	8	116/114R (118/116P)
225/75R16 C	10	118/116R
195/65R16 C	8	104/102T (100T)
205/65R16 C	8	107/105T (103T)
215/65R16 C	8	109/107R
225/65R16 C	8	112/110R
225/65R16 C	8	112/110S

Vanco™-10		
Size	PR	Service descr. ²
195/75R16 C	10	110/108R
205/75R16 C	10	113/111R
215/75R16 C	10	116/114R

VancoWinterContact™		
Size	PR	Service descr. ²
165/70R13 C	6	88/86R
205/65R15 RF		99T
185/60R15 C	6	94/92T
185/55R15 C	6	90/88T
195/55R15 RF		89T
215/65R16 C	4	102/100T
205/60R16 C	6	100/98T
205/55R16 C	6	98/96T
215/60R17 C	6	104/102H

Vanco™ 2		
Size	PR	Service descr. ²
185R14 C	8	102/100Q
195R14 C	8	106/104Q
205R14 C	8	109/107P
215R14 C	8	112/110P
185/75R14 C	8	102/100Q
195/75R14 C	8	106/104Q
195/70R15 C	8	104/102R
195/70R15 C	6	100/98R (97T) *
205/70R15 C	8	106/104R
215/70R15 C	8	109/107R
215/70R15 C	8	109/107S *
225/70R15 C	8	112/110R (115N)
175/75R16 C	8	101/99R
185/75R16 C	8	104/102R *
195/75R16 C	8	107/105T *
205/75R16 C	8	110/108R *
215/75R16 C	10	116/114R
215/75R16 C	10	113/111R *
225/75R16 C	10	121/120R
225/75R16 C	8	116/114R (118/116) *
225/75R16 C	10	118/116R *
195/65R16 C	8	104/102T (100T)
195/65R16 C	6	100/98T *
205/65R16 C	8	107/105T (103T) *
215/65R16 C	8	109/107R (106T)
215/65R16 C	6	106/104T *
225/65R16 C	8	112/110S *
235/65R16 C	8	115/113R
255/55R17 C	10	118/116R *

VancoWinter™		
Size	PR	Service descr. ²
195R14 C	8	106/104Q
175/75R16 C	8	101/99R
185/75R16 C	8	104/102R
195/75R16 C	8	107/105R
195/65R16 C	8	104/102T (100T)
205/65R16 C	8	107/105T (103T)
215/65R16 C	8	109/107R (106T)
225/65R16 C	8	112/110R

VancoWinter™ 2 (In preparation)		
Size	PR	Service descr. ²
185R14 C	8	102/100Q
165/70R14 C	6	89/87R
175/65R14 C	6	90/88T
195/70R15 C	8	104/102R
195/70R15 RF		97T
205/70R15 C	8	106/104R
215/70R15 C	8	109/107R
225/70R15 C	8	112/110R
205/65R15 C	6	102/100T
185/75R16 C	8	104/102R
195/75R16 C	8	107/105R
205/75R16 C	8	110/108R
215/75R16 C	8	113/111R
225/75R16 C	8	116/114R **
195/65R16 C	8	104/102T
205/65R16 C	8	107/105T
215/65R16 C	8	109/107R
215/65R16 C	6	106/104T
235/65R16 C	8	115/113R **
195/60R16 C	6	99/97T

Ply rating and inflation pressure.
 4 PR = 3.25 bar
 6 PR = 3.75 bar
 8 PR = 4.5/4.75 bar
 10 PR = 5.25/5.75 bar

Tyre classifications.
 C = Commercial
 CP = Camping tyre
 RF = Reinforced

¹ Based on ETRTO, ISO and WdK/DIN standards
² Load index single/twin fitment and speed symbol;
 "Singlepoint" additional service description in brackets
 * in preparation
 ** already available


Continental – Official Sponsor of UEFA EURO 2008™.

High performance, innovative technology and perfect teamwork – everything that makes Continental tyres so special will also be on display at an event set to make the hearts of millions beat a little faster: UEFA EURO 2008™. That's why we are proud to be an Official Sponsor of UEFA EURO 2008™ in Austria and Switzerland.



Visit the ContiFanWorld at www.contifanworld.com and win tickets to UEFA EURO 2008™!

Your local dealer.



Find out more at www.conti-online.com

Key to dimensions.

- N = up to 140 km/h
- P = up to 150 km/h
- Q = up to 160 km/h
- R = up to 170 km/h
- S = up to 180 km/h
- T = up to 190 km/h
- H = up to 210 km/h
- V = up to 240 km/h
- W = up to 270 km/h